

# Three-Mode Bibliography

(available as PDF, Postscript and BibTex file)

P.M. Kroonenberg

December 4, 2002

## References

- Abel, R. B. (1991). *Experimental design for multilinear models in spectrofluoroscopy*. Unpublished doctoral dissertation, Ohio State University, Columbus OH.
- Abel, R. B., Leurgans, S. E., & Ross, R. T. (1992). *Multilinear models: Experimental design in spectrofluoroscopy*. (Technical report No. 470). Columbus OH: Department of Statistics, Ohio State University.
- Achim, A., & Bouchard, S. (1997). Toward a dynamic topographic components model. *Electroencephalography and Clinical Neurophysiology*, 103, 381–385.
- Achim, A., & Marcantoni, W. (1997). Principal component analysis of event-related potentials: Misallocation of variance revisited. *Psychophysiology*, 34, 597–606.
- Adamopoulos, J. (1982). The perception of interpersonal behavior: Dimensionality and importance of the social environment. *Environment and Behavior*, 14, 29–44.
- Adamopoulos, J. (1984). The differentiation of social behavior: Toward an explanation of universal interpersonal structures. *Journal of Cross-Cultural Psychology*, 15, 487–508.
- Aiken, L. S., & West, S. G. (1991). *Multiple regression: Testing and interpreting interactions*. Newbury Park: Sage.
- Algera, J. A. (1980). *Kenmerken van werk*. Unpublished doctoral dissertation, Leiden University, Leiden, The Netherlands.
- Allosio, N., Boivin, P., Bertrand, D., & Courcoux, P. (1997). Characterisaion of barley transformation into malt by three-way factor analysis of near infrared spectra. *Journal of Near Infrared Spectroscopy*, 5, 157–166.
- Alsberg, B. K. (1994). *Development of methods for improved storage and faster computation of large two- and three-mode chemical data sets*. Unpublished doctoral dissertation, Department of Chemistry, University of Bergen, Bergen, Norway.
- Alsberg, B. K., & Kvalheim, O. M. (1993). Compression of  $n$ th-order data arrays by B-splines. Part 1: Theory. *Journal of Chemometrics*, 7, 61–73.
- Alsberg, B. K., & Kvalheim, O. M. (1994a). Compression of three-mode data arrays by B-splines prior to three-mode principal component analysis. *Chemometrics and Intelligent Laboratory Systems*, 23, 29–38.
- Alsberg, B. K., & Kvalheim, O. M. (1994b). Speed improvement of multivariate algorithms by the method of postponed basis matrix multiplication. Part I: Principal component analysis. *Chemometrics and Intelligent Laboratory Systems*, 24, 31–42.
- Alsberg, B. K., & Kvalheim, O. M. (1994c). Speed improvement of multivariate algorithms by the method of postponed basis matrix multiplication. Part II. Three-mode principal component analysis. *Chemometrics and Intelligent Laboratory Systems*, 24, 43–54.
- Altink, W. M. M., & Born, M. P. (1987). *Achievement strategies in work organizations: Concept analysis and development of a situation-response inventory*. (Unpublished manuscript). Amsterdam, The Netherlands: Free University of Amsterdam.

- Altink, W. M. M., & Born, M. P. (1988, 21-26 August). *The practical use of a situation-response inventory on achievement-related behavior in selection and training situations*. Paper presented at the 46th Annual Convention of the International Council of Psychologists., Singapore.
- Altink, W. M. M., Born, M. P., & Algera, J. A. (1987). De SR-vragenlijstmethode bij organisatievraagstellingen: Nieuwe mogelijkheden voor diagnostiek van werkgedrag? [The method of SR-inventory in workorganizations: New possibilities for diagnostics of work-attitude?]. *Gedrag en Organisatie*, 1, 38–53.
- Amato, V. (1989). Autoregressive process for three-way data matrices. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 383–389). Amsterdam: Elsevier.
- Amato, V. (1992). Special vec for a diagonal form of a group of matrices. *Statistica Applicata*, 4, 653–657.
- Anderson, C. J. (1996). The analysis of three-way contingency tables by three-mode association models. *Psychometrika*, 61, 465–483.
- Andersson, C. A. (1999). Multiway data in chemometrics: Exploratory data analysis in chemistry with soft multi-linear modelling. *Bulletin of the International Statistical Institute*, 58, 215–218.
- Andersson, C. A. (2000a). *Exploratory multivariate data analysis with applications in food technology*. Copenhagen, Denmark: DSR Grafik.
- Andersson, C. A., & Bro, R. (1998). Improving the speed of multi-way algorithms: Part I. Tucker3. *Chemometrics and Intelligent Laboratory Systems*, 42, 93–103.
- Andersson, C. A., & Henrion, R. (1999). A general algorithm for obtaining simple structure of core arrays in  $N$ -way PCA with application to fluorometric data. *Computational Statistics and Data Analysis*, 31, 255–278.
- Andersson, C. A., Munck, L., Henrion, R., & Henrion, G. (1997). Analysis of  $N$ -dimensional data arrays from fluorescence spectroscopy of an intermediary sugar product. *Fresenius Journal of Analytical Chemistry*, 359, 138–142.
- Andersson, G. G., Dable, B. K., & Booksh, K. S. (1999). Weighted parallel factor analysis for calibration of HPLC-UV/VIS spectrometers in the presence of Beer's law deviations. *Chemometrics and Intelligent Laboratory Systems*, 49, 195–213.
- Antalek, B., & Windig, W. (1996). Generalized rank annihilation method applied to a single multicomponent pulsed gradient spin echo NMR data set. *Journal of the American Chemical Society*, 118, 10331–10332.
- Appelof, C. J., & Davidson, E. R. (1981). Strategies for analyzing data from video fluorometric monitoring of liquid chromatographic effluents. *Analytical Chemistry*, 53, 2053–2056.
- Appelof, C. J., & Davidson, E. R. (1983). Three-dimensional rank annihilation for multicomponent determinations. *Analytica Chimica Acta*, 146, 9–14.
- Arabie, P., & Boorman, S. A. (1973). Multidimensional scaling of measures of distance between partitions. *Journal of Mathematical Psychology*, 10, 148–203.
- Arabie, P., & Carroll, J. D. (1980a). *How to use MAPCLUS, a computer program for fitting the ADCLUS model*. (Technical report). Murray Hill, New Jersey: Bell Laboratories.
- Arabie, P., & Carroll, J. D. (1980b). MAPCLUS: A mathematical programming approach to fitting the ADCLUS model. *Psychometrika*, 45, 211–235.
- Arabie, P., Carroll, J. D., & DeSarbo, W. S. (1987a). *Three-way scaling and clustering*. Beverly Hills: Sage.
- Arabie, P., Carroll, J. D., & DeSarbo, W. S. (1990). *San-gen deta no bunseki: Tajigen shakudo koseiho to kurasuta bunsekiho*. [Three-way scaling and clustering]. Tokyo: Kyoritsu Shuppan.
- Arabie, P., Carroll, J. D., DeSarbo, W. S., & Wind, J. (1981). Overlapping clustering: A new method for product positioning. *Journal of Marketing Research*, 18, 310–317.
- Arabie, P., & Maschmeyer, C. (1988). Some current models for the perception and judgment of risk. *Organizational Behavior and Human Decision Processes*, 41, 300–329.

- Arabie, P., Mashmeyer, C. J., & Carroll, J. D. (1987). Impact scaling: Method and application. *Technological Forecasting and Social Change*, 32, 245–272.
- Arboleda, M. L. (1991). *Case deletion for multilinear models*. Unpublished doctoral dissertation, Ohio State University, Columbus OH.
- Arcelay, A. R., Ross, R. T., & Ezzeddine, B. M. (1988). Photosystem I generates a free-energy change of 0.7 electron volts or less. *Biochimica et Biophysica Acta*, 936, 199–207.
- Aruga, R., Gastaldi, D., Negro, G., & Ostacoli, G. (1995). Pollution of a river basin and its evolution with time studied by multivariate statistical analysis. *Analytica Chimica Acta*, 310, 15–25.
- Azubel, M., Fernández, F. M., Tudino, M. B., & Troccoli, O. E. (1999). Novel application and comparison of multivariate calibration for the simultaneous determination of Cu, Zn and Mn at trace levels using flow injection diode array spectrophotometry. *Analytica Chimica Acta*, 398, 93–102.
- Baerwald, T. J. (1976). The emergence of a new "downtown". *The Geographical Review*, 68, 308–318.
- Bailey, R. A., & Rowley, C. A. (1993). Maximal rank of an element of a tensor product. *Linear Algebra and Its Applications*, 182, 1–7.
- Baltink, G. J. H. (1969). Driemodale faktorenanalyse in een differentieelpsychologisch onderzoek naar de beoordeling van abstracte schilderijen. *Nederlands Tijdschrift voor de Psychologie*, 24, 529–540.
- Barbieri, P., Adami, G., Piselli, S., Gemiti, F., & Reisenhofer, E. (2002). A three-way principal factor analysis for assessing the time variability of freshwaters related to a municipal water supply. *Chemometrics and Intelligent Laboratory Systems*, 60, 89–100.
- Barbieri, P., Andersson, C. A., Massart, D. L., Predonzani, S., Adami, G., & Reisenhofer, E. (1999). Modeling bio-geochemical interactions in the surface waters of the gulf of Trieste by three-way principal component analysis (PCA). *Analytica Chimica Acta*, 398, 227–235.
- Barré, A., & Fichet, B. (1985). Analyse des correspondances et rotations procustéennes représentation hiérarchique et ordres compatibles. *Statistiques et Analyse de Données*, 10, 16–26.
- Bartussek, D. (1973). Zur Interpretation der Kernmatrix in der dreimodalen Faktorenanalyse von R. L. Tucker [On the interpretation of the core matrix in the three-mode factor analysis of R. L. Tucker]. *Psychologische Beiträge*, 15, 169–184.
- Bartussek, D. (1980). Die dreimodale Faktorenanalyse als Methode zur Bestimmung von EEG-Frequenzbändern. [Three-mode factor analysis as a method of determining EEG frequency bands]. In S. Kubicki, W. M. Herrmann, & G. Laudahn (Eds.), *Faktorenanalyse und Variablenbildung aus dem Elektroenzephalogramm*. (pp. 15–26). Stuttgart, FRG: Gustav Fischer Verlag.
- Bartussek, D., & Gräser, H. (1980). Ergebnisse dreimodaler Faktorenanalysen von EEG-Frequenzspektren. [Results of three-mode factor analyses of EEG frequency spectra]. In S. Kubicki, W. M. Herrmann, & G. Laudahn (Eds.), *Faktorenanalyse und Variablenbildung aus dem Elektroenzephalogramm*. (pp. 79–87). Stuttgart, FRG: Gustav Fischer Verlag.
- Basford, K. E., Federer, W. T., & Miles-McDermott, N. J. (1987). Illustrative examples of clustering using the mixture method and two comparable methods from SAS. *Computational Statistics Quarterly*, 4, 219–233.
- Basford, K. E., Greenway, D. R., & McLachlan, G. J. (1994). *Standard errors fitted component means of normal mixture models*. (Research report No. 27). Brisbane, Australia: Department of Mathematics, University of Queensland.
- Basford, K. E., & Kroonenberg, P. M. (1989). An investigation of multi-attribute genotype response across environments using three-mode principal component analysis. *Euphytica*, 44, 109–123.
- Basford, K. E., Kroonenberg, P. M., & Cooper, M. (1996). Three-mode analytical methods for crop improvement programs. In M. Cooper & G. L. Hammer (Eds.), *Plant adaptation and crop improvement*. (pp. 291–305). Wallingford, UK: CAB International.

- Basford, K. E., Kroonenberg, P. M., & DeLacy, I. H. (1991). Three-way methods for multiattribute genotype by environment data: An illustrated partial survey. *Field Crops Research*, 27, 131–157.
- Basford, K. E., Kroonenberg, P. M., DeLacy, I. H., & Lawrence, P. K. (1990). Multiattribute evaluation of regional cotton variety trials. *Theoretical and Applied Genetics*, 79, 225–234.
- Basford, K. E., & McLachlan, G. J. (1985a). Estimation of allocation rates in a cluster analysis context. *Journal of the American Statistical Association*, 80, 286–293.
- Basford, K. E., & McLachlan, G. J. (1985b). Likelihood estimation with normal mixture models. *The Journal of the Royal Statistical Society*, 34, 282–289.
- Basford, K. E., & McLachlan, G. J. (1985c). The mixture method of clustering applied to three-way data. *Journal of Classification*, 2, 109–125.
- Baxter, D. C., & Ohman, J. (1990). Multicomponent standard additions and partial least-squares modeling: A multivariate calibration approach to the resolution of spectral interferences in graphite-furnace atomic-absorption spectrometry. *Spectrochimica Acta Part B - Atomic Spectroscopy*, 45, 481–491.
- Bechmann, I. E. (1997). Second-order data by flow injection analysis with spectrophotometric diode-array detection and incorporated gel-filtration chromatographic column. *Talanta*, 44, 585–591.
- Bécue-Bertaut, M. (1992). Three-way textual analysis. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 457–464). Berlin: Springer.
- Beem, A. L., & Brugman, D. (1985). An exploration of the structure of classroom behavior during values development lessons. *Studies in Educational Evaluation*, 11, 339–357.
- Beffy, J. L. (1992). Application de l'analyse en composantes principales à trois modes pour l'étude physico-chimique d'un écosystème lacustre d'altitude: Perspectives en écologie. [Application of three-mode principal component analysis for a chemo-physical study of the ecosystem of a high altitude lake: Perspectives in ecology]. *Revue Statistique Appliquée*, 40, 37–56.
- Beffy, J. L. (1993). *Approche des structures ternaires en écologie par l'analyse en composantes principales à trois modes*. Unpublished doctoral dissertation, University Claude Bernard, Lyon I, France.
- Belk, R. W. (1974). An exploratory assessment of situational effects in buyer behavior. *Journal of Marketing Research*, 11, 156–163.
- Belk, R. W. (1979). Gift-giving behavior. In J. N. Sheth (Ed.), *Research in marketing*, Vol. 2. (pp. 95–126). Greenwich, CT: JAI Press Inc.
- Bell, T. S., Dirks, D. D., & Carterette, E. C. (1989). Interactive factors in consonant confusion patterns. *Journal of the Acoustical Society of America*, 85, 339–346.
- Bener, A. (1982). Décomposition des interactions dans une correspondance multiple (inter. corr. mult.). *Les Cahiers de l'Analyse des Données*, 7, 25–32.
- Bennani Dosse, M. (1995). Positionnement multidimensionnel d'un tableau à 3 voies. *Revue Statistique Appliquée*, 43, 63–75.
- Bentler, P. M., & Lee, S.-Y. (1979). A statistical development of three-mode factor analysis. *British Journal of Mathematical and Statistical Psychology*, 32, 87–104.
- Bentler, P. M., Poon, W.-Y., & Lee, S.-Y. (1988). Generalized multimode latent variable models: Implementation by standard programs. *Computational Statistics and Data Analysis*, 6, 107–118.
- Bentler, P. M., & Weeks, D. G. (1979). Interrelations among models for the analysis of moment structures. *Multivariate Behavioral Research*, 14, 169–186.
- Bentler, S.-Y., P. M. andand Lee. (1978). Statistical aspects of a three-mode factor analysis model. *Psychometrika*, 43, 343–352.
- Bernard, M. C., & Lavit, C. (1985). Présentation des données. *Statistiques et Analyse des Données*, 10, 11–15.
- Bernstein, A. L., & Wicker, F. W. (1969). A three-mode factor analysis of the concept of novelty. *Psychonomic Science*, 14, 291–292.

- Berrueta, L. A., Fernandez, L. A., & Vicente, F. (1991). Fluorim: A computer program for the automated data collection and treatment using commercial spectrofluorimeters. *Computers and Chemistry*, 15, 307–312.
- Bezemer, E., & Rutan, S. C. (2002). Three-way alternating least squares using three-dimensional tensors in MATLAB. *Chemometrics and Intelligent Laboratory Systems*, 60, 239–251.
- Bhattacharya, P., & Mukherjee, N. P. (1994). On the representation of uncertain information by multidimensional arrays. *IEEE Transactions on Systems, Man, and Cybernetics*, 24, 107–111.
- Bijlsma, S. (2000). *Estimating rate constants of chemical reactions using spectroscopy*. Unpublished doctoral dissertation, Department of Analytical Chemistry, University of Amsterdam, Amsterdam.
- Bijlsma, S., Louwerse, D. J., & Smilde, A. K. (1999). Estimating rate constants and pure UV-vis spectra of a two-step reaction using trilinear models. *Journal of Chemometrics*, 13, 311–329.
- Bijlsma, S., Louwerse, D. J., Windig, W., & Smilde, A. K. (1998). Rapid estimation of rate constants using on-line SW-NIR and trilinear models. *Analytica Chimica Acta*, 376, 339–355.
- Bloxom, B. (1968). A note on invariance in three-mode factor analysis. *Psychometrika*, 33, 347–350.
- Bloxom, B. (1984). Tucker's three-mode factor analysis model. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 104–121). New York: Praeger.
- Blyshak, L. A., Patonay, G., & Warner, I. M. (1989). Multidimensional fluorescence analysis of cyclodextrin solvent-extraction systems. *ACS Symposium Series*, 383, 167–179.
- Boik, R. J. (1989). Three-mode principal components: Upper percentiles of maximum root trace. In *ASA Proceedings of Statistical Computing Section 1983*. (pp. 193–197). Place unknown.
- Boik, R. J. (1990). A likelihood ratio test for three-mode singular values: Upper percentiles and an application to three-way ANOVA. *Computational Statistics and Data Analysis*, 10, 1–9.
- Boik, R. J. (1993). Review of H. A. L. Kiers "Three-way methods for the analysis of qualitative and quantitative two-way data". *Psychometrika*, 58, 149–152.
- Boik, R. J., & Marasinghe, M. G. (1989). Analysis of nonadditive multiway classifications. *Journal of the American Statistical Association*, 84, 1059–1064.
- Bolasco, S. (1985). *Materiali bibliografici e informatici sull'analisi di matrici tridimensionali [bibliographic material and information on the analysis of three-way matrices]*. (Research Report No. B1). Rome, Italy: Department of Statistics, Probability and Statistical Applications, University of Rome 'La Sapienza'.
- Bolasco, S. (1986). Per una teoria sulla costruzione e l'analisi delle matrici a tre modi [Towards a theory on the construction and the analysis of three-mode matrices]. In *Proceedings of the 33rd Meeting of the Italian Statistical Society*, Vol. 1. (pp. 183–195). Bari.
- Bolasco, S., & Coppi, R. (1987, 23-25 September 1987). *Primi risultati sull'analisi strutturale e dinamica dell'occupazione in cinque regioni italiane dal 1978 al 1986*. [First results of structural and dynamic analyses of occupations in five Italian regions from 1978 to 1986]. Paper presented at 'Forze di lavoro: Disegno dell'indagine e analisi strutturali', Bressanone.
- Bolton, B. (1988). Multivariate approaches to human learning. In J. R. Nesselroade & R. B. Cattell (Eds.), *Handbook of multivariate experimental psychology*. (Second edition ed., pp. 789–819). New York: Plenum Press.
- Booksh, K., Henshaw, J. M., Burgess, L. W., & Kowalski, B. R. (1995). A second-order standard addition method with application to calibration of a kinetics-spectroscopic sensor for quantitation of trichloroethylene. *Journal of Chemometrics*, 9, 263–282.

- Booksh, K. S., & Kowalski, B. R. (1994a). Comments on the DATA ANalysis (DATAN) algorithm and rank annihilation factor analysis for the analysis of correlated spectral data. *Journal of Chemometrics*, 8, 287–292.
- Booksh, K. S., & Kowalski, B. R. (1994b). Theory of analytical chemistry. *Analytical Chemistry*, 66, 782A–791A.
- Booksh, K. S., & Kowalski, B. R. (1997). Calibration method choice by comparison of model basis functions to the theoretical instrumental response function. *Analytica Chimica Acta*, 348, 1–9.
- Booksh, K. S., Lin, Z. H., Wang, Z. Y., & Kowalski, B. R. (1994). Extension of trilinear decomposition method with an application to the flow probe sensor. *Analytical Chemistry*, 66, 2561–2569.
- Booksh, K. S., Murosaki, A. R., & Myrick, M. L. (1996). Single-measurement excitation/emission matrix spectrofluorometer for determination of hydrocarbons in ocean water. 2. Calibration and quantitation of naphthalene and styrene. *Analytical Chemistry*, 68, 3539–3544.
- Boorman, S. A., & Arabie, P. (1972). Structural measures and the method of sorting. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling: theory and applications in the behavioral sciences, 1: Theory*. (pp. 225–249). New York: Seminar Press.
- Boqué, R., & Smilde, A. K. (1999). Monitoring and diagnosing batch processes with multiway covariates regression models. *AICHE Journal*, 45, 1504–1520.
- Borg, I., & Lingoes, J. (1987). *Multidimensional similarity structure analysis*. New York: Springer Verlag.
- Borg, I., & Lingoes, J. C. (1978). What weight should weights have in individual differences scaling? *Quality and Quantity*, 12, 223–237.
- Bourouche, J.-M., & Dussaix, A.-M. (1975). Several alternatives for three-way data analysis. *Metra*, 14, 299–319.
- Bove, G., & Di Ciaccio, A. (1989). Comparisons among three factorial methods for analysing three-mode data. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 103–113). Amsterdam: Elsevier.
- Bove, G., & Di Ciaccio, A. (1994). A user-oriented overview of multiway methods and software. *Computational Statistics and Data Analysis*, 18, 15–37.
- Bramston, P., Snyder Jr, C. W., Leah, J. A., & Law, H. G. (1983). Assessment of assertiveness in the intellectually handicapped. *Multivariate Experimental Clinical Research*, 6, 143–159.
- Bridgman, R. P., Snyder Jr, C. W., & Law, H. G. (1981). Individual differences in conceptual behaviour following manipulated controllability. *Personality and Individual Differences*, 2, 197–205.
- Bro, R. (1996). Multiway calibration. Multilinear PLS. *Journal of Chemometrics*, 10, 47–61.
- Bro, R. (1997). PARAFAC. Tutorial and applications. *Chemometrics and Intelligent Laboratory Systems*, 38, 149–171.
- Bro, R. (1998). *Multi-way analysis in the food industry. Models, algorithms, and applications*. Unpublished doctoral dissertation, University of Amsterdam, Amsterdam, The Netherlands.
- Bro, R. (1999). Exploratory study of sugar production using fluorescence spectroscopy and multi-way analysis. *Chemometrics and Intelligent Laboratory Systems*, 46, 133–147.
- Bro, R., & Andersson, C. A. (1998). Improving the speed of multiway algorithms. Part II: Compression. *Chemometrics and Intelligent Laboratory Systems*, 42, 105–113.
- Bro, R., Andersson, C. A., & Kiers, H. A. L. (1999). PARAFAC2 - Part II. Modeling chromatic data with retention time shifts. *Journal of Chemometrics*, 13, 295–309.
- Bro, R., & De Jong, S. (1997). A fast non-negativity-constrained least squares algorithm. *Journal of Chemometrics*, 11, 393–401.
- Bro, R., & Heimdal, H. (1996). Enzymatic browning of vegetables. Calibration and analysis of variance by multiway methods. *Chemometrics and Intelligent Laboratory Systems*, 34, 85–102.

- Bro, R., & Kiers, H. A. L. (1997). TRICAP: Three-way methods in chemistry and psychology, Lake Chelan, WA, USA, 4-9 May 1997. *Journal of Chemometrics*, 11, 463–466.
- Bro, R., & Sidiropoulos, N. D. (1998). Least squares algorithms under unimodality and non-negativity constraints. *Journal of Chemometrics*, 12, 223–247.
- Bro, R., Smilde, A. K., & De Jong, S. (2001). On the difference between low-rank and subspace approximation: improved model for multi-linear PLS Regression. *Chemometrics and Intelligent Laboratory Systems*, 58, 3–13.
- Bro, R., Workman Jr, J. J., Mobley, P. R., & Kowalski, B. (1997). Review of chemometrics applied to spectroscopy: 1985–95, Part 3 - Multi-way analysis. *Applied Spectroscopy Reviews*, 32, 237–261.
- Brockhoff, P. M., Hirst, D., & Naes, T. (1996). Analysing individual profiles by three-way factor analysis. In T. Naes & E. Risvik (Eds.), *Multivariate analysis of data in sensory science*. (pp. 307–342). Amsterdam: Elsevier.
- Brouwer, P. (1985). *The TUCKALS-PARAFAC connection*. (Unpublished Master's thesis). Leiden, The Netherlands: Department of Education, Leiden University.
- Brouwer, P., & Kroonenberg, P. M. (1991). Some notes on the diagonalization of extended three-mode core matrices. *Journal of Classification*, 8, 93–98.
- Brown, S. D. (1998). Information and data handling in chemistry and chemical engineering: the state of the field from the perspective of chemometrics. *Computers and Chemical Engineering*, 23, 203–216.
- Brown, S. D., Bear, R. S., & Blank, T. B. (1992). Chemometrics. *Analytical Chemistry*, 64, 22r–49r.
- Browne, M. W. (1984). The decomposition of multitrait-multimethod matrices. *British Journal of Mathematical and Statistical Psychology*, 37, 1–21.
- Browne, M. W. (1989). Relationships between an additive model and a multiplicative model for multitrait-multimethod matrices. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 507–520). Amsterdam: Elsevier.
- Burdick, D. S. (1992). Comment. Discussion of the article "Multilinear models: Applications in spectroscopy". *Statistical Science*, 7, 314–315.
- Burdick, D. S. (1995). Tutorial. An introduction to tensor products with applications to multiway data analysis. *Chemometrics and Intelligent Laboratory Systems*, 28, 229–237.
- Burdick, D. S., Tu, X. M., McGown, L. B., & Millican, D. W. (1990). Resolution of multi-component fluorescent mixtures by analysis of the excitation-emission-frequency array. *Journal of Chemometrics*, 4, 15–28.
- Burgess, L. W. (1995). Absorption-based sensors. *Sensors and Actuators B - Chemical*, 29, 10–15.
- Burnham, A. J., Macgregor, J. F., & Viveros, R. (1999). A statistical framework for multivariate latent variable regression methods based on maximum likelihood. *Journal of Chemometrics*, 13, 49–65.
- Bus, A. G., & Kroonenberg, P. M. (1982). *Reading instruction and learning to read: A longitudinal study*. (Internal report No. SOL/82-08). Groningen , The Netherlands: Department of Education , University of Groningen.
- Cant, R. G. (1971). Changes in the location of manufacturing in New Zealand 1957-1968: An application of three-mode factor analysis. *New Zealand Geographer*, 27, 38–55.
- Cant, R. G. (1975). Three-mode factor analysis as applied to industrial location data. In L. Collins & D. F. Walker (Eds.), *Locational dynamics of manufacturing activity*. (pp. 201–225). London: Wiley.
- Carlier, A. (1985a). Analyse des évolutions sur tables de contingence: Quelques aspects opérationnels [Analysis of evolutions in contingency tables: Some practical aspects]. In E. D. al. (Ed.), *Data analysis and informatics 4*. (pp. 421–428). Amsterdam: North Holland.
- Carlier, A. (1985b). Application de l'analyse factorielle des évolutions et de l'analyse intra-periodes [An application of factorial analysis of evolutions and the analysis between occasions]. *Statistiques et Analyse de Données*, 10, 27–53.

- Carlier, A. (1986). Factor analysis of evolution and cluster methods on trajectories. In F. de Antoni, N. Lauro, & A. Rizzi (Eds.), *Compstat 1986*. (pp. 140–145). Heidelberg: Physica Verlag.
- Carlier, A. (1989). *L'Analyse des évolutions de tables de contingence*. (Technical report No. 689). Montréal, Canada: Department of Computer Science and Operational Research, University of Montréal.
- Carlier, A. (1995). *Examples of 3-way correspondence analysis*. (, Technical report). Toulouse, France: Laboratoire of Statistique et Probabilité, Université Paul-Sabatier.
- Carlier, A., & Ewing, G. (1992). Longitudinal analysis of contingency tables with application to demographic data. *Computational Statistics*, 7, 329–353.
- Carlier, A., & Kroonenberg, P. M. (1996). Decompositions and biplots in three-way correspondence analysis. *Psychometrika*, 61, 355–373.
- Carlier, A., & Kroonenberg, P. M. (1998). The case of the French cantons: An application of three-way correspondence analysis. In J. Blasius & M. Greenacre (Eds.), *Visualization of categorical data*. (pp. 253–275). New York: Academic Press.
- Carlier, A., Lavit, C., Pagés, M., Pernin, M.-O., & Turlot, J.-C. (1989). A comparative review of methods which handle a set of indexed data tables. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 85–101). Amsterdam: Elsevier.
- Carroll, J. D. (1972a). Individual differences and multidimensional scaling. In R. N. Shepard, A. K. Romney, & S. B. Nerlove (Eds.), *Multidimensional scaling: Theory and applications in the behavioral sciences, 1: Theory*. (pp. 105–155). New York: Seminar Press.
- Carroll, J. D. (1986). Some multidimensional scaling and related procedures devised at Bell Laboratories with ecological applications. In P. Legendre & L. Legendre (Eds.), *Developments in numerical ecology*. (pp. 65–138). Berlin: Springer.
- Carroll, J. D., & Arabie, P. (1980). Multidimensional scaling. *Annual Review of Psychology*, 31, 607–649.
- Carroll, J. D., & Arabie, P. (1982). *How to use INDCLUS, a computer program for fitting individual differences generalization of the ADCLUS model*. (Working paper). Murray Hill, New Jersey: Bell Laboratories.
- Carroll, J. D., & Arabie, P. (1983a). INDCLUS: an individual differences generalization of the ADCLUS model and the MAPCLUS algorithm. *Psychometrika*, 48, 157–169.
- Carroll, J. D., & Arabie, P. (1983b). INDCLUS: an individual differences generalization of the ADCLUS model and the MAPCLUS algorithm. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. M. . (Eds.), *Research methods for multimode data analysis*. (pp. 518–534). New York: Praeger.
- Carroll, J. D., & Arabie, P. (1996). Multidimensional Scaling. In M. H. Birnbaum (Ed.), *Handbook of perception and cognition, Vol. 3: Measurement, judgment and decision making*. (pp. 179–250). San Diego, CA: Academic Press, Inc.
- Carroll, J. D., & Chang, J. J. (1970). Analysis of individual differences in multidimensional scaling via an N-way generalization of "Eckart-Young" decomposition. *Psychometrika*, 35, 283–319.
- Carroll, J. D., & Chang, J. J. (1972, March). *IDIOSCAL: A generalization of INDSCAL allowing IDIOSyncratic reference system as well as an analytic approximation to INDSCAL*. Paper presented at the Spring Meeting of the Classification Society of North America, Princeton NJ.
- Carroll, J. D., & Chaturvedi, A. (1995). A general approach to clustering and multidimensional scaling of two-way, three-way, or higher-way data. In R. D. Luce, M. D'Zmura, D. D. Hoffman, G. J. Iverson, & A. K. Romney (Eds.), *Geometric representations of perceptual phenomena: Papers in honor of Tarow Indow on his 70th birthday*. (pp. 295–318). Mahwah, NJ: Erlbaum.
- Carroll, J. D., Chaturvedi, A., & Green, P. E. (1994, June). *K-means, K-medians and K-modes: Special cases of partitioning multiway data*. Paper presented at the Annual Meeting of the Classification Society of North America., Houston.

- Carroll, J. D., Clark, L. A., & DeSarbo, W. S. (1984). The representation of three-way proximity data by single and multiple tree structure models. *Journal of Classification*, 1, 25–74.
- Carroll, J. D., & De Soete, G. (1991). Toward a new paradigm for the study of multiattribute choice behavior. Spatial and discrete modeling of pairwise preferences. *American Psychologist*, 46, 342–351.
- Carroll, J. D., De Soete, G., & Kamensky, V. (1992). A modified CANDECOMP algorithm for fitting the latent class model: Implementation and evaluation. *Applied Stochastic Models and Data Analysis*, 8, 303–309.
- Carroll, J. D., De Soete, G., & Pruzansky, S. (1989). Fitting of the latent class model via iteratively reweighted least squares CANDECOMP with nonnegativity constraints. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 463–472). Amsterdam: Elsevier.
- Carroll, J. D., & Green, P. E. (1988). An INDSCAL-based approach to multiple correspondence analysis. *Journal of Marketing Research*, 25, 193–203.
- Carroll, J. D., & Green, P. E. (1997). Psychometric methods in marketing research: Part II, Multidimensional scaling. *Journal of Marketing Research*, 34, 193–204.
- Carroll, J. D., & Pruzansky, S. (1979). *Use of LINCINDS as a rational starting configuration for INDSCAL*. (Technical report). Murray Hill, NJ: Bell Laboratories.
- Carroll, J. D., & Pruzansky, S. (1984). The CANDECOMP-CANDELINC family of models and methods for multidimensional data analysis. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 372–402). New York: Praeger.
- Carroll, J. D., & Pruzansky, S. (1986). Discrete and hybrid models for proximity data. In W. Gaul & M. Schader (Eds.), *Classification as a tool of research*. (pp. 47–59). Amsterdam: Elsevier.
- Carroll, J. D., Pruzansky, S., & Green, P. E. (1977). *Estimation of the parameters of Lazarsfeld's latent class model by application of canonical decomposition (CANDECOMP) to multi-way contingency tables*. (Technical Memorandum No. 77-1229-7). Murray Hill, NJ: Bell Laboratories.
- Carroll, J. D., Pruzansky, S., & Kruskal, J. B. (1980). CANDELINC: A general approach to multidimensional analysis of many-way arrays with linear constraints on parameters. *Psychometrika*, 45, 3–24.
- Carroll, J. D., & Winsberg, S. (1995). Fitting an extended INDSCAL model to three-way proximity data. *Journal of Classification*, 12, 57–71.
- Carroll, J. D., & Wish, M. (1974). Models and methods for three-way multidimensional scaling. In D. H. Krantz, R. C. Atkinson, R. D. Luce, & P. Suppes (Eds.), *Contemporary developments in mathematical psychology. Vol. 2*. (pp. 57–105). San Francisco: W. H. Freeman.
- Casassas, E., Tauler, R., & Marquès, I. (1994). Interactions of H<sup>+</sup> and Cu(II) ions with poly(adenylic acid): Study by factor-analysis. *Macromolecules*, 27, 1729–1737.
- Casin, P. (1995). L'analyse discriminante de tableaux évolutifs. [Discriminant analysis of longitudinal tables]. *Revue de Statistique Appliquée*, 43, 73–91.
- Casin, P. (2001). A generalization of principal component analysis to  $K$  sets of variables. *Computational Statistics and Data Analysis*, 35, 417–428.
- Cattell, R. B. (1966). The data box: Its ordering of total resources in terms of possible relational systems. In R. B. Cattell (Ed.), *Handbook of multivariate experimental psychology*. (pp. 67–128). Chicago: Rand McNally.
- Cattell, R. B. (1980). The separation and evaluation of personal and environmental contributions to behavior by the person-centered model (PCER). *Multivariate Behavioral Research*, 15, 371–402.
- Cattell, R. B., Blaine, D. D., & Brennan, J. M. (1984).  $N$ -way factor analysis for obtaining personality-environment-test contribution systems to any response: A plasmode illustration. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 333–370). New York: Praeger.

- Cattell, R. B., & Cattell, A. K. S. (1955). Factor rotation for proportional profiles: Analytical solution and an example. *The British Journal of Statistical Psychology*, 8, 83–92.
- Cecil, T. L., & Rutan, S. C. (1991). Fluorescence detection in liquid chromatography with an intensified diode-array detector. *Journal of Chromatography*, 556, 495–503.
- Chapman, R. M., & McCrary, J. W. (1995). EP component identification and measurement by principal components analysis. *Brain and Cognition*, 27, 288–310.
- Chapman, S. C., Crossa, J., Basford, K. E., & Kroonenberg, P. M. (1997). Genotype by environment effects and selection for drought tolerance in tropical maize. II. Three-mode pattern analysis. *Euphytica*, 95, 11–20.
- Chapman, S. C., Edmeades, G. O., & Crossa, J. (1996). Pattern analysis of gains from selection for drought tolerance in tropical maize populations. In M. Cooper & G. L. Hammer (Eds.), *Plant adaption and crop improvement*. (pp. 513–527). Wallingford, UK: CAB International.
- Chaturvedi, A., & Carroll, J. D. (1994). An alternating combinatorial optimization approach to fitting the INDCLUS and generalized INDCLUS models. *Journal of Classification*, 11, 155–170.
- Chiarello, E., & Chassery, J. M. (1997). Typology of spatial structures of images having the same color set. *Journal of Mathematical Imaging and Vision*, 7, 359–374.
- Chojnicki, Z., & Czyz, T. (1976). Some problems in the application of factor analysis in geography. *Geographical Analysis*, 8, 416–427.
- Choulakian, V. (1988). Analyse factorielle des correspondances de tableaux multiples [Factorial correspondence analysis of multiway tables]. *Revue de Statistique Appliquée*, 36, 33–41.
- Choulakian, V., & Allard, J. (1989). *Analysis of three-way contingency tables by a family of mixed log-linear models*. (Research Report Stat No. 5). Moncton, Canada: University of Moncton.
- Clore, G. L., & Itkin, S. M. (1982). Attraction and conversational style. In N. Hirschberg & L. G. Humphreys (Eds.), *Multivariate applications in the social sciences*. (pp. 143–162). Hillsdale, NJ: Erlbaum.
- Cohen, H. S. (1974). *Three-mode rotation to approximate INDSCAL structure (TRAIS)*. (Technical Memorandum No. 74-3433-14). Murray Hill, NJ: Bell Laboratories.
- Cohen, J. E., & Rothblum, U. G. (1993). Nonnegative ranks, decompositions, and factorizations of nonnegative matrices. *Linear Algebra and its Applications*, 149–168.
- Cole, H. W., & Ray, W. J. (1985). EEG correlates of emotional tasks related to attentional demands. *International Journal of Psychophysiology*, 3, 33–41.
- Commandeur, J. J. F. (1991). *Matching configurations*. Leiden: DSWO Press.
- Cooper, L. G. (1973). A multivariate investigation of preferences. *Multivariate Behavioral Research*, 8, 253–272.
- Cooper, L. G. (1988). Competitive maps: The structure underlying asymmetric cross elasticities. *Management Science*, 34, 707–723.
- Cooper, L. G., Klapper, D., & Inoue, A. (1996). Competitive-component analysis: A new approach to calibrating asymmetric market-share models. *Journal of Marketing Research*, 33, 224–238.
- Cooper, M., & DeLacy, I. H. (1994). Relationships among analytical methods used to study genotypic variation and genotype-by-environment interaction in plant breeding multi-environment experiments. *Theoretical and Applied Genetics*, 88, 561–572.
- Coppi, R. (1982). Theoretical and practical problems in the analysis of multidimensional contingency tables. *Metron - International Journal of Statistics*, 40, 3–35.
- Coppi, R. (1984). La stima della funzione di verosimiglianza nell'analisi discriminante qualitativa [Estimation of the likelihood function in discrete discriminant analysis]. In *Proceedings of the 32nd Meeting of the Italian Statistical Society*. (pp. ???–???). Sorrento.
- Coppi, R. (1986a). Analysis of three-way data matrices based on pairwise relation measures. In F. de Antoni, N. Lauro, & A. Rizzi (Eds.), *Compstat 1986*. (pp. 129–139). Heidelberg: Physica-Verlag.

- Coppi, R. (1986b). *Comparaison de méthodes et comparaison de stratégies d'analyse: quelques reflexions sur l'analyse d'un gros fichier de données sociologiques*. [Comparison of methods and of analysis strategies: Some thoughts on the analysis of a large set of sociological data] (Technical report). Toulouse, France: Laboratory of Statistics and Probability, University Paul-Sabatier.
- Coppi, R. (1986c). Problemi e metodi di analisi di una serie di matrici di dati [Problems and methods of analysis of a series of data matrices]. In *Proceedings of the 33rd Meeting of the Italian Statistical Society, Vol. 1*. (pp. 153–155). Bari.
- Coppi, R. (1988). Prospettive metodologiche nell'analisi di matrici di dati a più indici. In *Proceedings of the Workshop of the Italian I. F. C. S. Group*. (pp. ???–???). Erice - Trapani.
- Coppi, R. (1994). An introduction to multiway data and their analysis. *Computational Statistics and Data Analysis*, *18*, 3–13.
- Coppi, R., & Bolasco, S. (Eds.). (1989). *Multiway data analysis*. Amsterdam: Elsevier.
- Coppi, R., & Zannella, F. (1978). L'Analisi fattoriale di una serie temporale multipla relativa allo stesso insieme di unità statistiche [Factor analysis of multiple time series observed on a given set of individuals]. In *Proceedings of the 29th Meeting of the Italian Statistical Society, Vol. 2*. (pp. ???–???). Bologna.
- Cornelius III, E. T., Hakel, M. D., & Sackett, P. R. (1979). A methodological approach to job classification for performance appraisal purposes. *Personnel Psychology*, *32*, 283–297.
- Cornillon, P. A., Sabatier, R., & Chessel, D. (1993). Analyse d'un cube sous double contrainte de voisinage. In *Bulletin of the ISI. Contributed papers 49th Session. Vol. 1*. (pp. 285–286). Rome.
- Corter, J. E., & Carroll, J. D. (1990). Potential applications of three-way multidimensional scaling and related techniques to integrate knowledge from multiple experts. In D. J. Hand (Ed.), *Artificial intelligence and statistics II*. (pp. 77–92). Basel: Baltzer.
- Courcoux, P., Devaux, M. F., & Bouchet, B. (2002). Simultaneous decomposition of multivariate images using three-way data analysis: Application to the comparison of cereal grains by confocal laser scanning microscopy. *Chemometrics and Intelligent Laboratory Systems*, *62*, 103–113.
- Crivisqui, E. (1987). *Analyse conjointe d'une série de tableaux de type "individus x variables qualitatives"*. (Working paper). Brussels, Belgium: Department of Sociology, Free University of Brussels.
- Cronbach, L. J. (1984). A research worker's treasure chest. *Multivariate Behavioral Research*, *19*, 223–240.
- Crossa, J., Basford, K., Taba, S., DeLacy, I., & Silva, E. (1995). Three-mode analyses of maize using morphological and agronomic attributes measured in multilocational trials. *Crop Science*, *35*, 1483–1491.
- Cullen, T. F., & Crouch, S. R. (1997). Multicomponent kinetic determinations using multivariate calibration techniques. *Mikrochimica Acta*, *126*, 1–9.
- Dahl, K. S., Piovoso, M. J., & Kosanovich, K. A. (1999). Translating third-order data analysis methods to chemical batch processes. *Chemometrics and Intelligent Laboratory Systems*, *46*, 161–180.
- Dai, K. (1982). Application of the three-mode factor analysis to industrial design of chair styles. *Japanese Psychological Review*, *25*, 91–103 (in Japanese with English abstract).
- Dai, K. (1985). Application of a three-mode factor analysis to brand images of whisky. *Reports of Statistical Application Research*, *32*, 11–22.
- D'Ambra, L. (1989). Least squares criterion for asymmetric dependence models in three-way contingency tables. In E. Diday (Ed.), *Data analysis, learning symbolic and numeric knowledge*. (pp. 15–20). New York: Nova Science.
- D'Ambra, L., & Kiers, H. (1990). Analysis of log-trilinear models for a three-way contingency table using PARAFAC/CANDECOMP. In *Proceedings of the Workshop of the Italian Statistical Society*. (pp. 101–114). Pescara.

- D'Ambra, L., & Lauro, N. (1989). Non symmetrical analysis of three-way contingency tables. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 301–315). Amsterdam: Elsevier.
- D'Ambra, L., & Lombardo, R. (1993). Normalized non-symmetrical correspondence analysis for three-way data-sets. In *Bulletin of the ISI. Contributed papers 49th session, Vol. 1*. (pp. 301–302). Rome.
- D'Ambra, L., & Marchetti, G. M. (1986). Un metodo per l'analisi interstrutturale di più matrici basato su misure di relazione tra le unità statistiche [The analysis of three way data matrices: A method based on relation measures between units]. In *Proceedings of the 33rd scientific Meeting of the Italian Statistical Society, Vol. 1*. (pp. 171–182). Bari.
- D'Ambra, L., & Marchetti, G. M. (1988). Analisi fattoriale relazionale e analisi delle corrispondenze multiple. *Institute of Statistics Quarterly, Università degli Studi di Parma*, 7, ???-???
- D'Aubigny, G., & Polit, E. (1989). Some optimality properties of the generalization of the Tucker method to the analysis of n-way tables with specified metrics. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 39–52). Amsterdam: Elsevier.
- Davis, E. E., & Grobstein, N. N. (1966). *Multimode factor analysis of interpersonal perceptions*. (Technical report No. 36). Urbana-Champaign, IL: Department of Psychology, University of Illinois.
- Daws, J. T. (1996). The analysis of free-sorting data: Beyond pairwise cooccurrences. *Journal of Classification*, 13, 57–80.
- Dawson, M. R. W., & Harshman, R. A. (1986). The multidimensional analysis of asymmetries in alphabetic confusion matrices: Evidence for global-to-local and local-to-global processing. *Perception and Psychophysics*, 40, 370–383.
- De Carvalho, J. F. (1977). *Data analysis of multiway tables*. Unpublished doctoral dissertation, Iowa State University, Ames, Iowa.
- De Juan, A., & Tauler, R. (2001). Comparison of 3-way resolution methods for non-trilinear data sets. *Journal of Chemometrics*, 15, 749–772.
- De la Vega, A. J., & Chapman, S. C. (2001). Genotype by environment interaction and indirect selection for yield in sunflower. II. Three-mode principal component analysis of oil and biomass yield across environments in Argentina. *Field Crops Research*, 72, 39–50.
- De Lathauwer, L., De Moor, B., & VandeWalle, J. (2000a). An introduction to independent component analysis. *Journal of Chemometrics*, 14, 123–149.
- De Lathauwer, L., De Moor, B., & VandeWalle, J. (2000b). A multilinear singular value decomposition. *Siam Journal on Matrix Analysis and Applications*, 21, 1253–1278.
- De Lathauwer, L., De Moor, B., & VandeWalle, J. (2000c). On the best rank-1 and rank- $(R_1, R_2, \dots, R_N)$  approximation of higher-order tensors. *SIAM Journal on Matrix Analysis and Applications*, 21, 1324–1342.
- De Leeuw, J. (1992). Comment on "Multilinear models: Applications in spectroscopy". *Statistical Science*, 7, 310–311.
- De Leeuw, J., & Pruzansky, S. (1978). A new computational method to fit the weighted Euclidean distance model. *Psychometrika*, 43, 479–490.
- De Ligny, C. L., Spanjer, M. C., Van Houwelingen, J. C., & Weesie, H. M. (1984). Three-mode factor analysis of data on retention in normal-phase high-performance liquid chromatography. *Journal of Chromatography*, 301, 311–323.
- De Rooij, M. (2001). *Distance models for transition frequency data*. Unpublished doctoral dissertation, Leiden University, Leiden, The Netherlands.
- De Rooij, M., & Heiser, W. J. (2000). Triadic distance models for the analysis of asymmetric three-way proximity data. *British Journal of Mathematical and Statistical Psychology*, 53, 99–119.
- De Soete, G. (1992). Review of Arabie et al.'s "Three-way scaling and clustering". *Psychometrika*, 57, 455–457.

- De Soete, G., & Carroll, J. D. (1988). Optimal weighting for one-mode and two-mode ultrametric tree representations of three-way three-mode data. In M. G. H. Jansen & W. H. van Schuur (Eds.), *The many faces of multivariate analysis Vol. I*. (pp. 16–29). Groningen: RION.
- De Soete, G., & Carroll, J. D. (1989). Ultrametric tree representations of three-way three-mode data. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 415–426). Amsterdam: Elsevier.
- De Soete, G., Carroll, J. D., & Chaturvedi, A. D. (1993). A modified CANDECOMP method for fitting the extended INDSCAL model. *Journal of Classification*, 10, 75–91.
- Defays, D. (1979). Tree representation of ternary relations. *Journal of Mathematical Psychology*, 19, 208–218.
- Demir, C., & Brereton, R. G. (1997). Calibration of gas chromatography-mass spectrometry of two-component mixtures using univariate regression and two- and three-way partial least squares. *Analyst*, 122, 631–638.
- Denis, J. B., & Dhorne, T. (1989). Orthogonal tensor decomposition of 3-way tables. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 31–37). Amsterdam: Elsevier.
- Dequier, A. (1974). *Notes sur les tables de contingence entre trois caractères*. [Notes on three-way contingency tables] (Unpublished Document No. 1033). Arcueil, France: C.I.R.O.
- DeSarbo, W. S., & Carroll, J. D. (1981a). Three-way unfolding and situational dependence in consumer preference analysis. In K. Bernhardt (Ed.), *The changing marketing environment: New theories and applications*. (pp. 321–325). Chicago: American Marketing Association.
- DeSarbo, W. S., & Carroll, J. D. (1981b). Three-way metric unfolding. In J. W. Keon (Ed.), *Market measurement and analysis*. (pp. ???–??)). Providence, NJ: TIMS College on Marketing.
- DeSarbo, W. S., & Carroll, J. D. (1985). Three-way metric unfolding via alternating weighted least squares. *Psychometrika*, 50, 275–300.
- DeSarbo, W. S., Carroll, J. D., Clark, L. A., & Green, P. E. (1984). Synthesized clustering: A method for amalgamating alternative clustering bases with differential weighting of variables. *Psychometrika*, 49, 57–78.
- DeSarbo, W. S., Carroll, J. D., Lehmann, D. R., & O'Shaughnessy, J. (1982). Three-way multivariate conjoint analysis. *Marketing Science*, 1, 323–350.
- DeSarbo, W. S., & Harshman, R. A. (1985). Celebrity-brand congruence analysis. *Journal of Current Issues and Research in Advertising*, 1, 17–52.
- DeSarbo, W. S., Lehmann, D. R., Holbrook, M. B., & Havlena, W. J. (1987). A stochastic three-way unfolding model for asymmetric binary data. *Applied Psychological Measurement*, 11, 397–418.
- DeSarbo, W. S., Libby, R., & Jedidi, K. (1994). CATSCALE: A stochastic multidimensional scaling methodology for the spatial analysis of sorting data and the study of stimulus categorization. *Computational Statistics and Data Analysis*, 18, 165–184.
- Di Ciaccio, A., & Bove, G. (1987). A factorial method for the analysis of three-way data in tensor spaces. In *Fifth international symposium on data analysis and informatics, Vol. 2*. (pp. 137–145). Versailles, France.
- Di Ciaccio, A., & De Leeuw, J. (1988). Cluster analysis per matrici di dati a due o più indici e con livello di misurazione misto [Cluster analysis for two-way and multi-way data with mixed measurement level]. In *Proceedings of the workshop of the Italian I.F.C.S. group*. (pp. 83–96). Erice-Trapani.
- Dijksterhuis, G. B., & Gower, J. C. (1991/2). The interpretation of generalized Procrustes analysis and allied methods. *Food Quality and Preference*, 3, 67–87.
- Dillon, W. R., Frederick, D. G., & Tangpanichdee, V. (1985). Decision issues in building perceptual product spaces with multi-attribute rating data. *Journal of Consumer Research*, 12, 47–63.

- Disner, S. F. (2001). Evaluation of vowel normalization procedures. *Journal of the Acoustical Society of America*, 67, 253–261.
- Do, T., McIntyre, N. S., Harshman, R. A., Lundy, M. E., & Splinter, S. J. (1999). Application of parallel factor analysis and x-ray photoelectron spectroscopy to the initial stages in oxidation of aluminium - I. The Al 2p photoelectron line. *Surface and Interface Analysis*, 27, 618–628.
- Doledec, S., & Chessel, D. (1989). Seasonal successions and spatial variables in fresh-water environments. Part 2: Distinction between seasonal and environmental-effects within floral and faunistic data. *Acta Oecologica - Oecologia Generalis*, 10, 207–232.
- Donchin, E., Gerbrandt, L. A., Leifer, L., & Tucker, L. (1972). Is the contingent negative variation contingent on a motor response? *Psychophysiology*, 9, 178–188.
- Dong, D., & McAvoy, T. J. (1996). Batch tracking via nonlinear principal component analysis. *AICHE Journal*, 42, 2199–2208.
- Dueñas Cueva, J. M., Rossi, A. V., & Poppi, R. J. (2001). Modeling kinetic spectrophotometric data of aminophenol isomers by PARAFAC2. *Chemometrics and Intelligent Laboratory Systems*, 55, 125–132.
- Dunn, T. R., & Harshman, R. A. (1982). A multidimensional scaling model for the size-weight illusion. *Psychometrika*, 47, 25–45.
- Dunn III, W. J., Hopfinger, A. J., Catana, C., & Duraiswami, C. (1996). Solution of the conformation and alignment tensors for the binding of trimethoprim and its analogs to dihydrofolate reductase: 3D-quantitative structure-activity relationship study using molecular shape analysis, 3-way partial least-squares regression, and 3-way factor analysis. *Journal of Medicinal Chemistry*, 39, 4825–4832.
- Durell, S. R., Lee, C.-H., Ross, R. T., & Gross, E. L. (1990). Factor analysis of the near-ultraviolet absorption spectrum of plastocyanin using bilinear, trilinear, and quadrilinear models. *Archives of Biochemistry and Biophysics*, 278, 148–160.
- D'Urso, P., & Vichi, M. (1998). Dissimilarities between trajectories of a three-way longitudinal data set. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 585–592). Berlin: Springer.
- Eckes, T., & Orlik, P. (1994). Three-mode hierarchical cluster analysis of three-way three-mode data. In H. H. Bock, W. Lenski, & M. M. Richter (Eds.), *Information systems and data analysis*. (pp. 217–225). Berlin: Springer-Verlag.
- Einax, J. W., Aulinger, A., Van Tümpeling, W., & Prange, A. (1999). Quantitative description of element concentrations in longitudinal river profiles by multiway PLS models. *Fresenius Journal of Analytical Chemistry*, 363, 655–661.
- Esbensen, K. H., & Geladi, P. (1989). Strategy of multivariate image analysis (MIA). *Chemometrics and Intelligent Laboratory Systems*, 7, 67–86.
- Esbensen, K. H., Wold, S., & Geladi, P. (1988). Relationships between higher-order data array configurations and problem formulations in multivariate data analysis. *Journal of Chemometrics*, 3, 33–48.
- Escofier, B., & Pagès, J. (1984). L'Analyse factorielle multiple: Une méthode de comparaison de groupes de variables [Multiple factorial analysis: A method to compare groups of variables]. *Data Analysis and Informatics*, 3, 41–55.
- Escofier, B., & Pagès, J. (1994). Multiple factor analysis (AFMULT package). *Computational Statistics and Data Analysis*, 18, 121–140.
- Escoufier, Y. (1985). Objectifs et procédures de l'analyse conjointe de plusieurs tableaux de données [Objective and procedures for conjoint analysis of several data matrices]. *Statistiques et Analyse de Données*, 10, 1–10.
- Esteves da Silva, J. C. G., & Novais, S. A. G. B. (1998). decomposition of synchronous fluorescence spectra of mixtures of the major metabolites of acetylsalicylic acid. *The Analyst*, 123, 2067–2070.
- Esteves da Silva, J. C. G., & Oliveira, C. J. S. (1999). Parafac decomposition of three-way kinetic-spectrophotometric spectral matrices corresponding to mixtures of heavy metal ions. *Talanta*, 49, 889–898.

- Estienne, F., Matthijs, N., Massart, D. L., Ricoux, P., & Leibovici, D. (2001). Multi-way modelling of high-dimensionality electroencephalographic data. *Chemometrics and Intelligent Laboratory Systems*, 58, 59–72.
- Faber, N. M. (1994). *Contributions to multivariate data analysis in chemometrics*. Unpublished doctoral dissertation, Catholic University Nijmegen, Nijmegen, The Netherlands.
- Faber, N. M. (1999). Compression of broad-banded spectra by boxcar averaging: Application to the near-infrared prediction of oxygenate concentration in gasoline. *Applied Spectroscopy*, 53, 1011–1015.
- Faber, N. M. (2000). Exact presentation of multivariate calibration model as univariate calibration graph. *Chemometrics and Intelligent Laboratory Systems*, 50, 107–114.
- Faber, N. M., & Bro, R. (2002). Standard error of prediction for multiway PLS: 1. Background and a simulation study. *Chemometrics and Intelligent Laboratory Systems*, 60, 133–149.
- Faber, N. M., Buydens, L. M. C., & Kateman, G. (1993). Standard errors in the eigenvalues of a cross-product matrix: Theory and applications. *Journal of Chemometrics*, 7, 495–526.
- Faber, N. M., Buydens, L. M. C., & Kateman, G. (1994a). Generalized rank annihilation method. I: Derivation of eigenvalue problems. *Journal of Chemometrics*, 8, 147–154.
- Faber, N. M., Buydens, L. M. C., & Kateman, G. (1994b). Generalized rank annihilation method. II: Bias and variance in the estimated eigenvalues. *Journal of Chemometrics*, 8, 181–203.
- Faber, N. M., Buydens, L. M. C., & Kateman, G. (1994c). Generalized rank annihilation method. III: Practical implementation. *Journal of Chemometrics*, 8, 273–285.
- Faber, N. M., Lorber, A., & Kowalski, B. R. (1997a). Analytical figures of merit for tensorial calibration. *Journal of Chemometrics*, 11, 419–461.
- Faber, N. M., Lorber, A., & Kowalski, B. R. (1997b). Generalized rank annihilation method: Standard errors in the estimated eigenvalues if the instrumental errors are heteroscedastic and correlated. *Journal of Chemometrics*, 11, 95–109.
- Faber, N. M., Meinders, M. J., Geladi, P., Sjöström, M., Buydens, L. M. C., & Kateman, G. (1995). Random error bias in principal component analysis. Part II. Application of theoretical predictions to multivariate problems. *Analytica Chimica Acta*, 304, 273–283.
- Fabrizius, M. A., Cooper, M., & Basford, K. E. (1997). Genetic analysis of variation for grain yield and protein concentration in two wheat crosses. *Australian Journal of Agricultural Research*, 48, 605–614.
- Ferreira, M. M. C., Brandes, M. L., Ferreira, I. M. C., Booksh, K. S., Dolowy, W. C., Gouterman, M., & Kowalski, B. R. (1995). Chemometric study of the fluorescence of dental calculus by trilinear decomposition. *Applied Spectroscopy*, 49, 1317–1325.
- Ferrer, R., Guiteras, J., & Beltrán, J. L. (1999). Artificial neural networks (ANNs) in the analysis of polycyclic aromatic hydrocarbons in water samples by synchronous fluorescence. *Analytica Chimica Acta*, 384, 261–269.
- Field, A. S., & Graupe, D. (1991). Topographic component (parallel factor) analysis of multi-channel evoked potentials: Practical issues in trilinear spatiotemporal decomposition. *Brain Topography*, 3, 407–423.
- Firth, P. M., & Snyder Jr, C. W. (1979). Three-mode factor analysis of self-reported difficulty in assertiveness. *Australian Journal of Psychology*, 31, 125–135.
- Fischel, J. E. (1982). The organization of human newborn sucking and movement during auditory stimulation. *Infant Behavior and Development*, 5, 45–61.
- Flôres Jr, R. G. (1988a). *On some methods for analysing three-way tables*. (Discussion paper No. 8805). Bruxelles, Belgium: Centre d'Economie Mathématique et d'Econométrie, Université Libre de Bruxelles.
- Flôres Jr, R. G. (1988b). Classical approaches to cubic tables. *Cahiers du Centre d'Etudes et de Recherche Opérationnelle*, 30, 39–46.

- Flôres Jr, R. G. (1989). Contractions for three-way tables. In E. Diday (Ed.), *Data analysis, learning symbolic and numeric knowledge*. (pp. 47–54). New York: Nova Science.
- Flury, B. (1988). *Common principal components and related multivariate models*. New York: Wiley.
- Flury, B. (1990). Principal points. *Biometrika*, 77, 33–41.
- Flury, B. (1995). Developments in principal components analysis. In W. J. Krzanowski (Ed.), *Recent advances in descriptive multivariate analysis*. (pp. 14–33). Oxford, UK: Clarendon Press.
- Flury, B. D., & Neuenschwander, B. E. (1994). Modelling principal components with structure. In H. Bozdogan (Ed.), *Proceedings of the first US/Japan conference on the frontiers of statistical modeling: An informational approach*. (pp. 183–198). Dordrecht: Kluwer.
- Flury, B. N. (1984). Common principle components in  $k$  groups. *Journal of the American Statistical Association*, 79, 892–898.
- Foss, M. A., Fabiani, M., Mane, A.-M., & Donchin, E. (1989). Unsupervised practice: The performance of the control group. Special issue: The Learning Strategies program: An examination of the strategies in skill acquisition. *Acta Psychologica*, 71, 23–51.
- Foucart, T. (1983). Une nouvelle approche de la méthode STATIS [A new approach of the STATIS method]. *Revue de Statistique Appliquée*, 31, 61–75.
- Foucart, T. (1985a). Application de l'analyse factorielle des correspondances [Application of correspondence factor analysis]. *Statistique et Analyse de Données*, 10, 54–64.
- Foucart, T. (1985b). Application de la méthode RAS [Application of the RAS method]. *Statistique et Analyse de Données*, 10, 65–82.
- Franc, A. (1989). Multiway arrays: Some algebraic remarks. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 19–29). Amsterdam: Elsevier.
- Franc, A. (1992). *Étude algébrique des multitableaux: Apports de l'algèbre tensorielle*. [An algebraic study of multi-way tables: Contributions of tensor algebra]. Unpublished doctoral dissertation, Université de Montpellier II, Montpellier, France.
- Fraser, C. (1980). *COSAN: User's guide*. (Computer manual). Toronto, Canada: Department of Measurement, Evaluation and Computer Applications, Ontario Institute for Studies in Education.
- Frederiksen, N. (1972). Toward a taxonomy of situations. *American Psychologist*, 27, 114–123.
- Fruchter, B. (1969). A comparison of two-mode and three-mode factor analysis of psychomotor learning performance. In H. R. Wijngaarden (Ed.), *Proceedings of the XVIth International Congress of Applied Psychology*. (pp. 600–607). Amsterdam: Swets and Zeitlinger.
- Gabrielsson, A. (1979). Dimension analyses of perceived sound quality of sound-reproducing systems. *Scandinavian Journal of Psychology*, 20, 159–169.
- Gabrielsson, A., & Sjögren, H. (1974). *Adjective ratings and dimension analyses of perceived sound quality of hearing aids. I*. (Report TA No. 75). Stockholm, Sweden: Technical Audiology, Karolinska Institutet.
- Gabrielsson, A., & Sjögren, H. (1975). *Adjective ratings and dimension analyses of perceived sound quality of hearing aids. II*. (Report TA No. 77). Stockholm, Sweden: Technical Audiology, Karolinska Institutet.
- Gabrielsson, A., & Sjögren, H. (1979a). Perceived sound quality of hearing aids. *Scandinavian Audiology*, 8, 159–169.
- Gabrielsson, A., & Sjögren, H. (1979b). Perceived sound quality of sound-reproducing systems. *Journal of the Acoustical Society of America*, 65, 1019–1033.
- Gandour, J. T. (1978). Perceived dimensions of 13 tones: A multidimensional scaling investigation. *Phonetica*, 35, 169–179.
- Gandour, J. T., & Harshman, R. A. (1978). Crosslanguage differences in tone perception: A multidimensional scaling investigation. *Language and Speech*, 21, 1–33.
- García, J. M., Jimenez, A. I., Arias, J. J., Khalaf, K. D., Moralejo, A., & Delaguardia, M. (1995). Application of the partial least-squares calibration method to the simultaneous

- kinetic determination of propoxur, carbaryl, ethiofencarb and formetanate. *Analyst*, 120, 313–317.
- Garrido Frenich, A., Martínez Vidal, J. L., & Martínez Galera, M. (1999). Use of the cross-section technique linked with multivariate calibration methods to resolve complex pesticide mixtures. *Analytical Chemistry*, 71, 4844–4850.
- Geladi, P. (1989). Analysis of multi-way (multi-mode) data. *Chemometrics and Intelligent Laboratory Systems*, 7, 11–30.
- Geladi, P. (1994). Meeting report: TRIC, the first conference on three-way methods in chemistry, Epe, Netherlands, 22–25 August, 1993. *Journal of Chemometrics*, 8, 97–98.
- Geladi, P., Bergner, H., & Ringqvist, L. (2000). From experimental design to images to particle size histograms to multiway analysis. An example of peat dewatering. *Journal of Chemometrics*, 14, 197–211.
- Gemperline, P. J., Miller, K. H., West, T. L., Weinstein, J. E., Hamilton, J. C., & Bray, J. T. (1992). Principal component analysis, trace elements, and blue crab shell disease. *Analytical Chemistry*, 64, 523–531.
- Gemperline, P. J., Rulifson, R. A., & Paramore, L. (2002). Multi-way analysis of trace elements in fish otoliths to track migratory patterns. *Chemometrics and Intelligent Laboratory Systems*, 60, 135–146.
- Geng, C., & Mooshammer, C. (2000). Modeling the German stress distinction. In *Proceedings of the Fifth Seminar on Speech Production: Models and Data*. (pp. 161–164). Kloster Seeon ;–, Germany.
- Gensch, D. H., & Javalgi, R. G. (1988). Issues and advances in product positioning models in marketing-research. *Mathematical and Computer Modelling*, 10, 929–949.
- Gilbert, D. A., Sutherland, M., & Kroonenberg, P. M. (2000). Exploring subject-related interactions in repeated measures data using three-mode principal components analysis. *Nursing Research*, 49, 57–61.
- Gitin, S. R. (1970). A dimensional analysis of manual expression. *Journal of Personality and Social Psychology*, 15, 271–277.
- Glaçon, F. (1981). *Analyse conjointe de plusieurs matrices de données: Comparaison de différentes méthodes*. Unpublished doctoral dissertation, Scientific and Medical University of Grenoble, Grenoble, France.
- Gleason, T. C., & Barton, M. A. (1976). *On improving the interpretability of three-mode component analysis*. (Working Paper). Philadelphia PA: Department of Marketing, The Wharton School, University of Pennsylvania.
- Golding, S. L., Valone, K., & Foster, S. W. (1982). Interpersonal constructual: An individual differences framework. In N. Hirschberg & L. G. Humphreys (Eds.), *Multivariate applications in the social sciences*. (pp. 163–193). Hillsdale, NJ: Erlbaum.
- Gower, J. C. (1975). Generalised Procrustes analysis. *Psychometrika*, 40, 33–51.
- Gower, J. C. (1977). The analysis of three-way grids. In P. Slater (Ed.), *Dimensions of intrapersonal space*. (pp. 163–173). New York: Wiley.
- Gower, J. C. (1984). Multidimensional scaling displays. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 592–601). New York: Praeger.
- Gräser, H. (1977). *Spontane Reversionsprozesse in der Figuralwahrnehmung. Eine Untersuchung reversibler Figuren mit der Dreimodalen Faktorenanalyse*. Unpublished doctoral dissertation, Fachbereich I, Universität Trier, Trier, FRG.
- Gräser, H., Esser, H., & Saile, H. (1981). Einschätzung von Lebensereignissen und ihren Auswirkungen. In S.-H. Filipp (Ed.), *Kritische Lebensereignisse und ihre Bewältigung*. (pp. 104–122). München, FRG: Urban and Schwarzenberg.
- Gredelj, S., Gerson, A. R., Kumar, S., & Cavallaro, G. P. (2001). Characterization of aluminium surfaces with and without plasma nitriding by X-ray photoelectron spectroscopy. *Applied Surface Science*, 174, 240–250.
- Green, P. E., Carmone, F. J., & Wachspress, D. P. (1976). Consumer segmentation via latent class analysis. *Journal of Consumer Research*, 3, 170–174.

- Green, P. E., & Devita, M. T. (1974). A complementarity model of consumer utility for item collections. *Journal of Consumer Research*, 1, 56–67.
- Grorud, A., Chino, N., & Yoshino, R. (1995). Complex analysis for three-way asymmetric relational data. In *Proceedings of the 23rd Annual Meeting of the Behaviormetric Society of Japan*. (pp. ???–???). Osaka, Japan.
- Groves, C. L. (1978). Individual difference modelling of simple functional relations: Examples using three-mode factor analysis. *Dissertation Abstracts International*, 39, 2475–2476.
- Grung, B., & Kvalheim, O. M. (1995a). Detection and quantification of embedded minor analytes in three-way multicomponent profiles by evolving projections and internal rank annihilation. *Chemometrics and Intelligent Laboratory Systems*, 29, 213–221.
- Grung, B., & Kvalheim, O. M. (1995b). Rank mapping of three-way multicomponent profiles. *Chemometrics and Intelligent Laboratory Systems*, 29, 223–232.
- Gruvaeus, G., Wainer, H., & Snyder, F. (1971). TREMOD: A 360/75 FORTRAN program for three-mode factor analysis. *Behavioral Science*, 16, 421–422.
- Gui, M., Rutan, S. C., & Agbodjan, A. (1995). Kinetic detection of overlapped amino acids in thin-layer chromatography with a direct trilinear decomposition method. *Analytical Chemistry*, 67, 3293–3299.
- Gurden, S. P., Westerhuis, J. A., Bijlsma, S., & Smilde, A. K. (2001). Modelling of spectroscopic batch process data using grey models to incorporate external information. *Journal of Chemometrics*, 15, 101–121.
- Gurden, S. P., Westerhuis, J. A., Bro, R., & Smilde, A. K. (2001). A comparison of multiway regression and scaling methods. *Chemometrics and Intelligent Laboratory Systems*, 59, 121–136.
- Gwadry, F. G., & Harshman, R. A. (1994, 24–26 June). *In search of undistorted factors: Comparing PCA and common-factor methods in three-way (PARAFAC) analysis*. Paper presented at the Meeting of the Psychometric Society., Urbana IL.
- Haan, N. (1981). Common dimensions of personality development: Early adolescence to middle life. In D. H. Eichorn, J. A. Clausen, N. Haan, M. P. Honzik, & P. H. Mussen. (Eds.), *Present and past in middle life*. (pp. 117–151). New York: Academic Press.
- Hammers, W. E., Janssen, R. H. A. M., Baars, A. G., & De Ligny, C. L. (1978). Standardization and determination of the selectivity of octadecylsilylsilica in high-performance liquid chromatography. *Journal of Chromatography*, 167, 273–289.
- Hammers, W. E., Spanjer, M. C., & De Ligny, C. L. (1979). Selectivity of nucleosil 10 NH<sub>2</sub> as an adsorbent in high-performance liquid chromatography. *Journal of Chromatography*, 174, 291–305.
- Hanafi, M., & Lafosse, R. (2001). Généralisations de la régression simple pour analyser la dépendance de  $K$  ensembles de variables avec un  $K + 1$ ème. *Revue Statistique Appliquée*, 49, 5–30.
- Hanke, B., Lohmöller, J.-B., & Mandl, H. (1980). *Schülerbeurteilung in der Grundschule: Ergebnisse der Augsburger Längsschnittuntersuchung*. [Evaluation of students at primary school: Results of the Ausburger longitudinal study]. München FRG: Oldenbourg Verlag.
- Harch, B. D. (1995). *Statistical evaluation of germplasm collections*. [Chapter 7: Analysis of three-way quantitative data]. Unpublished doctoral dissertation, Department of Agriculture, University of Queensland, Brisbane, Australia.
- Harch, B. D., DeLacy, I. H., & Basford, K. E. (1995). *Graphical display of variability in large scale multivariate data sets*. (Research report No. 30). Brisbane, Australia: Centre for Statistics, University of Queensland.
- Harris, M. L., & Romberg, T. A. (1974). An analysis of content and task dimensions of mathematics items designed to measure level of concept attainment. *Journal for Research in Mathematics Education*, 5, 72–86.
- Harshman, R. A. (1970). Foundations of the PARAFAC procedure: Models and conditions for an "explanatory" multi-modal factor analysis. *UCLA Working Papers in Phonetics*, 16, 1–84.

- Harshman, R. A. (1972a). Determination and proof of minimum uniqueness conditions for PARAFAC1. *UCLA Working Papers in Phonetics*, 22, 111–117.
- Harshman, R. A. (1972b). PARAFAC2: Mathematical and technical notes. *UCLA Working Papers in Phonetics*, 22, 30–44.
- Harshman, R. A. (1972c). PARAFAC: Parallel-factor models yielding mathematically unique, empirically meaningful solutions with certain classes of three-mode data. *UCLA Working Papers in Phonetics*, 22, 8–9.
- Harshman, R. A. (1976a). *PARAFAC: Methods of three-way factor analysis and multidimensional scaling according to the principle of proportional profiles*. Unpublished doctoral dissertation, University of California, Los Angeles, CA.
- Harshman, R. A. (1976b). PARAFAC: Methods of three-way factor analysis and multidimensional scaling according to the principle of proportional profiles. *Dissertation Abstracts International*, 37, 2478–2479.
- Harshman, R. A. (1984). "How can I know if it's 'real'?" A catalog of diagnostics for use with three-mode factor analysis and multidimensional scaling. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 566–591). New York: Praeger.
- Harshman, R. A. (1985). Book review: Three-mode principal component analysis by Pieter M. Kroonenberg. *Applied Psychological Measurement*, 9, 327–332.
- Harshman, R. A. (1994a). Substituting statistical for physical decomposition: Are there applications for parallel factor analysis (PARAFAC) in non-destructive evaluation? In P. V. Malague (Ed.), *Advances in Signal Processing for Nondestructive Evaluation of Materials*. (pp. 469–483). Dordrecht: Kluwer.
- Harshman, R. A. (1994b, 24–26 June). *Three- and four-way factor analysis of brain scans, satellite photos, and other image data using both standard and novel multi-way models*. Paper presented at the Meeting of the Psychometric Society., Urbana IL.
- Harshman, R. A. (1999). *Use of angle bracket notation to simplify expression of multilinear models*. (Research Bulletin No. 757). London, Canada: Department of Psychology, University of Western Ontario.
- Harshman, R. A. (2000). *Generalization of matrix notation and algebra to n-way arrays*. (Research Bulletin No. 758). London, Canada: Department of Psychology, University of Western Ontario.
- Harshman, R. A. (2001). An index to formalism that generalizes the capabilities of matrix notation and algebra to n-way arrays. *Journal of Chemometrics*, 15, 689–714.
- Harshman, R. A., & Berenbaum, S. A. (1981). Basic concepts underlying the PARAFAC-CANDECOMP three-way factor analysis model and its application to longitudinal data. In D. H. Eichorn, J. A. Clausen, N. Haan, M. P. Honzik, & P. H. Mussen (Eds.), *Present and past in middle life*. (pp. 435–459). New York: Academic Press.
- Harshman, R. A., & DeSarbo, W. S. (1981). *Connotative congruence analysis: An application of PARAFAC to the selection of appropriate spokesmen for given brand*. (Unpublished manuscript). London, Canada: Bell Laboratories and University of Western Ontario.
- Harshman, R. A., & DeSarbo, W. S. (1984). An application of PARAFAC to a small sample problem, demonstrating preprocessing, orthogonality constraints, and split-half diagnostic techniques. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 602–642). New York: Praeger.
- Harshman, R. A., & Hong, S. (2002). 'Stretch' vs. 'slice' methods for representing three-way structure via matrix notation. *Journal of Chemometrics*, 16, 198–205.
- Harshman, R. A., & Howe, M. L. (1979, June 8–10). *Systematic effects of noneuclidean input on the recovered subject and stimulus spaces in three-way MDS*. Paper presented at the 1979 Annual Meeting of the Psychometric Society., Monterey CA.
- Harshman, R. A., & Kroonenberg, P. M. (1987). *Overlooked solutions to Cattell's parallel proportional profiles problem: A perspective on three-mode data analysis*. (Internal Report). London, Canada: Department of Psychology, University of Western Ontario.

- Harshman, R. A., Ladefoged, P., & Goldstein, L. (1977). Factor analysis of tongue shapes. *Journal of the Acoustical Society of America*, 62, 693–707.
- Harshman, R. A., & Lundy, M. E. (1984a). The PARAFAC model for three-way factor analysis and multidimensional scaling. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 122–215). New York: Praeger.
- Harshman, R. A., & Lundy, M. E. (1984b). Data preprocessing and the extended PARAFAC model. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 216–284). New York: Praeger.
- Harshman, R. A., & Lundy, M. E. (1985b). *The preprocessing controversy: An exchange of papers between Kroonenberg, Harshman and Lundy*. (Research Bulletin No. 631). London, Canada: Department of Psychology, University of Western Ontario.
- Harshman, R. A., & Lundy, M. E. (1994). PARAFAC: Parallel factor analysis. *Computational Statistics and Data Analysis*, 18, 39–72.
- Harshman, R. A., & Lundy, M. E. (1996). Uniqueness proof for a family of models sharing features of Tucker's three-mode factor analysis and PARAFAC-CANDECOMP. *Psychometrika*, 61, 133–154.
- Harshman, R. A., Lundy, M. E., & Kruskal, J. B. (1985, July). *Comparison of trilinear and quadrilinear methods: Strengths, weaknesses, and degeneracies*. Paper presented at the annual Meeting of the North American Classification Society. St. John's Newfoundland, Canada.
- Harshman, R. A., & Papcun, G. (1976). Vowel normalization by linear transformation of each speaker's acoustic space. *Journal of the Acoustical Society of America*, 59, 71.
- Hartmann, W. (1986). Canonical decomposition with linear equality and inequality constraints on parameters. In W. Gaul & M. Schader (Eds.), *Classification as a tool of research*. (pp. 191–199). Amsterdam: Elsevier.
- Harvey, D., & Greenway, P. (1982). How parent attitudes and emotional reactions affect their handicapped child's self-concept. *Psychological Medicine*, 12, 357–370.
- Hasegawa, K., Arakawa, M., & Funatsu, K. (1999). 3D-QSAR study of insecticidal neonicotinoid compounds based on 3-way partial least squares model. *Chemometrics and Intelligent Laboratory Systems*, 47, 33–40.
- Hasegawa, K., Arakawa, M., & Funatsu, K. (2000). Rational choice of bioactive conformations through use of conformation analysis and 3-way partial least squares modeling. *Chemometrics and Intelligent Laboratory Systems*, 50, 253–261.
- Hattie, J. A., McDonald, R. P., Snyder Jr, C. W., & Law, H. G. (1984). Issues and perspectives in multimode analysis. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 555–564). New York: Praeger.
- Hayashi, C. (1972). Two dimensional quantification based on the measure of dissimilarity among three elements. *Annals of the Institute of Statistical Mathematics*, 24, 251–257.
- Hayashi, C. (1981). Distance or generalized variance. In *Classification Automatique et Perception par Ordinateur*. (pp. 129–141). Chesnay.
- Hayashi, C. (1982). An algorithm for the solution of PARAFAC model and analysis of the data by the international rice adaptation experiments. *Bulletin of the Biometric Society of Japan*, 3, 77–91.
- Hayashi, C. (1985). Recent theoretical and methodological developments in multidimensional scaling and its related methods in Japan. *Behaviormetrika*, 18, 67–79.
- Hayashi, C. (1989). Multiway data matrices and method of quantification of qualitative data as a strategy of data analysis. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 131–142). Amsterdam: Elsevier.
- Hayashi, C. (1993). *Suryoka: Riron to hoko*. [Quantifications: Theory and methods. Chapter 6: Multiway data analysis, pp. 220-229]. Tokyo: Asakura-shoten.
- Hayashi, C., & Hayashi, F. (1982). A new algorithm to solve PARAFAC-model. *Behaviormetrika*, 11, 49–60.

- Hayashi, F. (1972). Theory of quantification and its example IX:  $e_{ijk}$ -type quantification and its computer program (in Japanese). *Proceedings of the Institute of Statistical Mathematics*, 20, 35–43.
- Hayashi, F. (1985). *Computer programs of multidimensional quantification method*. (Technical Notes). Tokyo: Institute of Statistical Mathematics.
- Hayashi, F., Yamaoka, K., & Terao, H. (1982). A comparative study between two algorithms of PARAFAC model (in Japanese). *Japanese Journal of Behaviormetrics*, 1, 47–62.
- Heimdal, H., Bro, R., Larsen, L. M., & Poll, L. (1997). Prediction of polyphenol oxidase activity in model solutions containing various combinations of chlorogenic acid, (-)-epicatechin,  $O_2$ ,  $CO_2$ , temperature, and pH by multiway data analysis. *Journal of Agricultural and Food Chemistry*, 45, 2399–2406.
- Heiser, W. J. (1989). The city-block model for three-way multidimensional scaling. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 395–404). Amsterdam: Elsevier.
- Heiser, W. J., & De Leeuw, J. (1982). Theory of multidimensional scaling. In P. R. Krishnaiah & L. N. Kanal (Eds.), *Handbook of statistics*. (pp. 285–316). Amsterdam: North Holland.
- Heiser, W. J., & Stoop, I. (1986). *Explicit Smacof algorithms for individual differences scaling*. (PROXSCAL Progress Report No. 2). Leiden, The Netherlands: Department of Data Theory, Leiden University.
- Henrion, G., Henrion, R., Bacso, J., & Uzonyi, I. (1990). Selected methods of correlation-analysis for the example of trace-element relations in human-body. *Zeitschrift für Chemie*, 30, 204–211.
- Henrion, G., Nass, D., Michael, G., & Henrion, R. (1995). Multivariate 3-way data analysis of amino acid patterns of lakes. *Fresenius' Journal of Analytical Chemistry*, 352, 431–436.
- Henrion, R. (1993). Body diagonalization of core matrices in three-way principal components analysis: Theoretical bounds and simulation. *Journal of Chemometrics*, 7, 477–494.
- Henrion, R. (1994).  $N$ -way principal component analysis: Theory, algorithms and applications. *Chemometrics and Intelligent Laboratory Systems*, 25, 1–23.
- Henrion, R. (2000). On global, local and stationary solutions in three-way data analysis. *Journal of Chemometrics*, 14, 261–274.
- Henrion, R., & Andersson, C. A. (1999). A new criterion for simple-structure transformations of core arrays in  $N$ -way principal components analysis. *Chemometrics and Intelligent Laboratory Systems*, 47, 189–204.
- Henrion, R., Henrion, G., Böhme, M., & Behrendt, H. (1997). Three-way principal components analysis for fluorescence spectroscopic classification of algae species. *Fresenius' Journal of Analytical Chemistry*, 357, 522–526.
- Henrion, R., Henrion, G., Heininger, P., & Steppuhn, G. (1990). Three-way principal components analysis for multivariate evaluation of round robin tests. *Fresenius' Journal of Analytical Chemistry*, 336, 37.
- Henrion, R., Henrion, G., Heininger, P., & Steppuhn, G. (1991). Statistical analysis of complex round robin tests. *Acta Hydrochimica et Hydrobiologica*, 19, 603–614.
- Henrion, R., Henrion, G., & Onuoha, G. C. (1992). Multi-way principal components analysis of a complex data array resulting from physiochemical characterization of natural waters. *Chemometrics and Intelligent Laboratory Systems*, 16, 87–94.
- Henshaw, J. M., Burgess, L. W., Booksh, K. S., & Kowalski, B. R. (1994). Multicomponent determination of chlorinated hydrocarbons using a reaction-based chemical sensor. Part 1: Multivariate calibration of fujiwara reaction-products. *Analytical Chemistry*, 66, 3328–3336.
- Hentschel, U., & Klintman, H. (1974). *A 28-variable semantic differential. I. On the factorial identification of content*. (Psychological Research Bulletin No. 14). Lund, Sweden: Lund University.
- Herrmann, W. M., Röhmel, J., Streitberg, B., & Willmann, J. (1983). Example for applying the COMSTAT multimodal factor analysis algorithm to EEG data to describe variance sources. *Neuropsychobiology*, 10, 164–172.

- Hildebrandt, L., & Klapper, D. (1994). The analysis of three-way three-mode data: A program based on GAUSS. In F. Faulbaum (Ed.), *Advances in statistical software, Vol. 4.* (pp. 527–534). Stuttgart - Jena - New York: Gustav Fischer.
- Hildebrandt, L., & Klapper, D. (2001). The analysis of price competition between corporate brands. *International Journal of Research in Marketing*, 18, 139–159.
- Hindmarch, P., Kavianpour, K., & Brereton, R. G. (1997). Evaluation of parallel factor analysis for the resolution of kinetic data by diode-array high-performance liquid chromatography. *Analyst*, 122, 871–877.
- Hirschberg, N. (1980). Individual differences in social judgment: A multivariate approach. In M. Fishbein (Ed.), *Progress in social psychology*. (pp. 73–126). Hillsdale, NJ: Erlbaum.
- Hoffman, E. L., & Tucker, L. R. (1964). *Three-way factor analysis of a multitrait-multimethod matrix*. (Technical Report). Urbana, IL: Office of Naval Research and Department of Psychology, University of Illinois.
- Hogden, J., Lofqvist, A., Gracco, V., Zlokarnik, I., Ru, P., & Saltzman, E. (1996). Accurate recovery of articulator positions from acoustics: New conclusions based on human data. *Journal of the Acoustical Society of America*, 100, 1819–1834.
- Hohn, M. E. (1979). Principal components analysis of three-way tables. *Journal of the International Association of Mathematical Geology*, 11, 611–626.
- Hohn, M. E., & Friberg, L. M. (1979). A generalized principal components model in petrology. *Lithos*, 12, 317–324.
- Holmes, S. (1989). Using the bootstrap and the RV coefficient in the multivariate context. In E. Diday (Ed.), *Data analysis, learning symbolic and numeric knowledge*. (pp. 119–131). New York: Nova Science.
- Hong, S., & Harshman, R. A. (2000). *ftd factor analysis, Part II: Algorithms and applications*. (Unpublished manuscript). London, Canada: Department of Psychology, University of Western Ontario.
- Hoole, P. (1999). On the lingual organization of the German vowel system. *Journal of the Acoustical Society of America*, 106, 1020–1032.
- Hopke, P. K., Paatero, P., Jia, H., Ross, R. T., & Harshman, R. A. (1998). Three-way (PARAFAC) factor analysis: examination and comparison of alternative computational methods as applied to ill-conditioned data. *Chemometrics and Intelligent Laboratory Systems*, 43, 25–42.
- Hunt, L. A., & Basford, K. E. (2001a). Fitting a mixture model to three-mode three-way data with categorical and continuous variables. *Journal of Classification*, 16, 283–296.
- Hunt, L. A., & Basford, K. E. (2001b). Fitting a mixture model to three-mode three-way data with missing information. *Journal of Classification*, 18, 209–226.
- Iacobucci, D. (1989). Modeling multivariate sequential dyadic interactions. *Social Networks*, 11, 315–362.
- Iacobucci, D. (1990). Derivation of subgroups from dyadic interactions. *Psychological Bulletin*, 107, 114–132.
- Imada, A. S., & London, M. (1979). Relationships between subjects, scales and stimuli in research on social perception. *Perceptual and Motor Skills*, 48, 691–697.
- Inn, A., Hulin, C. L., & Tucker, L. (1972). Three sources of criterion variance: Static dimensionality, dynamic dimensionality, and individual dimensionality. *Organizational Behavior and Human Performance*, 8, 58–83.
- Inukai, Y. (1981). Analysis of perceptual dimensions of schematic facial expressions via three-way multidimensional scaling. *Behaviormetrika*, 9, 1–20.
- Inukai, Y. (1996). Some applications of PARAFAC and INDSCAL to the analysis of perceptual judgement data (in Japanese with English abstract). *Japanese Psychological Review*, 39, 476–500.
- Inukai, Y., & Miyano, H. (1983, Date unknown). *Trilinear model analysis of subjective ratings of infrasound (in Japanese)*. Paper presented at the 13th Annual Conference of Behaviormetric Society of Japan., Place unknown.

- Inukai, Y., Saito, S., & Mishima, I. (1980). A vector model analysis of individual differences in sensory measurement of surface roughness. *Human Factors*, 22, 25–36.
- Inukai, Y., Taya, H., Miyano, H., & Kuriyama, H. (1985, 12-13 September). *Multidimensional evaluation method for psychological effects of pure tones at low and infrasonic frequencies*. Paper presented at the 3rd International Conference on Low Frequency Noise and Vibration. London, UK.
- Israelsson, A. (1969). Three-way (or second order) component analysis. In H. Wold and E. Lyttkens (Eds.), Nonlinear iterative partial least-squares (NIPALS) estimation procedures. *Bulletin of the International Statistical Institute*, 43, 29–51.
- Itakura, H., Nishikawa, Y., & Yamauchi, T. (1982). An iterative solution procedure for individual differences multidimensional scaling with weighted inner-product model. *Behaviormetrika*, 11, 1–15.
- Iwakuma, S., & Makita, H. (1989). The individual structure of self-image: An analysis of interrelations among WAI responses of university students. *Shinrigaku-Kenkyu*, 60, 237–244.
- Iwatubo, S. (1974). Two classification techniques of 3-way discrete data: Quantification by means of correlation ratio and three-dimensional correlation coefficient (in Japanese English abstract, p. 79). *Kodokeiryogaku (Japanese Journal of Behaviormetrics)*, 2, 54–65.
- Iwatubo, S. (1987a). *Suryoko-ho no kiso*. [Foundations of qualification methods. (Chapter 5, pp. 161–226)]. Tokyo: Asakura-shoten.
- Iwatubo, S. (1988a). Similarities and distances in multivariate methods for qualitative data. In E. Diday (Ed.), *Data analysis and informatics*. (pp. 101–113). Amsterdam: North Holland.
- Iwatubo, S. (1988b). Correlation analysis of n-way qualitative data and its applications. In E. Diday, C. Hayashi, M. Jambu, & N. Ohsumi (Eds.), *Recent developments in clustering and data analysis*. (pp. 267–279). Boston MA: Academic Press.
- Izquierdo-Ridorsa, A., Saurina, J., Hernández-Cassou, S., & Tauler, R. (1997). Second-order multivariate curve resolution applied to rank-deficient data obtained from acid-base spectrophotometric titrations of mixtures of nucleic bases. *Chemometrics and Intelligent Laboratory Systems*, 38, 183–196.
- Jackson, M. T. T. (1988a). Analysis of tongue positions: Language-specific and cross-linguistic models. *Journal of the Acoustical Society of America*, 84, 124–143.
- Jackson, M. T. T. (1988b). *Phonetic theory and cross-linguistic variation in vowel articulation*. Unpublished doctoral dissertation, University of California, Los Angeles CA.
- Jackson, M. T. T. (1989a). Cross-linguistic articulatory models of vowels. *UCLA Working Papers in Phonetics*, 72, 1–16.
- Jackson, M. T. T. (1989b). Are there cross-linguistic differences in front vowel production? *UCLA Working Papers in Phonetics*, 72, 17–38.
- Jaffrenou, P. A. (1978). *Sur l'analyse des familles finies de variables vectorielles: Bases algébriques et application à la description statistique*. [On the analysis of finite families of vector variables: Algebraic bases and applications in statistical description] (Research Report). Saint-Etienne, France: Department of Mathematics, University of Saint-Etienne.
- Jedidi, K., & DeSarbo, W. S. (1991). A stochastic multidimensional scaling procedure for the spatial representation of three-mode, three-way pick any/J data. *Psychometrika*, 56, 471–494.
- Jennrich, R. (1972). A generalization of the multidimensional scaling model of Carroll and Chang. *UCLA Working Papers in Phonetics*, 22, 45–47.
- Jiang, J. H., Wu, H. L., Chen, Z. P., & Yu, R. Q. (1999). Coupled vectors resolution method for chemometric calibration with three-way data. *Analytical Chemistry*, 71, 4254–4262.
- Jiang, J. H., Wu, H. L., Li, Y., & Yu, R. Q. (1999). Alternating coupled vectors resolution (ACOVER) method for trilinear analysis of three-way data. *Journal of Chemometrics*, 13, 557–578.

- Jiji, R. D., Andersson, G. G., & Booksh, K. S. (2000). Application of PARAFAC for calibration with excitation-emission matrix fluorescence spectra of three classes of environmental pollutants. *Journal of Chemometrics*, 14, 171–185.
- Jiji, R. D., & Booksh, K. S. (2000). Mitigation of Rayleigh and Raman spectral interferences in multiway calibration of excitation-emission matrix fluorescence spectra. *Analytical Chemistry*, 72, 718–725.
- Jiji, R. D., Cooper, G. A., & Booksh, K. S. (1999). Excitation-emission matrix fluorescence based determination of carbamate pesticides and polycyclic aromatic hydrocarbons. *Analytica Chimica Acta*, 397, 61–72.
- Johnson, K., De Juan, A., & Rutan, S. C. (1999). Three-way data analysis of pollutant degradation profiles monitored using liquid chromatography-diode array detection. *Journal of Chemometrics*, 13, 331–341.
- Johnson, K., Ladefoged, P., & Lindau, M. (1993). Individual-differences in vowel production. *Journal of the Acoustical Society of America*, 94, 701–714.
- Jonassen, E. D. (1983). Aptitudes, personality traits and covariation among dimensions of judgment. *Dissertation Abstracts International*, 44, 2282.
- Jones, L. E., & Iacobucci, D. (1989). The structure of affect and trait judgments of political figures. *Multivariate Behavioral Research*, 24, 457–476.
- Kapteyn, A., Neudecker, H., & Wansbeek, T. (1986). An approach to  $n$ -mode components analysis. *Psychometrika*, 51, 269–275.
- Karnas, G. (1975). Note sur une procédure d'analyse de données relatives à une correspondance ternaire ou pseudo-ternaire par la méthode d'analyse binaire de faverge. *Le Travail Humain*, 38, 287–299.
- Karukstis, K. K., Suljak, S. W., Waller, P. J., Whiles, J. A., & Thompson, E. H. Z. (1996). Fluorescence analysis of single and mixed micelle systems of SDS and DTAB. *Journal of Physical Chemistry*, 100, 11125–11132.
- Kashiwagi, S. (1969). An application of a revised "points of view" procedure to the analysis of the learning process in T-group (in Japanese, English abstract). *The Japanese Journal of Psychology*, 40, 1–11.
- Keesing, O. (1992). Introducing a dynamic component into strategic planning instruments via multi-mode analysis models. In H. Goebel and M. Schader (Ed.), *Data Analysis, Classification and Information Processing: Methods and Applications in Various Disciplines*. (pp. 217–229). Vienna: Physika.
- Kelly, E. F., Lenz, J. E., Franaszczuk, P. J., & Truong, Y. K. (1997). A general statistical framework for frequency-domain analysis of EEG topographic structure. *Computers and Biomedical Research*, 30, 129–164.
- Keramidas, E. M., Devlin, S. J., & Gnanadesikan, R. (1987). A graphical procedure for comparing the principal components of several covariance matrices. *Communications in Statistics, Part B -Simulation and Computation*, 16, 161–191.
- Kettenring, J. R. (1971). Canonical analysis of several sets of variables. *Biometrika*, 58, 433–460.
- Kettenring, J. R. (1983a). A case study in data analysis. *Proceedings of Symposia in Applied Mathematics*, 28, 105–139.
- Kettenring, J. R. (1983b). Components of interaction in analysis of variance models with no replications. In P. K. Sen (Ed.), *Contributions to Statistics: Essays in Honour of Norman L. Johnson*. (pp. 283–297). Amsterdam: North-Holland.
- Kiers, H. A. L. (1988). Comparison of "Anglo-Saxon" and "French" three-mode methods. *Statistique et Analyse des Données*, 13, 14–32.
- Kiers, H. A. L. (1989a). INDSCAL for the analysis of categorical data. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 155–167). Amsterdam: Elsevier.
- Kiers, H. A. L. (1989b). *Three-way methods for the analysis of qualitative and quantitative two-way data*. Leiden: DSWO Press.
- Kiers, H. A. L. (1989c). An alternating least squares algorithm for fitting the two- and three-way DEDICOM model and the IDIOSCAL model. *Psychometrika*, 54, 515–521.

- Kiers, H. A. L. (1989d). A computational short-cut for INDSCAL with orthonormality constraints on positive semi-definite matrices of low rank. *Computational Statistics Quarterly*, 5, 119–135.
- Kiers, H. A. L. (1990a). Procrustes-PC v2.0: Een programma voor gegeneraliseerde Procrustes-analyse [Procrustes-PC v2.0: A program for generalized Procrustes-analysis]. *Kwantitatieve Methoden*, 11, 177–188.
- Kiers, H. A. L. (1990b). *SCA: A program for simultaneous components analysis of variables measured in two or more populations*. (User's Manual). Groningen, The Netherlands: Department of Psychology, University of Groningen.
- Kiers, H. A. L. (1991a). Hierarchical relations among three-way methods. *Psychometrika*, 56, 449–470.
- Kiers, H. A. L. (1991b). Simple structure in component analysis techniques for mixtures of qualitative and quantitative variables. *Psychometrika*, 56, 197–212.
- Kiers, H. A. L. (1992). TUCKALS core rotations and constrained TUCKALS modelling. *Statistica Applicata*, 4, 659–667.
- Kiers, H. A. L. (1993a). An alternating least squares algorithm for PARAFAC2 and three-way DEDICOM. *Computational Statistics and Data Analysis*, 16, 103–118.
- Kiers, H. A. L. (1993b). A comparison of techniques for finding components with simple structure. In C. M. Cuadras & C. R. Rao (Eds.), *Multivariate analysis: Future directions Vol. 2*. (pp. 67–86). Amsterdam: Elsevier.
- Kiers, H. A. L. (1993c). Handling ordinal variables in three-way analysis of quantification matrices for variables of mixed measurement levels. *British Journal of Mathematical and Statistical Psychology*, 46, 135–152.
- Kiers, H. A. L. (1993d). The exploratory analysis of qualitative variables by means of three-way analysis of two types of quantification matrices. *Applied Stochastic Models and Data Analysis*, 9, 301–317.
- Kiers, H. A. L. (1997a). A modification of the SINDCLUS algorithm for fitting the ADCLUS and INDCLUS models. *Journal of Classification*, 14, 297–310.
- Kiers, H. A. L. (1997b). Three-mode orthomax rotation. *Psychometrika*, 62, 579–598.
- Kiers, H. A. L. (1997c). Weighted least squares fitting using ordinary least squares algorithms. *Psychometrika*, 62, 251–266.
- Kiers, H. A. L. (1998a). Recent developments in three-mode factor analysis: Constrained three-mode factor analysis and core rotations. In C. Hayashi, N. Ohsumi, K. Yajima, Y. Tanaka, H.-H. Bock, & Y. Baba (Eds.), *Data Science, Classification, and Related Methods*. (pp. 563–574). Tokyo: Springer.
- Kiers, H. A. L. (1998b). An overview of three-way analysis and some recent developments. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 593–602). Berlin: Springer.
- Kiers, H. A. L. (1998c). A three-step algorithm for CANDECOMP/PARAFAC analysis of large data sets with multicollinearity. *Journal of Chemometrics*, 12, 155–171.
- Kiers, H. A. L. (1998d). Joint orthomax rotation of the core and component matrices resulting from three-mode principal components analysis. *Journal of Classification*, 15, 245–263.
- Kiers, H. A. L. (1998e). Three-way SIMPLIMAX for oblique rotation of the three-mode factor analysis core to simple structure. *Computational Statistics and Data Analysis*, 28, 307–324.
- Kiers, H. A. L. (2000a). Some procedures for displaying results from three-way methods. *Journal of Chemometrics*, 14, 151–170.
- Kiers, H. A. L. (2000b). Towards a standardized notation and terminology in multiway analysis. *Journal of Chemometrics*, 14, 105–122.
- Kiers, H. A. L., Cleroux, R., & Ten Berge, J. M. F. (1994). Generalized canonical-analysis based on optimizing matrix correlations and a relation with IDIOSCAL. *Computational Statistics and Data Analysis*, 18, 331–340.
- Kiers, H. A. L., & Harshman, R. A. (1997). Relating two proposed methods for speedup of algorithms for fitting two- and three-way principal component and related multilinear models. *Chemometrics and Intelligent Laboratory Systems*, 36, 31–40.

- Kiers, H. A. L., & Krijnen, W. P. (1991). An efficient algorithm for PARAFAC of three-way data with large numbers of observation units. *Psychometrika*, 56, 147–152.
- Kiers, H. A. L., Kroonenberg, P. M., & Ten Berge, J. M. F. (1992). An efficient algorithm for TUCKALS3 on data with large numbers of observation units. *Psychometrika*, 57, 415–422.
- Kiers, H. A. L., & Marchetti, G. M. (1994). Handling large numbers of observation units in three-way methods for the analysis of qualitative and quantitative two-way data. *Computational Statistics*, 9, 41–64.
- Kiers, H. A. L., & Smilde, A. K. (1995). Some theoretical results on second-order calibration methods for data with and without rank overlap. *Journal of Chemometrics*, 9, 179–195.
- Kiers, H. A. L., & Smilde, A. K. (1998). Constrained three-mode factor analysis as a tool for parameter estimation with second-order instrumental data. *Journal of Chemometrics*, 12, 125–147.
- Kiers, H. A. L., & Ten Berge, J. M. F. (1989). Alternating least squares algorithms for simultaneous components analysis with equal component weight matrices in two or more populations. *Psychometrika*, 54, 467–473.
- Kiers, H. A. L., & Ten Berge, J. M. F. (1990). An orthogonal Procrustes rotation procedure for multiple correspondence analysis. In K. Momirovic & V. Mildner (Eds.), *Compstat 1990*. (pp. 163–168). Vienna: Physica.
- Kiers, H. A. L., & Ten Berge, J. M. F. (1994). Hierarchical relations between methods for simultaneous component analysis and a technique for rotation to a simple simultaneous structure. *British Journal of Mathematical and Statistical Psychology*, 47, 109—126.
- Kiers, H. A. L., Ten Berge, J. M. F., & Bro, R. (1999). PARAFAC2 - Part I. A direct fitting algorithm for the PARAFAC2 model. *Journal of Chemometrics*, 13, 275–294.
- Kiers, H. A. L., & Van Mechelen, I. (2001). Three-way component analysis: Principles and illustrative application. *Psychological Methods*, 6, 84–110.
- Kiers H. A. L. and Ten Berge, J. M. F., & Rocci, R. (1997). Uniqueness of three-mode factor models with sparse cores: The  $3 \times 3 \times 3$  case. *Psychometrika*, 62, 349–374.
- Kim, M. G. (1991). *Models for the covariance matrices of several groups*. Unpublished doctoral dissertation, Ohio State University, Columbus OH.
- Kjerulff, K., & Wiggins, N. H. (1976). Graduate student styles for coping with stressful situations. *Journal of Educational Psychology*, 68, 247–254.
- Klauer, K. C. (1995). Review of Krijnen's "The analysis of three-way arrays by constrained PARAFAC methods". *Journal of Classification*, 12, 147–149.
- Klauer, K. C., & Carroll, J. D. (1995). Network models for scaling proximity data. In R. D. Luce, M. D'Zmura, D. D. Hoffman, G. J. Iverson, & A. K. Romney (Eds.), *Geometric representations of perceptual phenomena: Papers in honor of Tarow Indow on his 70th birthday*. (pp. 319–342). Mahwah, NJ: Erlbaum.
- Knobloch, E. M. (1972). *Einschätzung von leistungsrelevanten Begriffen*. (Unpublished master thesis). Hamburg, Germany: University of Hamburg.
- Kolda, T. G. (2001). Orthogonal tensor decompositions. *Siam Journal of Matrix Analysis and Applications*, 23, 243–255.
- Kosanovich, K. A., Dahl, K. S., & Piovoso, M. J. (1996). Improved process understanding using multiway principal component analysis. *Industrial and Engineering Chemistry Research*, 35, 138–146.
- Kourti, T., & MacGregor, J. F. (1995). Process analysis, monitoring and diagnosis, using multivariate projection methods. *Chemometrics and Intelligent Laboratory Systems*, 28, 3–21.
- Kourti, T., Nomikos, P., & MacGregor, J. F. (1995). Analysis, monitoring and fault diagnosis of batch processes using multiblock and multiway PLS. *Journal of Process Control*, 5, 277–284.
- Kratochwill, T. R. (1985). Selection of target behaviors in behavioral consultation. *Behavioral Assessment*, 16, 643–666.

- Krijnen, W. P. (1993a). Non-contrast components according to the PARAFAC model. In R. Steyer, K. F. Wender, & K. F. Widaman (Eds.), *Psychometric Methodology. Proceedings of the 7th European Meeting of the Psychometric Society in Trier*. (pp. 237–241). Stuttgart and New York: Gustav Fischer Verlag.
- Krijnen, W. P. (1993b). *The analysis of three-way arrays by constrained PARAFAC methods*. Leiden: DSWO Press.
- Krijnen, W. P., & Kiers, H. A. L. (1993). Clustered variables in PARAFAC. In J. H. L. Oud & R. A. W. van Blokland-Vogelesang (Eds.), *Advances in longitudinal and multivariate analysis in the behavioral sciences: Proceedings of the SMABS 1992 conference*. (pp. 165–177). Nijmegen: ITS.
- Krijnen, W. P., & Kiers, H. A. L. (1995). An efficient algorithm for weighted PCA. *Computational Statistics*, 10, 299–306.
- Krijnen, W. P., & Ten Berge, J. M. F. (1991). Contrastvrije oplossingen van het CANDECOMP/PARAFAC-model [Contrast-free solutions of the CANDECOMP/PARAFAC-model]. *Kwantitatieve Methoden*, 12, 87–96.
- Krijnen, W. P., & Ten Berge, J. M. F. (1992). A constrained PARAFAC method for positive manifold data. *Applied Psychological Measurement*, 16, 295–305.
- Krolak-Schwerdt, S. (1991a). *Modelle der dreimodalen Faktorenanalyse*. Frankfurt am Main: Peter Lang.
- Krolak-Schwerdt, S. (1991b). Modelle der dreimodalen Faktorenanalyse: Formale Eigenschaften, theoretische Zusammenhänge und ihre Implikationen für das Konzept individueller Differenzen. *Psychologische Beiträge*, 33, 314–346.
- Krolak-Schwerdt, S., & Kohler, A. (1989). Relations between models for three-way factor analysis and multidimensional scaling. In O. Opitz (Ed.), *Conceptual and numerical analysis of data*. (pp. 147–158). Berlin: Springer.
- Krolak-Schwerdt, S., Orlik, P., & Ganter, B. (1994). TRIPAT: A model for analyzing three-mode binary data. In H. H. Bock, W. Lenski, & M. M. Richter (Eds.), *Information systems and data analysis: Prospects-foundations-applications*. (pp. 298–307). Berlin: Springer.
- Kroonenberg, P., & De Leeuw, J. (1978). TUCKALS2: Een hoofdassenanalyse voor drieweggegevens [TUCKALS2: A principal component analysis for three-mode data]. *Methoden en Data Nieuwsbrief*, 3, 30–53.
- Kroonenberg, P. M. (1982). TUCKALS3: A program for three-mode principal component analysis. *Kwantitatieve Methoden*, 3, 65–94.
- Kroonenberg, P. M. (1983a). Annotated bibliography of three-mode factor analysis. *British Journal of Mathematical and Statistical Psychology*, 36, 81–113.
- Kroonenberg, P. M. (1983b). Correlational structure of the subtests of the Snijders-Oomen non-verbal intelligence scale. *Kwantitatieve Methoden*, 4, 40–51.
- Kroonenberg, P. M. (1983c). *Three-mode principal component analysis: Theory and applications (Errata, 1989; available from the author)*. Leiden: DSWO Press.
- Kroonenberg, P. M. (1984a). *Centring three-mode data: Views, problems, and queries. A discussion with Harshman and Lundy*. (WEP Reeks No. WR 84-54-IN). Leiden, The Netherlands: Department of Education, Leiden University.
- Kroonenberg, P. M. (1984b). Three-mode principal component analysis: Illustrated with an example from attachment theory. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 64–103). New York: Praeger.
- Kroonenberg, P. M. (1985). Three-mode principle components analysis of semantic differential data: The case of a triple personality. *Applied Psychological Measurement*, 9, 83–94.
- Kroonenberg, P. M. (1986). *The three-mode world*. (WEP Reeks No. WR 86-01-LE). Leiden, The Netherlands: Department of Education, Leiden University.
- Kroonenberg, P. M. (1987a). Multivariate and longitudinal data on growing children. Introduction to the proposed solutions. In J. Janssen, F. Marcotorchino, & J. M. Proth (Eds.), *Data analysis. The ins and outs of solving real problems*. (pp. 7–11). New York: Plenum.

- Kroonenberg, P. M. (1987b). Multivariate and longitudinal data on growing children. Solutions using a three-mode principal component analysis and some comparison results with other approaches. In J. Janssen, F. Marcotorchino, & J. M. Proth (Eds.), *Data analysis. The ins and outs of solving real problems*. (pp. 89–112). New York: Plenum.
- Kroonenberg, P. M. (1988a). Three-mode analysis. In S. Kotz & N. L. Johnson (Eds.), *Encyclopedia of statistical sciences. Vol. 9*. (pp. 231–236). New York: Wiley.
- Kroonenberg, P. M. (1988b). TUCKALS2. Three-mode principal component analysis with extended core matrix. In A. di Ciaccio & G. Bove (Eds.), *Multiway '88. Software guide*. (pp. 93–103). Rome, Italy: Università di Roma "La Sapienza".
- Kroonenberg, P. M. (1988c). TUCKALS3. Three-mode principal component analysis. In A. di Ciaccio & G. Bove (Eds.), *Multiway '88. Software guide*. (pp. 105–114). Rome, Italy: Università di Roma "La Sapienza".
- Kroonenberg, P. M. (1989a, 17-19 July). *Aspects of genotype-environment interactions for several attributes*. Paper presented at the 6th European Meeting of the Psychometric Society, Place unknown.
- Kroonenberg, P. M. (1989b). Singular value decompositions of interactions in three-way contingency tables. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 169–184). Amsterdam: Elsevier.
- Kroonenberg, P. M. (1989c). The analysis of multiple tables in factorial ecology. III. Three-mode principal component analysis: "Analyse triadique complète". *Acta Oecologica. Oecologica Generalis*, 10, 245–256.
- Kroonenberg, P. M. (1990a). Review of Borg and Lingoes' "Multidimensional similarity structure analysis". *Psychometrika*, 55, 169–172.
- Kroonenberg, P. M. (1990b). Three-mode analysis by example. In *Metodología da Investigación Científica*. (pp. 105–126). Santiago de Compostela, Spain: Servicio de Publicaciones e Intercambio Científico.
- Kroonenberg, P. M. (1992a). PARAFAC in three-way land. Comment on the paper "Multi-linear models: applications in spectroscopy". *Statistical Science*, 7, 312–314.
- Kroonenberg, P. M. (1992b). Three-mode component models: A survey of the literature. *Statistica Applicata*, 4, 619–633.
- Kroonenberg, P. M. (1993, July). *Three-way methods for multivariable-multioccasion matrices*. Paper presented at the 8th European Meeting of the Psychometric Society, Barcelona, Spain.
- Kroonenberg, P. M. (1994). The TUCKALS line: A suite of programs for three-way data analysis. *Computational Statistics and Data Analysis*, 18, 73–96.
- Kroonenberg, P. M. (1995). *Introduction to biplots for G×E tables*. (Research report No. 51). Brisbane, Australia: Centre for Statistics, University of Queensland.
- Kroonenberg, P. M. (1996a). *3WAYPACK Menu Structure*. (Technical report+software). Leiden, The Netherlands: Department of Education, Leiden University.
- Kroonenberg, P. M. (1996b). *3WAYPACK User's manual: A package of three-way programs*. (Technical report+software). Leiden, The Netherlands: Department of Education, Leiden University.
- Kroonenberg, P. M. (1997b). Recent developments in three-way data analysis: A showcase of methods and examples. In R. Klar & O. Opitz (Eds.), *Classification and Knowledge Organization*. (pp. 44–62). Berlin: Springer.
- Kroonenberg, P. M. (1998). Studying the diffusion of three-mode analysis in chemistry: Design considerations. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 603–611). Berlin: Springer.
- Kroonenberg, P. M. (2001). Three-mode correspondence analysis: An illustrated exposé. In *Actes des XXXIIIèmes Journée de Statistique*. (pp. 101–108). Nantes.
- Kroonenberg, P. M., & Basford, K. E. (1989). An investigation of multi-attribute genotype response across environments using three-mode principal component analysis. *Euphytica*, 44, 109–123.

- Kroonenberg, P. M., & Basford, K. E. (2002). *Applied Three-Mode Data Analysis. Chapter: Three-Mode Clustering*. (Research Report No. 104). Brisbane, Australia: Centre of Statistics, University of Queensland.
- Kroonenberg, P. M., Basford, K. E., & Ebskamp, A. G. M. (1995). Three-way cluster and component analysis of maize variety trials. *Euphytica*, 84, 31–42.
- Kroonenberg, P. M., Basford, K. E., & Van Dam, M. (1995). Classifying infants in the Strange Situation with three-way mixture method clustering. *British Journal of Psychology*, 86, 397–418.
- Kroonenberg, P. M., & De Leeuw, J. (1977). *TUCKALS2: A principal component analysis of three mode data*. (Research Bulletin No. RB 001-'77)). Leiden, The Netherlands: Department of Data Theory, Leiden University.
- Kroonenberg, P. M., & De Leeuw, J. (1980). Principal component analysis of three-mode data by means of alternating least squares algorithms. *Psychometrika*, 45, 69–97.
- Kroonenberg, P. M., & Kashima, Y. (1997). Rules in context. A three-mode principal component analysis of Mann et al.'s data on cross-cultural differences in respect for others. *Journal of Cross-Cultural Psychology*, 28, 463–480.
- Kroonenberg, P. M., Lammers, C. J., & Stoop, I. (1985). Three-mode principal component analysis of multivariate longitudinal organizational data. *Sociological Methods and Research*, 14, 99–136.
- Kroonenberg, P. M., & Miyano, H. (1986). Tucker2 moderuniyoru tahlenryō jikeiretu dēta no kaiseki - takaku seityō dēta [Analysis of multivariate longitudinal data by the Tucker2 model - growth curves data]. *Bulletin of Industrial Products Research Institute*, 105, 1–7.
- Kroonenberg, P. M., & Miyano, H. (1996c). Three-way data analysis and its recent developments (in Japanese). *Japanese Psychological Review*, 39, 386–407.
- Kroonenberg, P. M., Murakami, T., & Coebergh, J. W. W. (2002). Added value of three-way methods for the analysis of mortality trends illustrated with worldwide female cancer mortality (1968–1985). *Statistical Methods in Medical Research*, 11, 275–292.
- Kroonenberg, P. M., & Snyder Jr, C. W. (1989). Individual differences in assimilation resistance and affective responses in problem solving. *Multivariate Behavioral Research*, 24, 257–284.
- Kroonenberg, P. M., & Ten Berge, J. M. F. (1987). Cross-validation of the WISC-R factorial structure using three-mode principal components analysis and perfect congruence analysis. *Applied Psychological Measurement*, 11, 195–210.
- Kroonenberg, P. M., & Ten Berge, J. M. F. (1989). Three-mode principal component analysis and perfect congruence analysis for sets of covariance matrices. *British Journal of Mathematical and Statistical Psychology*, 42, 63–80.
- Kroonenberg, P. M., Ten Berge, J. M. F., Brouwer, P., & Kiers, H. A. L. (1989). Gram-Schmidt versus Bauer-Rutishauser in alternating least-squares algorithms for three-mode principal component analysis. *Computational Statistics Quarterly*, 5, 81–87.
- Kroonenberg, P. M., & Van der Kloot, W. A. (1984). Review of "Introduction to multidimensional scaling: Theory, methods, and applications.". *Nederlands Tijdschrift voor de Psychologie*, 39, 56–58.
- Kroonenberg, P. M., & Van der Kloot, W. A. (1987, July). *Three-mode reduced-rank and redundancy analysis*. Paper presented at the 5th Meeting of the Psychometric Society, Twente, The Netherlands.
- Kroonenberg, P. M., & Van der Voort, T. H. A. (1987). Multiplicatieve decompositie van interacties bij oordelen over de werkelijkheidswaarde van televisiefilms [Multiplicative decomposition of interactions for judgements of realism of television films]. *Kwantitatieve Methoden*, 8, 117–144.
- Kroonenberg, P. M., & Van IJzendoorn, M. H. (1987). Exploring children's behavior in the Strange Situation. In L. W. C. Tavecchio & M. H. van IJzendoorn (Eds.), *Attachment in social networks: Contributions to the Bowlby-Ainsworth attachment theory*. (pp. 379 –425). Amsterdam: North Holland.

- Kroonenberg P. M. and Heiser, W. J. (1998). Parallel factor analysis with constraints on the configurations: An overview. In C. Hayashi, N. Ohsumi, K. Yajima, Y. Tanaka, H.-H. Bock, & Y. Baba (Eds.), *Data Science, Classification, and Related Methods*. (pp. 587–597). Tokyo: Springer.
- Kruskal, J. B. (1976). More factors than subjects, tests and treatments: An indeterminacy theorem for canonical decomposition and individual differences scaling. *Psychometrika*, 41, 281–293.
- Kruskal, J. B. (1977). Three-way arrays: Rank and uniqueness of trilinear decompositions, with application to arithmetic complexity and statistics (Corrections, 17-1-1984; available from author). *Linear Algebra and Its Applications*, 18, 95–138.
- Kruskal, J. B. (1981). Multilinear models for data analysis. *Behaviormetrika*, 10, 1–20.
- Kruskal, J. B. (1983a). Multilinear methods. *Proceedings of Symposia in Applied Mathematics*, 28, 75–104.
- Kruskal, J. B. (1983b). *Statement of some current results about three-way arrays*. (Informal notes). Month unknown: Place unknown.
- Kruskal, J. B. (1984). Multilinear methods. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 36–62). New York: Praeger.
- Kruskal, J. B. (1985). *Rank of N-way arrays and the geometry of  $2 \times 2 \times 2$  arrays*. (Technical Memorandum). Murray Hill NJ: AT&T Bell Laboratories.
- Kruskal, J. B. (1989). Rank, decomposition, and uniqueness for 3-way and  $N$ -way arrays. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 7–18). Amsterdam: Elsevier.
- Kruskal, J. B., Harshman, R. A., & Lundy, M. E. (1983, Month unknown). *Some relationships between Tucker's three-mode factor analysis and PARAFAC/CANDECOMP*. Paper presented at the Annual Meeting of the Psychometric Society, Los Angeles CA.
- Kruskal, J. B., Harshman, R. A., & Lundy, M. E. (1985, Month unknown). *Several mathematical relationships between PARAFAC-CANDECOMP and 3-mode factor analysis*. Paper presented at the Annual Meeting of the Classification Society, St John, Newfoundland, Canada.
- Kruskal, J. B., Harshman, R. A., & Lundy, M. E. (1989). How 3-MFA data can cause degenerate PARAFAC solutions, among other relationships. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 115–122). Amsterdam: Elsevier.
- Krzanowski, W. J. (1979). Between-groups comparison of principal components. *Journal of the American Statistical Association*, 74, 703–707.
- Krzanowski, W. J. (1990). Between-group analysis with heterogeneous covariance matrices: The common principal component model. *Journal of Classification*, 7, 81–98.
- Kuriyama, H., Inukai, Y., Miyano, H., Taya, H., Nagamura, N., & Kodama, H. (1987). Psycho-physiological measurement of combined effects of infrasound and audible noise. *The Controling of Noise*, 89, 1–16.
- Kuze, T., Goto, M., Ninomiya, K., Asano, K., Miyazawa, S., Munekata, H., Ohno, H., & Uchiyama, I. (1985). A longitudinal study on development of adolescents' social attitudes. *Japanese Psychological Research*, 27, 195–205.
- Ladefoged, P., Harshman, R., Goldstein, L., & Rice, L. (1978). Generating vocal tract shapes from formant frequencies. *Journal of the Acoustical Society of America*, 64, 1027–1035.
- LaFaye, J. Y. (1985). Application du modèle INDSCAL. *Statistique et Analyse de Données*, 10, 83–102.
- LaFosse, R. (1985). *Generalized redundancy analyses and maximal agreement*. (Research Report). Toulouse, France: University Paul-Sabatier.
- LaFosse, R. (1997). Analyse de concordance de deux tableaux: Monogames, simultanéités et découpages. *Revue de Statistique Appliquée*, 45, 45–72.
- LaFosse, R., & Hanafi, M. (1997). Concordance d'un tableau avec  $K$  tableaux: Définition de  $K + 1$  uples synthétiques. *Revue de Statistique Appliquée*, 45, 111–126.

- Lammers, C. J. (1974). *Groei en ontwikkeling van de ziekenhuisorganisaties in Nederland*. [Growth and development of hospital organisations in the Netherlands] (Interim Report). Leiden, The Netherlands: Institute of Sociology, Leiden University.
- Landis, D., & O'Shea, W. A. (2000). Cross-cultural aspects of passionate love: An individual differences analysis. *Journal of Cross-cultural Psychology*, 31, 752–777.
- Langeheine, R. B. (1982). Lingoes-Borg Procrustean individual differences scaling. *Psychometrika*, 47, 427–442.
- Langlois, A. (1983). Les transformations de l'espace social de la ville: Une application de l'analyse factorielle à trois entrées. *Le Géographe Canadien*, 27, 67–73.
- Lappe, H. (1991). *Perceptions of drug risk: Individual and public responses to drugs*. Unpublished doctoral dissertation, Technische Universität, Berlin, Germany.
- Lastovicka, J. L. (1981). The extension of component analysis to four-mode matrices. *Psychometrika*, 46, 47–57.
- Lavit, C. (1985). Application de la méthode STATIS. *Statistique et Analyse de Données*, 10, 103–116.
- Lavit, C. (1986, Month unknown). *Analyse conjointe de plusieurs tableaux: Exemple d'utilisation du programme STATIS de la bibliothèque MODULAD*. [Simultaneous analysis of several data matrices. An example of the use of the STATIS program as incorporated in the MODULAD software library]. Paper presented at the Statistical Meeting of the Association for Methodology and Research in Psychiatry., Lille, France.
- Lavit, C. (1988). *Analyse conjointe de tableaux quantitatifs*. [Simultaneous analysis of several quantitative matrices]. Paris: Masson.
- Lavit, C., Escoufier, Y., Sabatier, R., & Traissac, P. (1994). The ACT (STATIS method). *Computational Statistics and Data Analysis*, 18, 97–119.
- Lavit, C., & Pernin, M.-O. (1987). Multivariate and longitudinal data on growing children: Solution using STATIS. In J. Janssen, F. Marcotorchino, & J. M. Proth (Eds.), *Data analysis. The ins and outs of solving real problems*. (pp. 13–29). New York: Plenum.
- Lavit, C., & Roux, C. (1984). *Analyse conjointe de plusieurs tableaux de données par la méthode STATIS*. [Simultaneous analysis of several datamatrices using the STATIS method] (Technical report No. 8402). Montpellier, France: Unité de Biométrie.
- Law, H. G., Snyder, C. W., & Jr. (1979). Three-mode models for the analysis of psychological data. *Australian Psychologist*, 14, 214.
- Law, H. G., Snyder, C. W., & Jr. (1981). An introduction to the analysis of covariance structures: A general model for data analysis. In J. M. Morris (Ed.), *Proceedings of a seminar on measuring social behaviour in road research*. (pp. 49–60). Vermont South, Vic, Australia: Australian Road Research Board.
- Law, H. G., Snyder, C. W., Jr., Hattie, J. A., & McDonald, R. P. (Eds.). (1984). *Research methods for multimode data analysis*. New York: Praeger.
- Leah, J. A., Law, H. G., Snyder, C. W., & Jr. (1979). The structure of self-reported difficulty in assertiveness: An application of three-mode common factor analysis. *Multivariate Behavioral Research*, 14, 443–462.
- Lechevalier, F. (1987). *L'Analyse de l'évolution dans STATIS: Une solution et des généralisations*. (Technical report). Lille, France: Faculty of Economic and Social Sciences, University of Science and Technology.
- Lechevalier, F. (1990a). L'Analyse en composantes conjointes d'une famille de triplets indexés. *Statistique et Analyse des Données*, 15, 35–75.
- Lechevalier, F. (1990b). *L'Analyse factorielle conjointe d'une famille de triplets indexés*. Unpublished doctoral dissertation, University of Science and Technology, Lille, France.
- Lee, C.-H. (1988). *Multilinear analysis of fluorescence spectra of photosynthetic systems*. Unpublished doctoral dissertation, The Ohio State University, Columbus OH.
- Lee, C.-H., Kim, K., & Ross, R. T. (1991). Trilinear analysis for the resolution of overlapping fluorescence spectra. *Korean Biochemical Journal*, 24, 374–379.
- Lee, J. K., Ross, R. T., Thampi, S., & Leurgans, S. (1992). Resolution of the properties of hydrogen-bonded tyrosine using a trilinear model of fluorescence. *Journal of Physical Chemistry*, 96, 9158–9162.

- Lee, S.-Y., & Fong, W.-K. (1983). A scale invariant model for three-mode factor analysis. *British Journal of Mathematical and Statistical Psychology*, 36, 217–223.
- Leenen, I., Van Mechelen, I., & De Boeck, P. (1999). INDCLAS: A three-way hierarchical classes model. *Psychometrika*, 64, 9–24.
- Lefkovitch, L. P. (1993). Consensus principal components. *Biometrical Journal*, 35, 567–580.
- Leibovici, D., & Elmaache, H. (1997). A singular value decomposition of an element belonging to a tensor product of kappa separable hilbert spaces. *Comptes Rendus de l'Académie des Sciences Série I - Mathématique*, 325, 779–782.
- Leibovici, D., & Sabatier, R. (1998). A singular value decomposition of a k-way array for a principal component analysis of multiway data, PTA-K. *Linear Algebra and its Applications*, 269, 307–329.
- Leichner, R. (1975). Zur Verarbeitung psychiatrischer Information I [Processing psychiatric information I]. *Diagnostica*, 21, 147–166.
- Leurgans, S., & Ross, R. T. (1992). Multilinear models: Applications in spectroscopy (with discussion). *Statistical Science*, 7, 289–319.
- Leurgans, S. E. (1991). *Multilinear models: Array formulas*. (Technical report No. 473). Columbus OH: Department of Statistics, Ohio State University.
- Leurgans, S. E., Ross, R. T., & Abel, R. B. (1993). A decomposition for 3-way arrays. *SIAM Journal on Matrix Analysis and Applications*, 14, 1064–1083.
- Levin, J. (1963). Three-mode factor analysis. *Dissertation Abstracts International*, 24, 5530–5531.
- Levin, J. (1965). Three-mode factor analysis. *Psychological Bulletin*, 64, 442–452.
- Levin, J. (1966). Simultaneous factor analysis of several Gramian matrices. *Psychometrika*, 31, 413–419.
- L'Hermier des Plantes, H. (1976). *Structuration des tableaux à trois indices de la statistique: Théorie et application d'une méthode d'analyse conjointe*. [Statistical structuring of three-way tables: Theory and application of a conjoint analysis method]. Unpublished doctoral dissertation, University of Science and Technology of Languedoc, Montpellier, France.
- Li, S. S., & Gemperline, P. J. (1993). Eliminating complex eigenvectors and eigenvalues in multiway analyses using the direct trilinear decomposition method. *Journal of Chemometrics*, 7, 77–88.
- Li, S. S., Gemperline, P. J., Briley, K., & Kazmierczak, S. (1994). Identification and quantitation of drugs of abuse in urine using the generalized rank annihilation method of curve resolution. *Journal of Chromatography B: Biomedical Applications*, 655, 213–223.
- Lickteig, T. (1985). Typical tensorial rank. *Linear Algebra and Its Applications*, 69, 95–120.
- Lilly, R. S. (1966). A developmental study of the semantic differential. *Dissertation Abstracts International*, 26, 4063–4064.
- Lin, Z. H., Booksh, K. S., Burgess, L. W., & Kowalski, B. R. (1994). Second-order fiber optic heavy metal sensor employing second-order tensorial calibration. *Analytical Chemistry*, 66, 2552–2560.
- Lindgren, F., & Geladi, P. (1992). Multivariate spectrometric image analysis: An illustrative study with two constructed examples of metal ions in solution. *Chemometrics and Intelligent Laboratory Systems*, 14, 397–412.
- Lingoes, J. C. (1982). Progressively complex linear transformations for finding geometric similarities among data structures. In H. C. Hudson (Ed.), *Classifying social data*. (pp. 108–126). San Francisco: Jossey-Bass.
- Lingoes, J. C., & Borg, I. (1978). A direct approach to individual differences scaling using increasingly complex transformations. *Psychometrika*, 43, 491–519.
- Lingoes, J. C., & Borg, I. (1984). A direct approach to individual differences scaling using increasingly complex transformations. In H. G. Law, C. W. Snyder, Jr., J. A. Hattie, & R. P. M. . (Eds.), *Research methods for multimode data analysis*. (pp. 403–439). New York: Praeger.

- Linker, W. J. (1982). Articulatory and acoustic correlates of labial activity in vowels: A cross-linguistic study. *Dissertation Abstracts International*, 43, 2336.
- Lipovetskii, S. S. (1984). Component analysis of tables with many inputs. *Industrial Laboratory*, 50, 474–481.
- Liu, Y., & Dengler, N. G. (1994). Bundle sheath and mesophyll cell differentiation in the C4 dicotyledon *Atriplex rosea*: Quantitative ultrastructure. *Canadian Journal of Botany*, 72, 644–657.
- Lohmöller, J.-B. (1978a). *Stabilität und Kontinuität in Längsschnittdaten, analysiert durch T- und trimodale Faktorenanalyse*. [Stability and continuity in longitudinal data, analysed by T-factor analysis and three-mode factor analysis] (Internal report (Revision 1981)). München, Germany: Department of Education, University of the Federal Armed Forces.
- Lohmöller, J.-B. (1978b, 15-17 June). *How longitudinal factor stability, continuity, differentiation, and integration are portrayed into the core matrix of three-mode factor analysis*. Paper presented at the European Meeting on psychometrics and mathematical psychology., Uppsala, Sweden.
- Lohmöller, J.-B. (1979). Die trimodale Faktorenanalyse von Tucker: Skalierungen, Rotationen, andere Modelle [Tucker's three-mode factor analysis: Scaling, rotations, other models]. *Archiv für die Psychologie*, 131, 137–166.
- Lohmöller, J.-B. (1989). *Latent variable path modeling with partial least squares*. Heidelberg, Germany: Physica.
- Lohmöller, J.-B., & Oerter, R. (Eds.). (1979). *Medien in der Erzieherausbildung: Erprobung des Medienverbundes "Vorschulische Erziehung im Ausland"*. [Media in education: Investigation of the media project "Preschool education in other countries"]. München, Germany: Oldenburg Verlag.
- Lohmöller, J.-B., & Wold, H. (1980). *Three-mode path models with latent variables and partial least squares (PLS) parameter estimation*. [Revised 1982] (Research Report No. 80.03). München, Germany: Department of Education, University of the Federal Armed Forces.
- Lombardo, R. (1994). *Modelli di decomposizione per l'analisi della dipendenza nelle tabelle di contingenza a tre vie*. [Decomposition models for dependency analysis in three-way contingency tables]. Unpublished doctoral dissertation, Department of Mathematics and Statistics, University of Naples, Naples, Italy.
- Lombardo, R., Carlier, A., & D'Ambra, L. (1996). Nonsymmetric correspondence analysis for three-way contingency tables. *Methodologica*, 4, 59–80.
- London, M., Crandall, R., & Fitzgibbons, D. (1977). The psychological structure of leisure: Activities, needs, people. *Journal of Leisure Research*, 9, 252–263.
- Lorber, A., Faber, K., & Kowalski, B. R. (1997). Net analyte signal calculation in multivariate calibration. *Analytical Chemistry*, 69, 1620–1626.
- Losada, M. A., Medina, R., Vidal, C., & Losada, I. J. (1992). Temporal and spatial cross-shore distributions of sediment at "El Puntal" spit, Santander, Spain. In *Coastal Engineering 1992, Proceedings of the Twenty-Third International Conference*. (pp. 2251–2264). Venice, Italy.
- Louwerse, D. J., & Smilde, A. K. (2000). Multivariate statistical process control of batch processes based on three-way models. *Chemical Engineering Science*, 55, 1225–1235.
- Louwerse, D. J., Smilde, A. K., & Kiers, H. A. L. (1999). Cross-validation of multiway component models. *Journal of Chemometrics*, 13, 491–510.
- Love, W. D., & Tucker, L. R. (1970). *A three-mode factor analysis of serial learning*. (Report). Place unknown: Office Naval Research.
- Luan, S., Pang, H. M., & Houk, R. S. (1995). Application of generalized standard additions method to inductively-coupled plasma-atomic emission-spectroscopy with an echelle spectrometer and segmented-array charge-coupled detectors. *Spectrochimica Acta Part B - Atomic Spectroscopy*, 50, 791–801.
- Lundy, M. E., & Harshman, R. A. (1985a). *Reference manual for the PARAFAC analysis package*. (Computer manual). London, Ontario, Canada: Scientific Software Associates.

- Lundy, M. E., Harshman, R. A., & Kruskal, J. B. (1985b, Month unknown). *A two-stage procedure incorporating good features of both trilinear and quadrilinear models*. Paper presented at the annual Meeting of the Classification Society., St John, Newfoundland, Canada.
- Lundy, M. E., Harshman, R. A., & Kruskal, J. B. (1989). A two-stage procedure incorporating good features of both trilinear and quadrilinear models. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 123–130). Amsterdam: Elsevier.
- MacCallum, R. (1988). Multidimensional scaling. In J. R. Nesselroade & R. B. Cattell (Eds.), *Handbook of multivariate experimental psychology*. (2nd edition ed., pp. 421–445). New York: Plenum Press.
- MacCallum, R. C. (1974a). *A comparison of two individual differences models for multidimensional scaling: Carroll and Chang's INDSCAL and Tucker's three-mode factor analysis*. Unpublished doctoral dissertation, University of Illinois, Urbana IL.
- MacCallum, R. C. (1974b). A comparison of two individual differences models for multidimensional scaling: Carroll and Chang's INDSCAL and Tucker's three-mode factor analysis. *Dissertation Abstracts International*, 35, 3619.
- MacCallum, R. C. (1976a). Effects on INDSCAL of non-orthogonal perceptions of object space dimensions. *Psychometrika*, 41, 177–188.
- MacCallum, R. C. (1976b). Transformation of a three-mode multidimensional scaling solution to INDSCAL form. *Psychometrika*, 41, 385–400.
- MacCallum, R. C. (1978). TRINFORM: A computer program to transform a three-mode multidimensional scaling solution to INDSCAL form. *Applied Psychological Measurement*, 2, 62.
- MacCallum, R. C. (1979). 3-mode-MDS: A computer program to execute Tucker's three-mode multidimensional scaling. *Applied Psychological Measurement*, 3, 24.
- MacGregor, J. F., & Kourtzi, T. (1995). Statistical process control of multivariate processes. *Control Engineering Practice*, 3, 403–414.
- Maeda, S. (1992). Articulatory modeling of the vocal-tract. *Journal de Physique IV*, 2, 307–314.
- Mansurov, H. H., Muratov, F. H., & Timerkaev, V. S. (1986, 1-5 September). *Computational methods of the data-cube analysis in the chronic hepatic lesion research*. Paper presented at COMPSTAT 86, Rome, Italy.
- Marasinghe, M. G., & Boik, R. J. (1993). A three-degree of freedom test of additivity in three-way classifications. *Computational Statistics and Data Analysis*, 16, 47–61.
- Marchand, B. (1984). Urban growth models revisited: Cities as self-organizing systems. *Environment and Planning A*, 16, 949–964.
- Marchetti, G. M. (1988). *Three-way analysis of two-mode matrices of qualitative data*. (Research report No. 10). Florence, Italy: Department of Statistics, University of Florence.
- Marimont, D. H., & Wandell, B. A. (1992). Linear-models of surface and illuminant spectra. *Journal of the optical society of america a-optics image science and vision*, 9, 1905–1913.
- Martens, H. (1980). On the calibration of a multivariate instrument for quantitative estimation of individual components in a mixture. In A. Höskuldsson, K. Conradien, B. S. Jensen, & K. E. . (Eds.), *Symposium I Anvendt Statistik*. (pp. 393–414). Lyngby, Denmark: Technical University of Denmark.
- Martins, J. A., Sena, M. M., Poppi, R. J., & Pessine, F. B. T. (1999). Fluorescence Piroxicam study in the presence of cyclodextrins by using the PARAFAC method. *Applied Spectroscopy*, 53, 510–522.
- Mayekawa, S. (1987). Maximum likelihood solution to the PARAFAC model. *Behavior metrika*, 21, 45–63.
- McAdams, S., Winsberg, S., Donnadieu, S., De Soete, G., & Krimphoff, J. (1995). Perceptual scaling of synthesized musical timbres: Common dimensions, specificities, and latent subject classes. *Psychological Research*, 58, 177–192.

- McArdle, J. J. (1984). On the madness in his method: R. B. Cattell's contributions to structural equation modeling. *Multivariate Behavioral Research*, 19, 245–267.
- McCloskey, J., & Jackson, P. R. (1979). Three-mode: a FORTRAN IV program for three-mode factor analysis. *Behavior Research Methods and Instrumentation*, 11, 75–76.
- McDonald, R. P. (1969). A generalized common factor analysis based on residual covariance matrices of prescribed structure. *The British Journal of Mathematical and Statistical Psychology*, 22, 149–163.
- McDonald, R. P. (1980). A simple comprehensive model for the analysis of covariance structures: Some remarks on applications. *The British Journal of Mathematical and Statistical Psychology*, 33, 161–183.
- McDonald, R. P. (1984). The invariant factors model for multimode data. In H. G. Law, C. W. Snyder, Jr., J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 285–307). New York: Praeger.
- McLachlan, G. J., & Basford, K. E. (1988). *Mixture models: Inference and applications to clustering*. New York: Marcel Dekker.
- Medina, R., Losada, M. A., Losada, I. J., & Vidal, C. (1994). Temporal and spatial relationship between sediment grain-size and beach profile. *Marine Geology*, 118, 195–206.
- Meijs, B. W. G. P. (1980). *Huis van bewaring en subcultuur: een empirische studie bij jeugdige gedetineerden naar het effect van '102 dagen' preventieve hechtenis op attitudes en andere indikatoren van subcultuur*. [Detention centre and subculture: An empirical study with young detainees of the effect of '102 days' of preventative custody on attitudes and other indicators of subculture] (Unpublished masters thesis). Leiden, The Netherlands: Leiden University.
- Meulman, J. J. (1989). Distance analysis in reduced canonical spaces. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 233–244). Amsterdam: Elsevier.
- Meulman, J. J., & Verboon, P. (1993). Points of view analysis revisited: fitting multidimensional structures to optimal distance components with cluster restrictions on the variables. *Psychometrika*, 58, 7–35.
- Meuwese, W. (1970). Een vergelijking van twee methoden van beoordeling van verbale stimuli [A comparison of two methods of evaluation of verbal stimuli]. *Nederlands Tijdschrift voor de Psychologie*, 25, 594–603.
- Meyer, J. P. (1980). Causal attribution for success and failure: A multivariate investigation of dimensionality, formation, and consequences. *Journal of Personality and Social Psychology*, 38, 704–718.
- Meyer, P., Wilhelms, R., & Strube, H. W. (1989). A quasiarticulatory speech synthesizer for German language running in real-time. *Journal of the Acoustical Society of America*, 86, 523–539.
- Michailidis, G., & De Leeuw, J. (2000). Multilevel homogeneity analysis with differential weighting. *Computational Statistics and Data Analysis*, 32, 411–442.
- Miller, K., & Gelman, R. (1983). The child's representation of number: A multidimensional scaling analysis. *Child Development*, 54, 1470–1479.
- Millican, D. W., & McGown, L. B. (1990). Fluorescence lifetime resolution of spectra in the frequency domain using multiway analysis. *Analytical Chemistry*, 62, 2242–2247.
- Mills, D. H., & Tucker, L. R. (1966). A three-mode factor analysis of clinical judgment of schizophrenia. *Journal of Clinical Psychology*, 2, 136–139.
- Millsap, R. E., & Meredith, W. (1991). Some mathematical relationships between three-mode component analysis and stationary component analysis. *Multivariate Behavioral Research*, 26, 413–419.
- Mirkin, B. G. (1987). Additive clustering and qualitative factor analysis methods for similarity matrices. *Journal of Classification*, 4, 7–31.
- Mitchell, B. C., & Burdick, D. S. (1993). An empirical comparison of resolution methods for three-way arrays. *Chemometrics and Intelligent Laboratory Systems*, 20, 149–161.
- Mitchell, B. C., & Burdick, D. S. (1994). Slowly converging PARAFAC sequences: Swamps and two-factor degeneracies. *Journal of Chemometrics*, 8, 155–168.

- Miyano, H. (1996). Three-way data analysis based on Tucker2 model: A method utilizing a priori information on some model parameters. *Japanese Psychological Review*, 39, 429–438 (in Japanese with English abstract.).
- Miyano, H., & Inukai, Y. (1982). Sequential estimation in multidimensional scaling. *Psychometrika*, 47, 321–336.
- Miyano, H., & Inukai, Y. (1983). Measurement that is easily affected by psychological and conscious processes. *Journal of Instrumentation and Control*, 22, 30–36.
- Mizère, D. (1981). *Analyse d'un cube de données: décomposition tensorielle et liens entre procédures de comparaison de tableaux rectangulaires de données*. [Analysis of a data cube: Tensorial decomposition and links with procedures to compare rectangular data matrices]. Unpublished doctoral dissertation, Scientific and Medical University of Grenoble, Grenoble, France.
- Mizère, D. (1984). L'Aspect choix de métrique dans l'analyse d'un cube de contingence. *Afrika Matematika*, 6, 49–68.
- Möck, J. (1988a). Decomposing event-related potentials: A new topographic components model. *Biological Psychology*, 26, 199–215.
- Möck, J. (1988b). Topographic components model for event-related potentials and some biophysical considerations. *IEEE Transactions on Biomedical Engineering*, 35, 482–484.
- Montanelli, D. S. (1972). Multiple-cue learning in children. *Developmental Psychology*, 7, 302–312.
- Montano, D., & Adamopoulos, J. (1984). The perception of crowding in interpersonal situations: Affective and behavioral responses. *Environment and Behavior*, 16, 643–666.
- Mooijaart, A. (1992). Three-factor interaction models by log-trilinear terms in three-way contingency tables. *Statistica Applicata*, 4, 669–677.
- Morais, H., Ramos, C., Forgács, E., Cserháti, T., Oliviera, J., & Illés, T. (2001). Three-dimensional principal component analysis employed for the study of the beta-glucosidase production of *Lentinus edodes* strains. *Chemometrics and Intelligent Laboratory Systems*, 57, 57–64.
- Munck, L., Nørgaard, L., Engelsen, S. B., Bro, R., & Andersson, C. A. (1998). Chemometrics in food science - a demonstration of the feasibility of a highly exploratory, inductive evaluation strategy of fundamental scientific significance. *Chemometrics and Intelligent Laboratory Systems*, 44, 31–60.
- Murakami, T. (1979). Inshi henka no kijutsu to jun3so inshi bunseki [Description of factor change and quasi three-mode factor analysis]. *Bulletin of the Faculty of Education, Nagoya University*, 26, 1–16.
- Murakami, T. (1981). Saisho jijoho ni yoru jun3so inshi bunseki no algoritm [An algorithm of quasi three-mode factor analysis by the least squares methods]. *Bulletin of the Faculty of Education, Nagoya University*, 28, 39–59.
- Murakami, T. (1983a). 3so data ni okeru inshi henka no kijutsu no tameno sho hoho [Methods for description of factor change in three-mode data (I): Factor analytical models]. *Bulletin of the Faculty of Education, Nagoya University*, 30, 145–176.
- Murakami, T. (1983b). Quasi three-mode principal component analysis - A method for assessing the factor change. *Behaviormetrika*, 14, 27–48.
- Murakami, T. (1985). Tashugo data no tameno tansakuteki inshi bunseki [Exploratory factor analysis of multiset data]. *Bulletin of the Faculty of Education, Nagoya University*, 32, 75–93.
- Murakami, T. (1989). Theory of psychological measurement and the concept of family resemblances (in Japanese, English abstract). *Bulletin of the Faculty of Education, Nagoya University*, 36, 149–156.
- Murakami, T. (1990). On the principal component analysis of multigroup, multiset, and multimode data (in Japanese). *Kodokeiryugaku (Japanese Journal of Behaviormetrics)*, 18, 28–40.

- Murakami, T. (1991). Hierarchical principal component analysis of multiset-multigroup data (in Japanese). *Bulletin of the Faculty of Education, Nagoya University*, 38, 155–166.
- Murakami, T. (1998). Tucker2 as a second-order principal component analysis. In C. Hayashi, N. Ohsumi, K. Yajima, Y. Tanaka, H.-H. Bock, & Y. Baba (Eds.), *Data science, classification, and related methods*. (pp. 575–586). Tokyo: Springer.
- Murakami, T., Goto, M., & Tsujimoto, H. (1978). 3so inshi bunseki no tekiyo jo no sho mondai [Some problems in the application of three-mode factor analysis]. *Bulletin of the Faculty of Education, Nagoya University*, 25, 19–39.
- Murakami, T., & Kroonenberg, P. M. (2001). *Individual differences in semantic differential studies and their analysis by three-way models*. (Technical report). Leiden, The Netherlands: Department of Education, Leiden University.
- Murakami, T., Ten Berge, J. M. F., & Kiers, H. A. L. (1998). A case of extreme simplicity of the core matrix in three-mode principal components analysis. *Psychometrika*, 63, 255–261.
- Murdoch, V. J., Snyder, C. W., Jr., Law, H. G., Pamment, P. R., & Payne, P. V. (1985). Environmental evaluations of a "hard hat" residential area in rural Australia. *Journal of Community Psychology*, 13, 360–374.
- Murosaki, A. R., Booksh, K. S., & Myrick, M. L. (1996). Single-measurement excitation/emission matrix spectrofluorometer for determination of hydrocarbons in ocean water. 1. Instrumentation and background correction. *Analytical Chemistry*, 68, 3534–3538.
- Muthén, B., Olsson, U., Pettersson, T., & Stahlberg, G. (1977). Measuring religious attitudes using the semantic differential technique: An application of three-mode factor analysis. *Journal for the Scientific Study of Religion*, 16, 275–288.
- Neal, R. J., Snyder Jr, C. W., & Kroonenberg, P. M. (1991). Individual differences and segment interactions in throwing. *Human Movement Journal*, 10, 653–676.
- Neuenschwander, B. E., & Flury, B. D. (1995). Common canonical variates. *Biometrika*, 82, 553–560.
- Nguyen, N., Hoole, P., & Marchal, A. (1994). Regenerating the spectral shapes of s-phone and sh-phone from a limited set of articulatory parameters. *Journal of the Acoustical Society of America*, 96, 33–39.
- Nierop, A. F. M. (1993). The INDRES model: An INDSCAL model with residuals orthogonal to INDSCAL dimensions. In R. Steyer, K. F. Wender, & K. F. Widaman (Eds.), *Psychometric Methodology. Proceedings of the 7th European Meeting of the Psychometric Society in Trierj*. (pp. 366–370). Stuttgart and New York: Gustav Fischer Verlag.
- Nilsson, J., De Jong, S., & Smilde, A. K. (1997). Multiway calibration in 3D QSAR. *Journal of Chemometrics*, 11, 511–524.
- Nix, D. A., Papcun, G., Hogden, J., & Zlokarnik, I. (1996). Two cross-linguistic factors underlying tongue shapes for vowels. *Journal of the Acoustical Society of America*, 99, 3707–3717.
- Nomikos, P., & MacGregor, J. F. (1994). Monitoring batch processes using multiway principal component analysis. *AIChE Journal*, 40, 1361–1375.
- Nomikos, P., & MacGregor, J. F. (1995a). Multivariate SPC charts for monitoring batch processes. *Technometrics*, 37, 41–59.
- Nomikos, P., & MacGregor, J. F. (1995b). Multi-way partial least squares in monitoring batch processes. *Chemometrics and Intelligent Laboratory Systems*, 30, 97–108.
- Nørgaard, L. (1996). Spectral resolution and prediction of slit widths in fluorescence spectroscopy by two- and three-way methods. *Journal of Chemometrics*, 10, 615–630.
- Okada, A. (1982). Individual differences multidimensional scaling. *Surikagaku*, 230, 35–40.
- Okada, A. (1990). A generalization of asymmetric multidimensional scaling. In M. Schader & W. Gaul (Eds.), *Knowledge, data and computer-assisted decisions*. (pp. 127–138). Berlin: Springer.
- Okada, A., & Imaizumi, T. (1980). Nonmetric method for extended INDSCAL model. *Behaviormetrika*, 7, 13–22.

- Okada, A., & Imaizumi, T. (1986). How to use nonmetric Euclidean/non-Euclidean weighted multidimensional scaling program (N-NEWMDS version 1.1). *Journal of Applied Sociology*, 3, 1–81.
- Okada, A., & Imaizumi, T. (1993). Further extensions of two-mode three-way asymmetric multidimensional scaling model. *Journal of Applied Sociology*, 35, 259–277.
- Okada, A., & Imaizumi, T. (1999). Two-mode three-way asymmetric multidimensional scaling with constraints on asymmetry. In R. Decker & W. Gaul (Eds.), *Classification and information processing at the turn of the millennium: Proceedings of the 23rd annual conference of the Gesellschaft für Klassifikation*. (pp. 52–59). Bielefeld: 10-12 March.
- Okada, A., & Marumo, J. (1993). Utilizing MDPREF to disclose between and within group differences. *Sociological Theory and Methods*, 8, 127–141.
- Okada, A., & Takeuchi, Y. (1971). Nonmetric multidimensional scaling of differences among type. *Psychonomic Science*, 25, 197–198.
- Okada A. and Imaizumi, T. (1996). Analyzing friendship ties by using two-mode three-way asymmetric multidimensional scaling (in Japanese with English abstract). *Japanese Psychological Review*, 39, 459–475.
- Okada A. and Imaizumi, T. (1997). Asymmetric multidimensional scaling of two-mode three-way proximities. *Journal of Classification*, 14, 195–224.
- Oort, F. J. (1999). Stochastic three-mode models for mean and covariance structures. *British Journal of Mathematical and Statistical Psychology*, 52, 243–272.
- Oort, F. J. (2001). Three-mode models for multivariate longitudinal data. *British Journal of Mathematical and Statistical Psychology*, 54, 49–78.
- Orekhov, V. Y., Ibraghimov, I. V., & Billeter, M. (2001). MUNIN: A new approach to multi-dimensional NMR spectra interpretation. *Journal of Biomolecular NMR*, 20, 49–60.
- Orlik, P. (1980). Das Summax-Modell der dreimodalen Faktorenanalyse mit interpretierbarer Kernmatrix [The Summax-model of three-mode factor analysis with directly interpretable core matrix]. *Archiv der Psychologie*, 133, 189–218.
- Orlik, P. (1981). Das Summax-Modell der dreimodalen multiplen Prädiktion, gezeigt an einem Demonstrationsexperiment [The Summax-model of three-mode multiple prediction, illustrated with a demonstration experiment]. In W. Janke (Ed.), *Beiträge zur Methodik in der differentiellen, diagnostischen und klinischen Psychologie - Festschrift zum 60. Geburtstag von G. A. Lienert*. (pp. 280–296). Königstein/Ts: Hain.
- Ossenkopp, K.-P., & Mazmanian, D. S. (1985). The measurement and integration of behavioral variables: Aggregation and complexity as important issues. *Neurobehavioral Toxicology and Teratology*, 7, 95–100.
- Ossenkopp, K.-P., Sorenson, L., & Mazmanian, D. S. (1994). Factor analysis of open-field behavior in the rat (*Rattus norvegicus*): Application of the three-way PARAFAC model to a longitudinal data set. *Behavioural Processes*, 31, 129–144.
- Ottaviani, M. G. (1989). *Il comportamento di alcuni stimatori robusti del parametro di locazione in presenza di dati anomali: Un'applicazione del modello Tucker 2*. [The behaviour of a robust location estimator in the presence of deviant data: An application of the Tucker2 model] (Research Report No. A11). Rome, Italy: Department of Statistics, Probability and Applied Statistics, University of Rome "La Sapienza".
- Ottaviani, M. G. (1990). *Un'analisi a tre vie della popolazione attiva e non attiva giovane*. [A three-mode analysis of employed and unemployed youths] (Research Report No. A33). Rome, Italy: Department of Statistics, Probability and Applied Statistics, University of Rome "La Sapienza".
- Paatero, P. (1997). A weighted non-negative least squares algorithm for three-way "PARAFAC" factor analysis. *Chemometrics and Intelligent Laboratory Systems*, 38, 223–242.
- Paatero, P. (1999). The multilinear engine - a table-driven, least squares program for solving multilinear problems, including the  $n$ -way parallel factor analysis model. *Journal of Computational and Graphical Statistics*, 8, 854–888.

- Paatero, P. (2000). Construction and analysis of degenerate PARAFAC models. *Journal of Chemometrics*, 14, 285–299.
- Paatero, P., & Andersson, C. A. (1999). Further improvements of the speed of the Tucker3 three-way algorithm. *Chemometrics and Intelligent Laboratory Systems*, 47, 17–20.
- Paatero, P., & Hopke, P. K. (2002). Utilizing wind direction and wind speed as independent variables in multilinear receptor modeling studies. *Chemometrics and Intelligent Laboratory Systems*, 60, 25–41.
- Paatero, P., Hopke, P. K., & Song, Z., X. - H. and Ramadan. (2002). Understanding and controlling rotations in factor analytic models. *Chemometrics and Intelligent Laboratory Systems*, 60, 253–264.
- Paatero, P., & Juntto, S. (2000). Determination of underlying components of a cyclical time series by means of two-way and three-way factor analytic techniques. *Journal of Chemometrics*, 14, 241–259.
- Pamment, P. (1987). *Difficulty in assertion: An invariant factors structure analysis*. Unpublished doctoral dissertation, University of Queensland, Brisbane, Australia.
- Pastore, A. (1992). Some observations on similarity and lack of duality in interstructure-compromise-intrastructure analysis. *Statistica Applicata*, 4, 679–691.
- Pernin, M.-O. (1986). *Contribution à la méthodologie d'analyse de données longitudinales: Exemple de la croissance chez l'être humain (Auxologie)*. Unpublished doctoral dissertation, Université Claude Bernard, Lyon I, Lyon, France.
- Perrin, N. A., & Ashby, F. G. (1991). A test for perceptual independence with dissimilarity data. *Applied Psychological Measurement*, 15, 79–93.
- Persat, H., & Chessel, D. (1989). Size-class ordination: A useful method in the study of fish and invertebrate populations. *Acta Oecologica - Oecologia Generalis*, 10, 175–195.
- Pham, T. D., & Möck, J. (1992). Beyond principal component analysis: A trilinear decomposition model and least squares estimation. *Psychometrika*, 57, 203–215.
- Phillips, G. R., & Georghiou, S. (1993). Global analysis of steady-state polarized fluorescence spectra using trilinear curve resolution. *Biophysical Journal*, 65, 918–926.
- Pierar, M. G. (1987). De betekenis van leren: Een exploratief onderzoek naar leerconcepties met de semantische differentiaal [the meaning of learning: An explorative study of learning concepts with the semantic differential]. *Tijdschrift voor Onderwijsresearch*, 12, 144–159.
- Pieri, L., & Vichi, M. (1991). Three-way matrices and their representative summaries. *Statistica Applicata*, 3, 145–176.
- Pieters, R. G. M., & De Klerk-Warmerdam, M. (1996). Ad-evoked feelings: Structure and impact on  $A_{ad}$  and recall. *Journal of Business Research*, 37, 105–114.
- Pimentel, R. A. (1979). *Morphometrics: The multivariate analysis of biological data*. (Chapter 5: Multigroup principal component analysis. pp. 81-91 ed.). Dubuque: Kendall/Hunt Publishing Company.
- Pittam, J., Gallois, C., & Callan, V. (1990). The long-term spectrum and perceived emotion. *Speech Communication*, 9, 177–187.
- Pittam, J., Gallois, C., Iwawaki, S., & Kroonenberg, P. M. (1995). Australian and Japanese concepts of expressive behavior. *Journal of Cross-Cultural Psychology*, 26, 451–473.
- Polissar, A. V., Hopke, P. K., Paatero, P., Kaufmann, Y. J., Hall, D. K., Bodhaine, B. A., Dutton, E. G., & Harris, J. M. (1999). The aerosol at Barrow, Alaska: Long-term trends and source locations. *Atmospheric Environment*, 33, 2441–2458.
- Polit, E. (1986). *Une n-ACP d'un hypercube de données*. [An n-principal component analysis of a data hypercube]. Unpublished doctoral dissertation, University of Social Sciences, Grenoble, France.
- Pols, L. C. W. (1983). Three-mode principal component analysis of confusion matrices, based on the identification of Dutch consonants, under various conditions of noise and reverberation. *Speech Communication*, 2, 275–293.
- Pravdova, V., Estienne, F., Walczak, B., & Massart, D. L. (2001). A robust version of the Tucker3 model. *Chemometrics and Intelligent Laboratory Systems*, 59, 75–88.

- Qannari, A., Qannari, E. M., & Courcoux, P. (1992). Analyse d'un tableau ternaire d'évaluations sensorielles [Analysis of a three-way table of sensory evaluations]. *Revue de Statistique Appliquée*, 40, 45–58.
- Qannari, E. M., Wakeling, I., & MacFie, H. J. H. (1995). A hierarchy of models for analysing sensory data. *Food Quality and Preference*, 6, 309–314.
- Ramsay, J. O., Munhall, K. G., Gracco, V. L., & Ostry, D. J. (1996). Functional data analyses of lip motion. *Journal of the Acoustical Society of America*, 99, 3718–3727.
- Ramsay, J. O., Ten Berge, J., & Stylianou, G. P. H. (1984). Matrix correlation. *Psychometrika*, 49, 403–423.
- Ray, W. J., & Cole, H. W. (1985). EEG alpha activity reflects attentional demands, and beta activity reflects emotional and cognitive process. *Science*, 228, 750–752.
- Ray, W. J., & Vasey, J. (1985). PARAFAC analysis of psychophysiological data. *Psychophysiology*, 22, 577.
- Rayens, W. S., & Mitchell, B. C. (1997). Two-factor degeneracies and a stabilization of Parafac. *Chemometrics and Intelligent Laboratory Systems*, 38, 173–181.
- Rayner, J. C. W., Best, D. J., & Liddell, G. F. (1991). Optimal testing in a three way ANOVA model. *Communications in Statistics - Simulation*, 20, 411–425.
- Redfield, J. (1978). TMFA: A FORTRAN program for three-mode factor analysis and individual differences multidimensional scaling. *Educational and Psychological Measurement*, 38, 793–795.
- Redfield, J., & Stone, A. A. (1979). Individual viewpoints of stressful life events. *Journal of Consulting and Clinical Psychology*, 47, 147–154.
- Reid, J. C. (1969). A three-mode factor analysis of students' perceptions of a university. *The Journal of Experimental Education*, 36, 93–96.
- Reinikainen, S.-P., Laine, P., Minkkinen, P., & Paatero, P. (2001). Factor analytical study on water quality in Lake Saimaa, Finland. *Fresenius Journal of Analytical Chemistry*, 369, 727–732.
- Reis, M. M., Gurden, S. P., Smilde, A. K., & Ferreira, M. M. C. (2000). Calibration and detailed analysis of second-order flow injection analysis data with rank overlap. *Analytica Chimica Acta*, 422, 21–36.
- Renaud, J. P., Davydov, D. R., Heirwegh, K. P. M., Mansuy, D., & Hoa, G. (1996). Thermodynamic studies of substrate binding and spin transitions in human cytochrome P-450 3A4 expressed in yeast microsomes. *Biochemical Journal*, 319, 675–681.
- Reymert, R. A. (1997). Multiple group principal component analysis. *Mathematical Geology*, 29, 1–16.
- Reymert, R. A., & Naidin, D. P. (1962). Biometric study of actinocamax verus s.l. from the upper cretaceous of the Russian platform. *Contributions in Geology. Acta Universitatis Stockholmienensis*, 9, 147–206.
- Rikken, F., Kiers, H. A. L., & Vos, R. (1995). Mapping the dynamics of adverse drug reactions in subsequent time periods using INDSCAL. *Scientometrics*, 33, 367–380.
- Rizzi, A. (1988). On the average matrix. In H. H. Bock (Ed.), *Classification and related methods of data analysis*. (pp. 533–540). Amsterdam: Elsevier.
- Rizzi, A. (1989a). On the principal component analysis of three-way data matrices. In Y. Dodge (Ed.), *Statistical data analysis and inference*. (pp. 501–516). Amsterdam: Elsevier.
- Rizzi, A. (1989b). On the synthesis of three way data matrices. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 143–154). Amsterdam: Elsevier.
- Rizzi, A. (1989c). Clustering per le matrici a tre vie [Clustering for three-way matrices]. *Statistica*, 49, 195–208.
- Rizzi, A., & Vichi, M. (1992). Relations between sets of variates of a three-way data set. *Statistica Applicata*, 4, 635–651.
- Rizzi, A., & Vichi, M. (1995a). Representation, synthesis, variability and data preprocessing of a three-way data set. *Computational Statistics and Data Analysis*, 19, 203–222.

- Rizzi, A., & Vichi, M. (1995b). Three-way data set analysis. In A. Rizzi (Ed.), *Some relations between matrices and structures of multidimensional data analysis*. (pp. 93–166). Pisa: Giardini Editori e Stampatori.
- Robert, P., & Escoufier, Y. (1976). A unifying tool for linear multivariate statistical methods: The  $RV$ -coefficient. *Applied Statistics*, 25, 257–265.
- Rocci, R. (1990). *Decomposizione tensoriale di un array multidimensionale di dati*. [Tensorial decomposition of a multidimensional data array] (Technical report No. E5). Rome, Italy: Department of Statistics, Probability and Applied Statistics, University of Rome "La Sapienza".
- Rocci, R. (1992a). Scalar product and synthesis of s-matrices. *Statistica Applicata*, 4, 693–699.
- Rocci, R. (1992b). Three-mode factor analysis with binary core and orthonormality constraints. *Journal of the Italian Statistical Society*, 1, 413–422.
- Rocci, R., & Ten Berge, J. M. F. (1994). A simplification of a result by Zellini on the maximal rank of symmetric three-way arrays. *Psychometrika*, 59, 377–380.
- Röthmel, J., Streitberg, B., & Herrmann, W. (1983). The COMSTAT algorithm for multimodal factor analysis: An improvement of Tucker's three-mode factor analysis method. *Neuropsychobiology*, 10, 157–163.
- Rösler, F. (1975). Die Abhängigkeit des Elektroenzephalogramms von den Persönlichkeitsdimensionen E und N sensu Eysenck und unterschiedlich aktivierenden Situationen [The dependence of electroencephalograms on the personality dimensions E and N sensu Eysenck and various activating situations]. *Zeitschrift für experimentelle und angewandte Psychologie*, 22, 630–667.
- Rösler, F. (1979). Identifying interindividual judgment differences: INDSCAL or three-mode factor analysis? *Multivariate Behavioral Research*, 14, 145–167.
- Rösler, F., Jesse, J., Manzey, D., & Grau, U. (1982). Ist das LM-Gitter nur ein LM-Test? Eine dreimodale Faktorenanalyse des LM-Gitters für Kinder (Schmalt) [Is the LM-Gitter only an LM test? A trimodal factor analysis of the LM-Gitter für Kinder (Schmalt)]. *Diagnostica*, 28, 131–145.
- Ross, R. T., Lee, C.-H., Davis, C. M., Ezzeddine, B. M., Fayyad, E. A., & Leurgans, S. E. (1991). Resolution of the fluorescence spectra of plant pigment-complexes using trilinear models. *Biochimica et Biophysica Acta*, 1056, 317–320.
- Ross, R. T., & Leurgans, S. E. (1995). Component resolution using multilinear models. In K. Sauer (Ed.), *Biochemical spectroscopy*. (pp. 679–700). San Diego: Academic Press.
- Rowe, H. A. H. (1979). Three-mode factor analysis: Problems of interpretation and possible solutions. *Australian Psychologist*, 14, 222–223.
- Ruch, W. (1980). *Gemeinsame Strukturen in Weizbeurteilung und Persönlichkeit. Versuch einer empirischen Integration des Gegenstandsbereiches Witzbeurteilung in die differentielle Psychologie*. Unpublished doctoral dissertation, University of Graz, Graz, Austria.
- Ruch, W. (1981). Witzbeurteilung und Persönlichkeit: Ein trimodale analyse. [Joke-appreciation and personality: A three-mode analysis]. *Zeitschrift für Differentielle und Diagnostische Psychologie*, 2, 253–273.
- Rummel, R. J. (1969). Forecasting international relations: A proposed investigation of three-mode factor analysis. *Technological Forecasting*, 1, 197–216.
- Russell, D. (1982). The Causal Dimension Scale: A measure of how individuals perceive causes. *Journal of Personality and Social Psychology*, 42, 1137–1145.
- Russell, M. D., & Gouterman, M. (1988). Excitation-emission-lifetime analysis of multicomponent systems, I, II, and III. *Spectrochimica Acta*, 44A, 857–882.
- Rychlak, J. F., Flynn, E. J., & Burger, G. (1979). Affection and evaluation as logical processes of meaningfulness independent of associative frequency. *The Journal of General Psychology*, 100, 143–157.
- Sanchez, E., & Kowalski, B. R. (1988). Tensorial calibration: II. Second-order calibration. *Journal of Chemometrics*, 2, 265–280.

- Sanchez, E., & Kowalski, B. R. (1990). Tensorial resolution: A direct trilinear decomposition. *Journal of Chemometrics*, 4, 29–45.
- Sands, R., & Young, F. W. (1980). Component models for three-way data: ALSCOMP3, an alternating least squares algorithm with optimal scaling features. *Psychometrika*, 45, 39–67.
- Sanguineti, V., Laboissiere, R., & Payan, Y. (1997). A control model of human tongue movements in speech. *Biological Cybernetics*, 77, 11–22.
- Sato, M., & Sato, Y. (1994). On a multicriteria fuzzy clustering method for 3-way data. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 2, 127–142.
- Sato, M., & Sato, Y. (1997). Generalized fuzzy clustering model for 3-way data. In *Proceedings of the International Conference on Fuzzy Logic*. (pp. 132–137). Zichron Yakov, Israel: Ministry of Science.
- Sato-Ilic, M., & Sato, Y. (1998). A dynamic additive fuzzy clustering model. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 117–124). Berlin: Springer.
- Saurina, J., Hernández-Cassou, S., Izquierdo-Ridorsa, A., & Tauler, R. (2000). pH-Gradient spectrophotometric data files from flow-injection and continuous flow systems for two- and three-way data analysis. *Chemometrics and Intelligent Laboratory Systems*, 50, 263–271.
- Saurina, J., Hernández-Cassou, S., & Tauler, R. (1995). Multivariate curve resolution applied to continuous-flow spectrophotometric titrations: reaction between amino-acids and 1,2-naphthoquinone-4-sulfonic acid. *Analytical Chemistry*, 67, 3722–3726.
- Saurina, J., Hernández-Cassou, S., & Tauler, R. (1997). Multivariate curve resolution and trilinear decomposition methods in the analysis of stopped-flow kinetic data for binary amino acid mixtures. *Analytical Chemistry*, 69, 2329–2336.
- Saurina, J., Hernández-Cassou, S., Tauler, R., & Izquierdo-Ridorsa, A. (1999). Continuous-flow and flow injection pH gradients for spectrophotometric determinations of mixtures of nucleic acid components. *Analytical Chemistry*, 71, 2215–2220.
- Schiffman, S. S., Reynolds, M. L., & Young, F. W. (1981). *Introduction to multidimensional scaling*. New York: Academic Press.
- Schneider, J. F., & Krolak-Schwerdt, S. (1994). Dreimodale Faktorenanalyse von Wertkonzepten: Ein Methodenvorschlag für interkulturelle Vergleiche. [Three-mode factor analysis of value concepts: Proposal of a method for intercultural comparison]. *Gruppendynamik*, 25, 117–131.
- Schönemann, P. H. (1972). An algebraic solution for a class of subjective metrics models. *Psychometrika*, 37, 441–451.
- Schott, J. R. (1991). Some tests for common principal component subspaces in several groups. *Biometrika*, 78, 771–777.
- Schulz, U. (1972). Ein euklidisches Modell der Multidimensionalen Skalierung unter Berücksichtigung individueller Differenzen [A Euclidean model for individual differences multidimensional scaling]. In *Bericht über den 28. Kongreß der Deutschen Gesellschaft für Psychologie, Band 2: Psychologische methodik und mathematische psychologie*. (pp. 75–89). Place unknown.
- Schulz, U. (1975). Zu einem Dekompositionsmodell der multidimensionalen Skalierung mit individueller Gewichtung der Dimensionen [On a decomposition model for multidimensional scaling with individual weighting of dimensions]. *Psychologische Beiträge*, 17, 167–187.
- Schulz, U., & Pittner, P. M. (1978). Zur multidimensionale Skalierung individueller Differenzen: Zwei Modelle mit Rechenalgorithmen [On individual differences multidimensional scaling: Two models with algorithms]. *Psychologische Beiträge*, 20, 294–315.
- See, K., & Smith, E. P. (1996). A graphical tool for three-factor experiments with one observation per cell. *Communications in Statistics. Part B, Simulation and Computation*, 25, 709–732.

- See, K., & Smith, E. P. (1998). Testing interaction in three-way ANOVA tables with a single observation per cell. *Communications in Statistics. Part A, Theory and Methods*, *27*, 839–866.
- Sena, M. M., Fernandes, J. C. B., Rover, L., Poppi, R. J., & Kubota, L. T. (2000). Application of two- and three-way chemometric methods in the study of acetylsalicylic acid and ascorbic acid mixtures using ultraviolet spectrophotometry. *Analytica Chimica Acta*, *409*, 159–170.
- Shaywitz, B. A., Shaywitz, S. E., Pugh, K. R., Constable, R., Skudlarski, P., Fulbright, R. K., Bronen, R. A., Fletcher, J. M., Shankweiler, D. P., Katz, L., & Gore, J. C. (1995). Sex-differences in the functional-organization of the brain for language. *Nature*, *373*, 607–609.
- Shepard, R. N., & Arabie, P. (1979). Additive clustering: Representation of similarities as combinations of discrete overlapping properties. *Psychological Review*, *86*, 87–123.
- Shikiar, R. (1974a). An empirical comparison of two individual differences multidimensional scaling models. *Educational and Psychological Measurement*, *34*, 823–828.
- Shikiar, R. (1974b). The perception of politicians and political issues: a multidimensional scaling approach. *Multivariate Behavioral Research*, *9*, 461–477.
- Siciliano, R. (1992). Reduced-rank models for dependence analysis of contingency tables. *Statistica Applicata*, *4*, 481–501.
- Siciliano, R., & Mooijaart, A. (1997). Three-factor association models for three-way contingency tables. *Computational Statistics and Data Analysis*, *24*, 337–356.
- Sidiropoulos, N. D., & Bro, R. (1999). Mathematical programming algorithms for regression-based nonlinear filtering in  $N$ -dimensional real space. *IEEE Transactions on Signal Processing*, *47*, 771–782.
- Sidiropoulos, N. D., & Bro, R. (2000). On the uniqueness of multilinear decomposition of  $N$ -way arrays. *Journal of Chemometrics*, *14*, 229–239.
- Sidiropoulos, N. D., Bro, R., & Giannakis, G. B. (2000). Parallel factor analysis in sensor array processing. *IEEE Transactions on Signal Processing*, *48*, 2377–2388.
- Sidiropoulos, N. D., Giannakis, G. B., & Bro, R. (2000). Blind PARAFAC receivers for DS-CDMA systems. *IEEE Transactions on Signal Processing*, *48*, 810–823.
- Sidiropoulos, N. D., & Liu, X. (2001). Identifiability results for blind beamforming in incoherent multipath with small delay spread. *IEEE Transactions on Signal Processing*, *49*, 228–236.
- Sjöberg, L. (1977). Choice frequency and similarity. *Scandinavian Journal of Psychology*, *18*, 103–115.
- Sjöberg, L. (1984). Interests, effort, achievement and vocational preference. *British Journal of Educational Psychology*, *54*, 189–205.
- Skolnick, A. (1981). Married lives: Longitudinal perspectives on marriage. In D. H. Eichorn, J. A. Clausen, N. Haan, M. P. Honzik, & P. H. Mussen. (Eds.), *Present and past in middle life*. (pp. 269–298). New York: Academic Press.
- Smilde, A. K. (1990). *Multivariate calibration of reversed-phase chromatographic systems*. Unpublished doctoral dissertation, University of Groningen, Groningen, The Netherlands.
- Smilde, A. K. (1992). Three-way analyses: Problems and prospects. *Chemometrics and Intelligent Laboratory Systems*, *15*, 143–158.
- Smilde, A. K. (1997). Comments on multilinear PLS. *Journal of Chemometrics*, *11*, 367–377.
- Smilde, A. K., & Doornbos, D. A. (1991). Three-way methods for the calibration of chromatographic systems: Comparing PARAFAC and three-way PLS. *Journal of Chemometrics*, *5*, 345–360.
- Smilde, A. K., & Doornbos, D. A. (1992). Simple validatory tools for judging the predictive performance of PARAFAC and three-way PLS. *Journal of Chemometrics*, *6*, 11–28.
- Smilde, A. K., & Kiers, H. A. L. (1999). Multiway covariates regression models. *Journal of Chemometrics*, *13*, 31–48.

- Smilde, A. K., Tauler, R., Henshaw, J. M., Burgess, L. W., & Kowalski, B. R. (1994). Multi-component determination of chlorinated hydrocarbons using a reaction-based chemical sensor. 3. Medium-rank second-order calibration with restricted Tucker models. *Analytical Chemistry*, *66*, 3345–3351.
- Smilde, A. K., Tauler, R., Saurina, J., & Bro, R. (1999). Calibration methods for complex second-order data. *Analytica Chimica Acta*, *398*, 237–251.
- Smilde, A. K., Van der Graaf, P. H., Doornbos, D. A., Steerneman, T., & Sleutink, A. (1990). Multivariate calibration of reversed-phase chromatographic systems. Some designs based on three-way data analysis. *Analytica Chimica Acta*, *235*, 41–51.
- Smilde, A. K., Wang, Y., & Kowalski, B. R. (1994). Theory of medium-rank second-order calibration with restricted-Tucker models. *Journal of Chemometrics*, *8*, 21–36.
- Smilde, A. K., Westerhuis, J. A., & Boqué, R. (2000). Multiway multiblock component and covariates regression models. *Journal of Chemometrics*, *14*, 301–331.
- Snyder, F. W. (1968). *A unique variance model for three-mode factor analysis*. (Research Report). Urbana IL: Department of Psychology, University of Illinois.
- Snyder, F. W., & Tucker, L. R. (1970, Month unknown). *Interpretation of the core matrix in three-mode factor analysis*. Paper presented at the Psychometric Society Meeting., Place unknown.
- Snyder, F. W., & Wiggins, N. (1970). Affective meaning systems: a multivariate approach. *Multivariate Behavioral Research*, *5*, 453–468.
- Snyder Jr, C. W. (1976). Multivariate analysis of intrinsic individual differences in disjunctive conceptual behavior. *Multivariate Behavioral Research*, *11*, 195–216.
- Snyder Jr, C. W. (1982). Spectrum of affect for balance beam exercises: PARAFAC three-mode analysis. In M. L. Howell & B. D. Wilson (Eds.), *Proceedings of the 7th Commonwealth and International Conference on Sport, Physical Education, Recreation, and Dance Vol 7*. (pp. 61–65). Place unknown: Publisher unknown.
- Snyder Jr, C. W. (1988). Multimode factor analysis. In J. R. Nesselroade & R. B. Cattell (Eds.), *Handbook of multivariate experimental psychology*. (2nd edition ed., pp. 289–316). New York: Plenum Press.
- Snyder Jr, C. W., Bridgman, R. P., & Law, H. G. (1981). Three-mode factor analytic reference curves for concept identification. *Personality and Individual Differences*, *2*, 265–272.
- Snyder Jr, C. W., & Law, H. G. (1979). Three-mode common factor analysis: Procedure and computer programs. *Multivariate Behavioral Research*, *14*, 435–441.
- Snyder Jr, C. W., & Law, H. G. (1981). Three-mode models for road research. In J. M. Morris (Ed.), *Proceedings of a Seminar on Measuring Social Behaviour in Road Research*. (pp. 39–48). Vermont South ¡!–; Victoria ¡!–;. Australia: Australian Road Research Board.
- Snyder Jr, C. W., Law, H. G., & Hattie, J. A. (1984). Overview of multimode analytic methods. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 2–35). New York: Praeger.
- Snyder Jr, C. W., Law, H. G., & Pamment, P. R. (1979). Calculation of Tucker's three-mode common factor analysis. *Behavior Research Methods and Instrumentation*, *11*, 609–611.
- Snyder Jr, C. W., Murdoch, V. J., Pamment, P. R., Law, H. G., & Payne, P. V. (1985). Environmental evaluations of a rural construction township: The women's perspective. *Journal of Rural Community Psychology*, *6*, 27–47.
- Snyder Jr, C. W., Walsh, W. D., & Pamment, P. R. (1983). Three-mode PARAFAC factor analysis in applied research. *Journal of Applied Psychology*, *68*, 572–583.
- Sogon, S., & Doi, K. (1990). Three-mode factor analysis of emblematic gesture and body manipulation viewed from the dorsal perspective (in Japanese). *The Japanese Journal of Psychology*, *60*, 356–362.
- Soli, S. D., Arabie, P., & Carroll, J. D. (1986). Discrete representation of perceptual structure underlying consonant confusions. *Journal of the Acoustical Society of America*, *79*, 826–837.

- Sorenson, L. (1986, Month unknown). *Factor analysis of open-field behavior in rats: Using the three-way PARAFAC model for longitudinal data*. Paper presented at the Annual Meeting of the Canadian Psychological Association., Toronto.
- SOUPAC. (1973). *Three-mode factor analysis*. (Program Description). Urbana IL.: Computing Services Offices, University of Illinois.
- Spanjer, M. C. (1984). *Substituent interaction effects and mathematical-statistical description of retention in liquid chromatography*. Unpublished doctoral dissertation, University of Utrecht, Utrecht, The Netherlands.
- Spanjer, M. C., De Ligny, C. L., Van Houwelingen, H. C., & Weesie, J. M. (1985). Simultaneous description of the influence of solvent, reaction type, and substituent on equilibrium constants by means of three-mode factor analysis. *Journal of the Chemical Society, Perkin Transactions II*, ??, 1401–1411.
- Stähle, L. (1989). Aspects of the analysis of three-way data. *Chemometrics and Intelligent Laboratory Systems*, 7, 95–100.
- Stankov, L., & Chen, K. (1988). Can we boost fluid and crystallised intelligence? A structural modelling approach. *Australian Journal of Psychology*, 40, 363–376.
- Stewart, T. R. (1971). The relation between three mode factor analysis and multidimensional scaling of personality trait profiles. *Dissertation Abstracts International*, 32, 1197.
- Stewart, T. R. (1974). Generality of multidimensional representations. *Multivariate Behavioral Research*, 9, 507–519.
- Stone, M., & Lundberg, A. (1996). Three-dimensional tongue surface shapes of English consonants and vowels. *Journal of the Acoustical Society of America*, 99, 3728–3737.
- Stone, M., Shawker, T. H., Talbot, T. L., & Rich, A. H. (1988). Cross-sectional tongue shape during the production of vowels. *Journal of the Acoustical Society of America*, 83, 1586–1596.
- Stoop, I. (1980). *Sekundaire analyse van de 'van jaar tot jaar' data met behulp van niet-lineaire multivariate technieken: Verschillen in de schoolloopbaan van meisjes en jongens*. [Secondary analysis of the 'year-by-year' data using non-linear multivariate techniques: Differences in the school career of girls and boys] (Research Bulletin No. RB 001-'80). Leiden, The Netherlands: Department of Datatheory, Leiden University.
- Strasburger, E. L. (1980). A multidimensional model of inferential judgment. *Dissertation Abstracts International*, 41, 4645.
- Swaminathan, H. (1984). Factor analysis of longitudinal data. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 308–332). New York: Praeger.
- T., M. (1996). Three-mode factor models and the concept of individual differences (in Japanese with English abstract). *Japanese Psychological Review*, 39, 408–428.
- Takane, Y. (1984). The weighted additive model. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 470–517). New York: Praeger.
- Takane, Y., Young, F. W., & De Leeuw, J. (1977). Nonmetric individual differences multidimensional scaling: An alternating least squares method with optimal scaling features. *Psychometrika*, 42, 7–67.
- Takeuchi, H., Kroonenberg, P. M., Taya, H., & Miyano, H. (1986). An analysis of Japanese language on thermal sensation. *Mathematical Linguistics*, 15, 201–209.
- Tan, Y. X., Jiang, J. H., Wu, H. L., Cui, H., & Yu, R. Q. (2000). Resolution of kinetic system of simultaneous degradations of chlorophyll *a* and *b* by PARAFAC. *Analytica Chimica Acta*, 412, 195–202.
- Tanaka, K., & Shinotake, T. (1993). Analysis of clinical cases adopting three-mode factor analysis (in Japanese). *The Japanese Journal of Psychology*, 64, 284–288.
- Tatsunami, K., Kuwabara, R., Yago, N., Mimaya, J., Yamada, K., Sato, M., & Sato, Y. (1998). Application of three-way data clustering to analysis of lymphocyte subset numbers in Japanese hemophiliacs infected with HIV-1. In A. Rizzi, M. Vichi, & H.-H. Bock (Eds.), *Advances in data science and classification*. (pp. 627–632). Berlin: Springer.

- Tauler, R. (1995). Multivariate curve resolution applied to second order data. *Chemometrics and Intelligent Laboratory Systems*, 30, 133–146.
- Tauler, R. (2001). Calculation of maximum and minimum band boundaries of feasible solutions for species profiles obtained by multivariate curve resolution. *Journal of Chemometrics*, 15, 627–646.
- Tauler, R., & Barceló, D. (1993). Multivariate curve resolution applied to liquid chromatography-diode array detection. *TrAC: Trends in Analytical Chemistry*, 12, 319–327.
- Tauler, R., & Casassas, E. (1992). Application of factor-analysis to speciation in multiequilibria systems. *Analisis*, 20, 255–268.
- Tauler, R., Kowalski, B., & Fleming, S. (1993). Multivariate curve resolution applied to spectral data from multiple runs of an industrial process. *Analytical Chemistry*, 65, 2040–2047.
- Tauler, R., Marqués, I., & Casassas, E. (1998). Multivariate curve resolution applied to three-way trilinear data: Study of a spectrofluorimetric acid-base titration of salicylic acid at three excitation wavelengths. *Journal of Chemometrics*, 12, 55–76.
- Tauler, R., Smilde, A., & Kowalski, B. (1995). Selectivity, local rank, three-way data analysis and ambiguity in multivariate curve resolution. *Journal of Chemometrics*, 9, 31–58.
- Tauler, R., Smilde, A. K., Henshaw, J. M., Burgess, L. W., & Kowalski, B. R. (1994). Multi-component determination of chlorinated hydrocarbons using a reaction-based chemical sensor. 2. Chemical speciation using multivariate curve resolution. *Analytical Chemistry*, 66, 3337–3344.
- Ten Berge, J. M. F. (1972). Difficulty factors, distribution effects, and the least squares simplex data matrix solution. *Educational and Psychological Measurement*, 32, 911–920.
- Ten Berge, J. M. F. (1977). Orthogonal Procrustes rotation for two or more matrices. *Psychometrika*, 42, 267–276.
- Ten Berge, J. M. F. (1983). A generalization of Kristof's theorem on the trace of certain matrix products. *Psychometrika*, 48, 519–523.
- Ten Berge, J. M. F. (1985). Review of "Three-mode principal component analysis" (in Dutch). *Kwantitatieve Methoden*, 17, 145–147.
- Ten Berge, J. M. F. (1986a). Rotatie naar perfecte congruentie en de multipele groep methode. *Nederlands Tijdschrift voor de Psychologie en haar Grensgebieden*, 41, 218–225.
- Ten Berge, J. M. F. (1986b). Rotation to perfect congruence and the cross-validation of component weights across populations. *Multivariate Behavioral Research*, 21, 41–64.
- Ten Berge, J. M. F. (1986c). Some relationships between descriptive comparisons of components from different studies. *Multivariate Behavioral Research*, 21, 29–40.
- Ten Berge, J. M. F. (1989). Convergence of PARAFAC preprocessing procedures and the Deming-Stephan method of iterative proportional fitting. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 53–63). Amsterdam: Elsevier.
- Ten Berge, J. M. F. (1991a). A general solution for a class of weakly constrained linear regression problems. *Psychometrika*, 56, 601–609.
- Ten Berge, J. M. F. (1991b). Kruskal's polynomial for  $2 \times 2 \times 2$  arrays and a generalization to  $2 \times n \times n$  arrays. *Psychometrika*, 56, 631–636.
- Ten Berge, J. M. F., Bekker, P. A., & Kiers, H. A. L. (1994). Some clarifications of the TUCKALS2 algorithm applied to the IDIOSCAL problem. *Psychometrika*, 59, 193–201.
- Ten Berge, J. M. F., De Leeuw, J., & Kroonenberg, P. M. (1987). Some additional results on principal components analysis of three-mode data by means of alternating least squares algorithms. *Psychometrika*, 52, 183–191.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1989a). Convergence properties of an iterative procedure of ipsatizing and standardizing a data matrix, with applications to PARAFAC/CANDECOMP preprocessing. *Psychometrika*, 54, 231–235.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1989b). Fitting the off-diagonal dedicom model in the least-squares sense by a generalization of the Harman and Jones minres procedure of factor analysis. *Psychometrika*, 54, 333–337.

- Ten Berge, J. M. F., & Kiers, H. A. L. (1990). Simultane componenten-analyse voor twee of meer groepen personen [Simultaneous components analysis for two or more groups of people]. *Nederlands Tijdschrift voor de Psychologie*, 45, 221–226.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1991a). A numerical approach to the approximate and the exact minimum rank of a covariance matrix. *Psychometrika*, 56, 309–315.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1991b). Some clarifications of the CANDECOMP algorithm applied to INDSCAL. *Psychometrika*, 56, 317–326.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1996a). Optimality criteria for principal component analysis and generalizations. *British Journal of Mathematical and Statistical Psychology*, 49, 335–345.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1996b). Some uniqueness results for PARAFAC2. *Psychometrika*, 61, 123–132.
- Ten Berge, J. M. F., & Kiers, H. A. L. (1999). Simplicity of core arrays in three-way principal component analysis and the typical rank of  $p \times q \times 2$  arrays. *Linear Algebra and its Applications*, 294, 169–179.
- Ten Berge, J. M. F., Kiers, H. A. L., & Commandeur, J. J. F. (1993). Orthogonal Procrustes rotation for matrices with missing values. *British Journal of Mathematical and Statistical Psychology*, 46, 119–134.
- Ten Berge, J. M. F., Kiers, H. A. L., & De Leeuw, J. (1988). Explicit CANDECOMP/PARAFAC solutions for a contrived  $2 \times 2 \times 2$  array of rank three. *Psychometrika*, 53, 579–583.
- Ten Berge, J. M. F., Kiers, H. A. L., & Krijnen, W. P. (1993). Computational solutions for the problem of negative saliences and nonsymmetry in INDSCAL. *Journal of Classification*, 10, 115–124.
- Ten Berge, J. M. F., Kiers, H. A. L., Murakami, T., & Van der Heijden, R. (2000). Transforming three-way arrays to multiple orthonormality. *Journal of Chemometrics*, 14, 275–284.
- Ten Berge, J. M. F., Kiers, H. A. L., & Van der Stel, V. (1992). Simultaneous components analysis. *Statistica Applicata*, 4, 377–392.
- Ten Berge, J. M. F., & Knol, D. L. (1984). Orthogonal rotations to maximal agreement for two or more matrices of different column orders. *Psychometrika*, 49, 49–55.
- Ten Berge, J. M. F., Knol, D. L., & Kiers, H. A. L. (1988). A treatment of the orthomax rotation family in terms of diagonalization, and a re-examination of a singular value approach to varimax rotation. *Computational Statistics Quarterly*, 3, 207–217.
- Terbeek, D., & Harshman, R. (1971). Cross-language differences in the perception of natural vowel sounds. *UCLA Working Papers in Phonetics*, 19, 26–38.
- Thomas, K., & Otway, H. J. (1980). Public perceptions of energy system risks: Some policy implications. In T. O'Riordan & K. Turner (Eds.), *Progress in resource management and environmental planning*, Vol. 2. (pp. 109–131). New York: Wiley.
- Thomas, P. R., & Bain, J. D. (1982). Consistency in learning strategies. *Higher Education*, 11, 249–259.
- Thomas, P. R., & Bain, J. D. (1984). Contextual dependence of learning approaches: The effects of assessments. *Human Learning*, 3, 227–240.
- Timmerman, M. E. (2001). *Component analysis of multisubject multivariate longitudinal data*. Unpublished doctoral dissertation, Department of Psychology, University of Groningen, Groningen, The Netherlands.
- Timmerman, M. E., & Kiers, H. A. L. (2000). Three-mode principal components analysis: Choosing the numbers of components and sensitivity to local optima. *British Journal of Mathematical and Statistical Psychology*, 53, 1–16.
- Tisak, J., & Meredith, W. (1990). Longitudinal factor analysis. In A. von Eye (Ed.), *Statistical methods in longitudinal research. Vol. 1*. (pp. 125–149). New York: Academic Press.
- Triandis, H. C. (Ed.). (1972). *The analysis of subjective culture*. New York: Wiley-Interscience.

- Triandis, H. C. (1977). Subjective culture and interpersonal relations across cultures. *Annals of the New York Academy of Sciences*, 285, 418–434.
- Triandis, H. C., Feldman, J. M., Weldon, D. E., & Harvey, W. M. (1975). Ecosystem distrust and the hard-to-employ. *Journal of Applied Psychology*, 60, 44–56.
- Triandis, H. C., Malpass, R. S., & Feldman, J. (1976). Method and a sample of results. In H. C. Triandis (Ed.), *Variations in black and white perceptions of the social environment*. (pp. 81–95). Urbana IL: University of Illinois Press.
- Triandis, H. C., Tucker, L. R., Koo, P., & Stewart, T. (1967). *Three-mode factor analysis of the behavioral component of interpersonal attitudes*. (Technical report No. 50). Urbana IL: Department of Psychology, University of Illinois.
- Trick, L., & Katz, A. N. (1986). The domain interaction approach to metaphor processing: Relating individual differences and metaphor characteristics. *Metaphor and Symbolic Activity*, 1, 185–213.
- Tu, X. M. (1995). Nonparametric-estimation of survival distributions with censored initiating time, and censored and truncated terminating time: Application to transfusion data for acquired-immune-deficiency-syndrome. *Applied Statistics*, 44, 3–16.
- Tu, X. M., & Burdick, D. (1992). Resolution of trilinear mixtures: Application in spectroscopy. *Statistica Sinica*, 2, 577–593.
- Tu, X. M., Burdick, D. S., Millican, D. W., & Mcgown, L. B. (1989). Canonical correlation technique for rank estimation of excitation-emission matrices. *Analytical Chemistry*, 61, 2219–2224.
- Tu, X. M., Meng, X. L., & Pagano, M. (1994). On the use of conditional maximization in chemometrics. *Journal of Chemometrics*, 8, 365–370.
- Tucker, L. R. (1963). Implications of factor analysis of three-way matrices for measurement of change. In C. W. Harris (Ed.), *Problems in measuring change*. (pp. 122–137). Madison WI: University of Wisconsin Press.
- Tucker, L. R. (1964). The extension of factor analysis to three-dimensional matrices. In H. Gulliksen & N. Frederiksen (Eds.), *Contributions to mathematical psychology*. (pp. 110–127). New York: Holt, Rinehart and Winston.
- Tucker, L. R. (1966a). Experiments in multimode factor analysis. In A. Anastasi (Ed.), *Testing problems in perspective*. (pp. 369–379). Washington DC: American Council on Education.
- Tucker, L. R. (1966b). Learning theory and multivariate experiment. Illustration by determination of generalized learning curves. In R. B. Cattell (Ed.), *Handbook of multivariate experimental psychology*. (pp. 476–501). Chicago, IL: Rand McNally.
- Tucker, L. R. (1966c). Some mathematical notes on three-mode factor analysis. *Psychometrika*, 31, 279–311.
- Tucker, L. R. (1967). Three-mode factor analysis of Parker-Fleishman complex tracking behavior data. *Multivariate Behavioral Research*, 2, 139–152.
- Tucker, L. R. (1969, 18 April). *Some relations between multi-mode factor analysis and linear models for individual differences in choice, judgmental and performance data*. Paper presented at the Psychometric Society Symposium: Multi-mode factor analysis and models for individual differences in psychological phenomena., Place unknown.
- Tucker, L. R. (1972a). Relations between multidimensional scaling and three-mode factor analysis. *Psychometrika*, 37, 3–27.
- Tucker, L. R. (1972b, Date unknown). *Use of three-mode factor analysis in MDS*. Paper presented at, Workshop on Multidimensional Scaling, Urbana IL.
- Tucker, L. R. (1975, Date unknown). *Three-mode factor analysis applied to multidimensional scaling*. Paper presented at US-Japan Conference on Multidimensional Scaling., LaJolla CA.
- Tucker, L. R. (1991, Date unknown). *Remarks on the study of the variety of individuals*. Saul B. Sells Memorial Lecture presented at Annual Meeting of the Society of Multivariate Experimental Psychology., Albuquerque NM.

- Tucker, L. R. (1992). Remarks on the study of the variety of individuals. *Multivariate Behavioral Research*, 27, 635–647.
- Tucker, L. R., & Messick, S. (1963). An individual differences model for multidimensional scaling. *Psychometrika*, 28, 333–367.
- Turecek, F., & Gu, M. (1995). Differentiation of olefin isomers by survivor-ion mass-spectrometry. *Journal of mass spectrometry*, 30, 144–152.
- Tzeng, O. C., & Everett, A. V. (1985). A cross-cultural perspective of self-related conceptions in adolescence. *International Journal of Psychology*, 20, 329–348.
- Tzeng, O. C. S. (1972). Differentiation of affective and denotative meaning systems in personality ratings via three-mode factor analysis. *Dissertation Abstracts International*, 34, 864–865.
- Tzeng, O. C. S. (1975). Differentiation of affective and denotative meaning systems and their influence in personality ratings. *Journal of Personality and Social Psychology*, 32, 978–988.
- Tzeng, O. C. S. (1977a). Differentiation of affective and denotative semantic subspaces. *Annals of the New York Academy of Sciences*, 285, 476–500.
- Tzeng, O. C. S. (1977b). Individual differences in self-conception: multivariate approach. *Perceptual and Motor Skills*, 45, 1119–1124.
- Tzeng, O. C. S., & Landis, D. (1978). Three-mode multidimensional scaling with points of view solutions. *Multivariate Behavioral Research*, 13, 181–213.
- Tzeng, O. C. S., & Osgood, C. E. (1976). Validity tests for componential analyses of conceptual domains: A cross-cultural study in methodology. *Behavioral Science*, 21, 69–85.
- Ullrich, J. R., & Wilson, R. E. (1993). A note on the exact number of two- and three-way tables satisfying conjoint measurement and additivity axioms. *Journal of Mathematical Psychology*, 37, 624–628.
- Van de Geer, J. P. (1974). *Groei en ontwikkeling van de ziekenhuisorganisaties in Nederland*. [Growth and development of hospital organisations in the Netherlands] (Interim rapport). Leiden, The Netherlands: Institute of Sociology, Leiden University.
- Van der Burg, E., De Leeuw, J., & Dijksterhuis, G. (1994). OVERALS: Nonlinear canonical correlation with  $k$  sets of variables. *Computational Statistics and Data Analysis*, 18, 141–163.
- Van der Burg, E., De Leeuw, J., & Verdgaal, R. (1988). Homogeneity analysis with  $k$  sets of variables: An alternating least squares method with optimal scaling features. *Psychometrika*, 53, 177–197.
- Van der Burg, E., & Dijksterhuis, G. (1989). Nonlinear canonical correlation analysis of multiway data. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 245–255). Amsterdam: Elsevier.
- Van der Heijden, P. G. M., De Falguerolles, A., & De Leeuw, J. (1989). A combined approach to contingency table analysis using correspondence-analysis and log-linear analysis (with discussion). *Applied Statistics*, 38, 249–292.
- Van der Kloot, W. A., & Kroonenberg, P. M. (1982). Group and individual implicit theories of personality: An application of three-mode principal component analysis. *Multivariate Behavioral Research*, 17, 471–491.
- Van der Kloot, W. A., & Kroonenberg, P. M. (1985). External analysis with three-mode principal component models. *Psychometrika*, 50, 479–494.
- Van der Kloot, W. A., Kroonenberg, P. M., & Bakker, D. (1985). Implicit theories of personality: Further evidence of extreme response style. *Multivariate Behavioral Research*, 20, 369–387.
- Van Eeuwijk, F. A. (1992). Multiplicative models for genotype-environment interaction in plant breeding. *Statistica Applicata*, 4, 393–406.
- Van Eeuwijk, F. A., & Kroonenberg, P. M. (1995). The simultaneous analysis of genotype by environment interaction for a number [of] traits using three-way multiplicative model [of]. *Bulletyn Oceny Odmian/Cultivar Testing Bulletin*, 26/27, 83–96.

- Van Eeuwijk, F. A., & Kroonenberg, P. M. (1998). Multiplicative models for interaction in three-way ANOVA, with applications to plant breeding. *Biometrics*, 54, 1315–1333.
- Vandeginste, B. G. M. (1987). Chemometrics - General introduction and historical development. *Topics in Current Chemistry*, 141, 1–42.
- Vansteelandt, K., & Van Mechelen, I. (1998). Individual differences in situation-behaviour profiles: A triple typology model. *Journal of Personality and Social Psychology*, 75, 751–765.
- Vavra, T. G. (1973). A three-mode factor analytic investigation into the effectiveness of advertising. *Dissertation Abstracts International*, 34, 7802–7803.
- Veldscholte, C. M. (1994). *A three-mode principal component analysis of perceptions of economic activities: TUCKALS3 also compared with two-mode PCA*. (Master's Thesis). Leiden, The Netherlands.: Department of Psychometrics, Leiden University.
- Veldscholte, C. M., Antonides, G., & Kroonenberg, P. M. (1995). *Converging perceptions of economic activities between East and West: A three-mode principal component analysis*. (Research Report No. R9519/A). Rotterdam, The Netherlands: Rotterdam Institute for Business Economic Studies, Erasmus University.
- Verhees, J. (1989). *Econometric analysis of multidimensional models*. Unpublished doctoral dissertation, Department of Econometrics, University of Groningen, Groningen, The Netherlands.
- Verhees, J., & Wansbeek, T. J. (1990). A multimode direct product model for covariance structure analysis. *British Journal of Mathematical and Statistical Psychology*, 43, 231–240.
- Vichi, M. (1988). Two-way data matrix representative syntheses of a three-way data matrix. *Statistica*, 48, 91–106.
- Vichi, M. (1989). La connessione e la correlazione tra due matrici dei dati componenti una matrice a tre indici. [Association and regression between data matrices in a three-way matrix]. *Statistica*, 49, 225–243.
- Vichi, M. (1990). L'analisi in matrici fattoriali di una matrice a tre indici. [Factorial matrix analysis for a three-way matrix]. *Statistica*, 50, 525–546.
- Vichi, M. (1991). Le tecniche che derivano dall'analisi in matrici fattoriali di una matrice a tre indici. [Factorial matrices derived from a three-way matrix]. *Statistica*, 51, 53–77.
- Vichi, M. (1993). Variability of a three-way data set. In *Bulletin of the ISI. Contributed Papers 49th session, Vol. 2*. (pp. 529–530). Rome.
- Vivien, M., & Sabatier, R. (2001a). Nouvelle méthode de régression pour les multi-tableaux: ACIMOG-PLS. (New methods of regression for multi-tables: ACIMOG-PLS). In *Actes des XXXIIIèmes Journées de Statistique*. (pp. 707–710). Nantes.
- Vivien, M., & Sabatier, R. (2001b). Une extension multi-tableaux de la régression PLS. *Revue Statistique Appliquée*, 49, 31–54.
- Wainer, H., Gruvaeus, G., & Blair, M. (1974). TREBIG: A 360/75 FORTRAN program for three-mode factor analysis designed for big data sets. *Behavioral Research Methods and Instrumentation*, 6, 53–54.
- Wainer, H., Gruvaeus, G., & Zill II, N. (1973a). Senatorial decision making: I. The determination of structure. *Behavioral Science*, 18, 7–19.
- Wainer, H., Zill II, N., & Gruvaeus, G. (1973b). Senatorial decision making: II. Prediction. *Behavioral Science*, 18, 20–26.
- Walsh, J. A. (1964). An IBM 709 program for factor analyzing three-mode matrices. *Educational and Psychological Measurement*, 24, 669–673.
- Walter, J. (1976). *Komplexe taaksituaties en hartsnelheidsvariabiliteit in de psychiatrie*. [Complex task situations and variability of heart-rate in psychiatry] (Research Report). Noordwijkerhout, The Netherlands: Foundation Centre St.-Bavo.
- Wang, J. H., & Hopke, P. K. (2001). Equation-oriented system: an efficient programming approach to solve multilinear and polynomial equations by the conjugate gradient algorithm. *Chemometrics and Intelligent Laboratory Systems*, 55, 13–22.

- Wang, Y. D., Borgen, O. S., & Kowalski, B. R. (1993). Comments on the residual bilinearization method. *Journal of Chemometrics*, 7, 439–445.
- Wang, Y. D., Borgen, O. S., Kowalski, B. R., Gu, M., & Turecek, F. (1993). Advances in second-order calibration. *Journal of Chemometrics*, 7, 117–130.
- Wang, Y. D., & Kowalski, B. R. (1993). Standardization of second-order instruments. *Analytical Chemistry*, 65, 1174–1180.
- Wansbeek, T., & Buyze, J. (1981). *Multi-dimensional matrices and multiplicative interdependence in regression analysis*. (Research Report BPA No. 13593-81-M1). Voorburg, The Netherlands: Department for Statistical Methods, Central Bureau of Statistics.
- Wansbeek, T., & Verhees, J. (1989). Models for multidimensional matrices in econometrics and psychometrics. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 543–552). Amsterdam: Elsevier.
- Wansbeek, T., & Verhees, J. (1990). The algebra of multimode factor analysis. *Linear Algebra and its Applications*, 127, 631–639.
- Warmerdam, M. (1990). *Affectieve reakties op reclame*. [Affective reactions to advertising] (Master's Thesis). Leiden, The Netherlands: Department of Psychology, Leiden University.
- Watkins, D., & Hattie, J. (1985). A longitudinal study of the approaches to learning of Australian tertiary students. *Human Learning*, 4, 127–141.
- Weesie, J., & Van Houwelingen, H. (1983). *GEPCAM users' manual: Generalized principal components analysis with missing values*. (Technical report). Utrecht, The Netherlands: Institute of Mathematical Statistics, University of Utrecht.
- Wei, W. Z., Zhu, W. H., & Yao, S. Z. (1992). Application of ridge trace analysis in direct spectrophotometric calibration. *Talanta*, 39, 1629–1636.
- Wein, B., Drobniitzky, M., & Klaiman, S. (1990). MRI and sonography during phonation. *Fortschritte auf dem Gebiete der Röntgenstrahlen und der Neuen Bildgebenden Verfahren*, 2, 2.
- Weinberg, S. L., & Daws, J. T. (1994, 23-26 June). *Recovering true structure of three-way two-mode proximity data: A Monte Carlo study*. Paper presented at the Meeting of the Psychometric Society., Urbana/Champaign IL.
- Westerhuis, J. A., Kourtzi, T., & MacGregor, J. F. (1999). Comparing alternative approaches for multivariate statistical analysis of batch process data. *Journal of Chemometrics*, 13, 397–413.
- Whitman, B. Y. (1980). The relationship of client personality variables and worker skill variables in the production of client behavioral self-disclosure in the therapeutic interview. *Dissertation Abstracts International*, 41, 1779.
- Wicker, F. W. (1966). A scaling study of synesthetic thinking. *Dissertation Abstracts International*, 27, 2173.
- Wiggins, N., & Fishbein, M. (1969). Dimensions of semantic space: A problem of individual differences. In J. R. Snider & C. E. Osgood (Eds.), *The semantic differential technique: A book of readings*. (pp. 183–193). Chicago: Aldine Press.
- Wiggins, N. H., & Blackburn, M. C. (1976). Implicit theories of personality: An individual differences approach. *Multivariate Behavioral Research*, 11, 267–285.
- Williams, W. T., & Stephenson, W. (1973). The analysis of three-dimensional data (sites × species × times) in marine ecology. *Journal of Experimental Marine Biological Ecology*, 11, 207–227.
- Wilson, B. E., Lindberg, W., & Kowalski, B. R. (1989). Multicomponent quantitative-analysis using 2nd-order nonbilinear data: Theory and simulations. *Journal of the American Chemical Society*, 111, 3797–3804.
- Wilson, B. E., Sanchez, E., & Kowalski, B. R. (1989). An improved algorithm for the generalized rank annihilation method. *Journal of Chemometrics*, 3, 493–498.
- Windig, W., Antalek, B., Robbins, M. J., Zumbulyadis, N., & Heckler, C. E. (2000). Applications of the direct exponential curve resolution algorithm (DECRA) to solid state nuclear magnetic resonance and mid-infrared spectra. *Journal of Chemometrics*, 14, 213–227.

- Windig, W., Antalek, B., Sorriero, L. J., Bijlsma, S., Louwerse, D. J., & Smilde, A. K. (1999). Applications and new developments of the direct exponential curve resolution algorithm (DECRA). Examples of spectra and magnetic resonance images. *Journal of Chemometrics*, 13, 95–110.
- Winsberg, S., & Carroll, J. D. (1989). A quasi-nonmetric method for multidimensional scaling of multiway data via a restricted case of an extended INDSCAL model. In R. Coppi & S. Bolasco (Eds.), *Multiway data analysis*. (pp. 405–414). Amsterdam: North-Holland.
- Winsberg, S., & De Soete, G. (1993). A latent class approach to fitting the weighted Euclidean model, CLASCAL. *Psychometrika*, 58, 315–330.
- Winsberg, S., & Menil, V. C. (1993). The recovery of structure in linear and ordinal data: INDSCAL versus ALSCAL. *Multivariate Behavioral Research*, 28, 215–233.
- Wise, B. M., & Gallagher, N. B. (1996). The process chemometrics approach to process monitoring and fault detection. *Journal of Process Control*, 6, 329–348.
- Wish, M., & Carroll, J. D. (1972). Multi-dimensional scaling with differential weighting of dimensions. In F. R. Hodson, D. G. Kendall, & P. Tautu (Eds.), *Mathematics in the archeological and historical sciences*. (pp. 150–167). Edinburgh: Edinburgh University Press.
- Wish, M., & Carroll, J. D. (1982). Multidimensional scaling and its applications. *Handbook of Statistics*, 2, 317–345.
- Wold, S., Geladi, P., Esbensen, K., & Öhman, J. (1987). Multi-way principal components and PLS-analysis. *Journal of Chemometrics*, 1, 41–56.
- Wold, S., Ruhe, A., Wold, H., & Dunn III, W. J. (1984). The collinearity problem in linear regression, the partial least squares (PLS) approach to generalized inverses. *SIAM Journal of Statistics and Computations*, 5, 735–743.
- Wright, R. D., & Elliott, S. J. (1990). Parameter interpolation in speech synthesis. *Journal of the Acoustical Society of America*, 87, 383–391.
- Wu, H. L., Feng, Y. Q., Shibukawa, M., & Oguma, K. (1997). Alternative algorithm for simultaneous determinations of components poorly resolved by liquid chromatography with multiwavelength detection. *Analytical Sciences*, 13, 99–108.
- Xie, Y.-L., Baeza-Baeza, J. J., & Ramis-Ramos, G. (1995). Kinetic spectrophotometric resolution of binary mixtures using three-way partial least squares. *Chemometrics and Intelligent Laboratory Systems*, 27, 211–220.
- Xie, Y.-L., Baeza-Baeza, J. J., & Ramis-Ramos, G. (1996). Second-order tensorial calibration for kinetic spectrophotometric determination. *Chemometrics and Intelligent Laboratory Systems*, 32, 215–232.
- Xie, Y. L., Hopke, P. K., & Paatero, P. (1998). Positive matrix factorization applied to a curve resolution problem. *Journal of Chemometrics*, 12, 357–364.
- Xie, Y. L., Hopke, P. K., Paatero, P., Barrie, L. A., & Li, S. M. (1999a). Identification of source nature and seasonal variations of Arctic aerosol by positive matrix factorization. *Journal of the Atmospheric Sciences*, 56, 249–260.
- Xie, Y.-L., Hopke, P. K., Paatero, P., Barrie, L. A., & Li, S.-M. (1999b). Identification of source nature and seasonal variations of Arctic aerosol by the multilinear engine. *Atmospheric Environment*, 33, 2549–2562.
- Xie, Y.-L., Hopke, P. K., Paatero, P., Barrie, L. A., & Li, S.-M. (1999c). Locations and preferred pathways of possible sources of Arctic aerosol. *Atmospheric Environment*, 33, 2229–2239.
- Yakovleva, E., Hopke, P. K., & Wallace, L. (1999). Receptor modeling assessment of particle total exposure assessment methodology data. *Environmental Science and Technology*, 33, 3845–3652.
- Yanai, H. (1994). *Tahenryo data kaiseki-ho: Riron to ohyo*. [Methods of multivariate data analysis: Theory and applications. Chapter 8: (pp. 151–159)]. Tokyo: Asakura-shoten.
- Yoshino, Y. (1986). Dimensional subtypes of depression derived by three-mode factor analysis. *Kyushu Neuro-Psychiatry*, 32, 245–257.

- Yoshizawa, T. (1975). Models for quantification techniques in multiple contingency tables: The theoretical approach. *Kodokeiryugaku [Japanese Journal of Behaviormetrics]*, 3, 1–11.
- Yoshizawa, T. (1976). A generalized definition of interactions and singular value decomposition of multiway arrays. *Kodokeiryugaku [Japanese Journal of Behaviormetrics]*, 4, 32–42.
- Yoshizawa, T. (1977). *Structure of multiarray data and population spaces*. Unpublished doctoral dissertation, Tokyo University, Tokyo.
- Yoshizawa, T. (1988). Singular value decomposition of multiarray data and its applications. In E. Diday, C. Hayashi, M. Jambu, & N. Ohsumi (Eds.), *Recent developments in clustering and data analysis: Proceedings of the Japanese-French Scientific Seminar, March 24-26, 1987*. (pp. 241–257). Boston: Academic Press.
- Young, F. W. (1981). Quantitative analysis of qualitative data. *Psychometrika*, 46, 357–388.
- Young, F. W. (1984). The general Euclidean model. In H. G. Law, C. W. Snyder Jr, J. A. Hattie, & R. P. McDonald (Eds.), *Research methods for multimode data analysis*. (pp. 440–469). New York: Praeger.
- Zeng, Y., & Hopke, P. K. (1990). Methodological study applying three-mode factor analysis to three-way chemical data sets. *Chemometrics and Intelligent Laboratory Systems*, 7, 237–250.
- Zeng, Y., & Hopke, P. K. (1992a). A new receptor model: A direct trilinear decomposition followed by a matrix reconstruction. *Journal of Chemometrics*, 6, 65–83.
- Zeng, Y., & Hopke, P. K. (1992b). The application of three-mode factor analysis (TMFA) to receptor modeling of scenes particle data. *Atmospheric Environment*, 26A, 1701–1711.
- Zenisek, T. J. (1978). Three-mode factor analysis via a modification of Tucker's computational Method III. *Educational and Psychological Measurement*, 38, 787–792.
- Zenisek, T. J. (1980). The measurement of job satisfaction: A three-mode factor analysis. *Dissertation Abstracts International*, 41, 75.
- Zhang, T., & Golub, G. H. (2001). Rank-one approximation to high order tensors. *Siam Journal on Matrix Analysis and Applications*, 23, 534–550.
- Zielman, B. (1991). *Three-way scaling of asymmetric proximities*. Unpublished doctoral dissertation, Department of Data Theory, Leiden University, Leiden, The Netherlands.
- Zielman, B. (1993). Directional analysis of three-way skew-symmetric matrices. In O. Opitz, B. Lausen, & R. Klar (Eds.), *Information and classification: Concepts, methods and applications*. (pp. 156–161). Berlin: Springer.
- Zissis, K. D., Brereton, R. G., Dunkerley, S., & Escott, R. E. A. (1999). Two-way, unfolded three-way and three-mode partial least squares calibration of diode array HPLC chromatograms for the quantitation of low-level pharmaceutical impurities. *Analytica Chimica Acta*, 384, 71–81.